

Supplementary Materials

Possibility of Using Astaxanthin-Rich Dried Cell Powder from *Paracoccus carotinifaciens* to Improve Egg Yolk Pigmentation of Laying Hens

**Masaki Honda^{1,*}, Yuki Kawashima^{2,*}, Kazuaki Hirasawa², Takeshi Uemura²,
Sun Jinkun³ and Yoshiaki Hayashi^{3,*}**

¹ Faculty of Science & Technology, Meijo University, Shiogamaguchi, Tempaku-ku,
Nagoya 468-8502, Japan; honda@meijo-u.ac.jp (M.H.)

² Biotechnology R&D Group, JXTG Nippon Oil & Energy Corporation, Chidori-cho,
Naka-ku, Yokohama 231-0815, Japan; kawashima.yuki@jxtg.com (Y.K.);
hirasawa.kazuaki@jxtg.com (K.H.); uemura.takeshi.922@jxtg.com (T.U.)

³ Experimental Farm, Faculty of Agriculture, Meijo University, Hishigaike, Takaki-
cho, Kasugai 486-0804, Japan; 193561020@ccmailg.meijo-u.ac.jp (S.J.);
yoshiha@meijo-u.ac.jp (Y.H.)

* Correspondence: honda@meijo-u.ac.jp (M.H.); kawashima.yuki@jxtg.com (Y.K.);
yoshiha@meijo-u.ac.jp (Y.H.)




Figure S1. Calculation of Q -ratio (the height ratio of the Z -peak to the main absorption peak) as an indicator of Z -peak intensity.

Table S1. Absorption maxima (λ_{\max}) and relative intensities of the Z-peaks (Q -ratio) for adonirubin, astaxanthin, and adonixanthin isomers separated and observed using normal-phase high-performance liquid chromatography.

Peak	Isomers ¹	λ_{\max} (nm)		Q -ratio	
		Observed	Reported ¹	Observed	Reported ¹
1	(Z)-Adonirubin	467	—	nd	—
	(all-E)-Adonirubin	469	467	nd	nd
2	(Z)-Adonirubin	368, 459	—	0.36	—
3	(Z)-Astaxanthin	458	—	nd	—
4	(Z)-Astaxanthin	457	—	nd	—
	(all-E)- Astaxanthin	472	472	nd	nd
5	(9Z)-Astaxanthin	363, 466	365, 465	0.20	0.20
6	(13Z + 15Z)-Astaxanthin	365, 465	366, 465	0.46	0.52
7	(Z)-Adonixanthin	356, 444	—	0.30	—
	(all-E)-Adonixanthin	459	459	nd	nd
8	(Z)-Adonixanthin	354, 452	—	0.23	—
9	(Z)-Adonixanthin	354, 457	—	0.35	—
10	(Z)-Adonixanthin	354, 456	—	0.40	—

Values and peak designations were obtained from the chromatograms in Figure 2. —, not assigned. nd, not detected substantially.

¹Tentatively assigned in the literatures [16,32–34].