



Article Assessment of the Authenticity of Whisky Samples Based on the Multi-Elemental and Multivariate Analysis

Magdalena Gajek ^{1,}*[®], Aleksandra Pawlaczyk ¹[®], Elżbieta Maćkiewicz ¹[®], Jadwiga Albińska ¹, Piotr Wysocki ¹, Krzysztof Jóźwik ² and Małgorzata Iwona Szynkowska-Jóźwik ¹[®]

- ¹ Faculty of Chemistry, Institute of General and Ecological Chemistry, Lodz University of Technology, Zeromskiego 116, 90-924 Lodz, Poland
- ² Faculty of Mechanical Engineering, Institute of Turbomachinery, Lodz University of Technology, Wolczanska 219/223, 90-924 Lodz, Poland
- * Correspondence: magdalena.gajek@edu.p.lodz.pl; Tel.: +48-42-631-30-95

Abstract: Two hundred and five samples of whisky, including 170 authentic and 35 fake products, were analyzed in terms of their elemental profiles in order to distinguish them according to the parameter of their authenticity. The study of 31 elements (Ag, Al, B, Ba, Be, Bi, Cd, Co, Cr, Cu, Li, Mn, Mo, Ni, Pb, Sb, Sn, Sr, Te, Tl, U, V, Ca, Fe, K, Mg, P, S, Ti and Zn) was performed using the Inductively Coupled Plasma Mass Spectrometry (ICP-MS), Inductively Coupled Plasma Optical Emission Spectrometry (ICP-OES) and Cold Vapor-Atomic Absorption (CVAAS) techniques. Additionally, the pH values of all samples were determined by pH-meter, and their isotopic ratios of ⁸⁸Sr/⁸⁶Sr, ⁸⁴Sr/⁸⁶Sr, ⁸⁷Sr/⁸⁶Sr and ⁶³Cu/⁶⁵Cu were assessed, based on the number of counts by ICP-MS. As a result of conducted research, elements, such as Mn, K, P and S, were identified as markers of whisky adulteration related to the age of alcohol. The concentrations of manganese, potassium and phosphorus were significantly lower in the fake samples (which were not aged, or the aging period was much shorter than legally required), compared to the original samples (in all cases subjected to the aging process). The observed differences were related to the migration of these elements from wooden barrels to the alcohol contained in them. On the other hand, the sulfur concentration in the processed samples was much higher in the counterfeit samples than in the authentic ones. The total sulfur content, such as that of alkyl sulfides, decreases in alcohol with aging in the barrels. Furthermore, counterfeit samples can be of variable origin and composition, so they cannot be characterized as one group with identical or comparable features. Repeatedly, the element of randomness dominates in the production of these kinds of alcohols. However, as indicated in this work, the extensive elemental analysis supported by statistical tools can be helpful, especially in the context of detecting age-related adulteration of whisky. The results presented in this paper are the final part of a comprehensive study on the influence of selected factors on the elemental composition of whisky.

Keywords: authentication; adulteration; fake; whisky; elemental analysis; ICP-MS; ICP-OES; CVAAS; spirits; principal component analysis; alcohol aging; isotope ratios

1. Introduction

Extremely fast development of trade and international exchange of products and food mobility brought an unprecedented variety of food products to consumers. However, nowadays, consumer awareness regarding the quality and authenticity of the food they buy and consume was raised significantly. Moreover, a study conducted over a decade ago indicated that as many as 82% of the customers considered geographical origin as a quality indicator before purchasing food products [1]. Literature reports clearly suggest that numerous cases of food adulteration have been reported, including the use of substances that pose a threat to the health and life of consumers. Examples of such activities can be given as follows: mixing melamine and wheat gluten to increase the protein content [2],



Citation: Gajek, M.; Pawlaczyk, A.; Maćkiewicz, E.; Albińska, J.; Wysocki, P.; Jóźwik, K.; Szynkowska-Jóźwik, M.I. Assessment of the Authenticity of Whisky Samples Based on the Multi-Elemental and Multivariate Analysis. *Foods* **2022**, *11*, 2810. https://doi.org/10.3390/ foods11182810

Academic Editor: Daniel Cozzolino

Received: 4 August 2022 Accepted: 29 August 2022 Published: 12 September 2022

Publisher's Note: MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



Copyright: © 2022 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (https:// creativecommons.org/licenses/by/ 4.0/). contamination of paprika powder with lead oxide [3], addition of red lead (Pb_3O_4) to cayenne pepper to achieve a vibrant color [4]. In turn, honeys are often adulterated to increase their shelf-life and nutritional value, by adding glucose–fructose syrups, corn syrups, invert sugar syrups or by admixing with imported honeys of poorer quality [5,6]. Thus, food authenticity is an important matter in the case of quality control and assurance of food safety. The authentication of food concerns many aspects, including misleading about origin, mislabeling and adulteration, which is defined as a process by which the quality or the nature of a given product is reduced due to the addition of a foreign or an inferior substance and removing a vital element [7,8].

The need for precise and valid analytical techniques for food investigations is increasing because of the continuously rising food deception around the world [9–11]. Fortunately, a range of potential analytical techniques for the authenticity termination and traceability of food products is extensive. Among them, the following methods can be distinguished: spectroscopic techniques [12–15] (including those based on isotopic ratios [16,17]), separation techniques [6,18], neutron and proton-based nuclear techniques [19], as well as advanced DNA-based techniques [10,20]. Elemental analysis has long been used in research connected with food authenticity, including discrimination of geographical origin [7], organic versus conventional cultivation [21] or free range to compare with conventionally farmed products [22]. Numerous literature reports indicate that elemental fingerprinting also proved its usefulness for the differentiation of origin of wine [15,23], olive oil [24], honey [6,25], coffee [26], tea [27], cheese [28], vegetables and fruits [29] and also spices and food additives [30]. Food products consist of numerous compounds, including carbohydrates, peptides, lipids, fatty acids, amino acids, organic acids, nucleic acids and other small molecules (aromas, dyes, preservatives and other exogenous compounds) [31]. Due to the complexity of the ingredients in the food, using chromatographic methods it makes possible to obtain unique molecular fingerprints, which has a huge potential in differentiation during the authentication process [30]. Separation techniques were used for food authentication and geographic identification of the following: apple juice [32], kiwifruit juices [33], wine [34], honey [6], saffron [35], tomatoes [36], ginger [37], whisky [38–42] and fruit spirits [43]. Moreover, the isotopic ratios were successfully used in food authentication because stable isotope ratios are dependent on the climatic and soil conditions, as well as geographical origin of food ingredients [30]. The isotope ratios mostly investigated in food authentication are ²H/¹H, ¹³C/¹²C, ¹⁵N/¹⁴N, ¹⁸O/¹⁶O, ³⁴S/³²S, ⁸⁴Sr/⁸⁶Sr, ⁸⁷Sr/⁸⁶Sr, ⁸⁸Sr/⁸⁶Sr ²⁰⁶Pb/²⁰⁴Pb, ²⁰⁷Pb/²⁰⁴Pb and ²⁰⁸Pb/²⁰⁴Pb [44,45]. Literature reports indicate that techniques based on the measurement of isotope ratios are most often used for authentication of cheeses [46], sweet cherries [47], lentils [48] bell pepper [49], wheat [50], wine [51,52] and vodka [53].

Due to the great popularity and high price, premium whisky is one of the most frequently counterfeited alcoholic beverages. The process of counterfeiting whisky usually involves blending a cheaper version of whisky belonging to the same category as the genuine brand, mixing a cheap local alcohol with the original brand of whisky or using a cheap local alcohol with added flavorings and coloring as a genuine product [54]. Another possibility of counterfeits in the case of whisky is the use of a different type of barrel, as well as a much shorter aging period compared to the manufacturer's declarations. The most important quality characteristics, particularly in the case of premium brands, are the maturation period and the history of the casks in which whisky was matured. Thus, during the authentication process of whisky, a number of facts have to be taken into consideration. The water, the cereals, the use of peat smoke during grain malting and the equipment applied in the distillation process will have an influence, to a greater or lesser extent, on the final product. During the aging of the raw distillate in the barrel, significant changes take place in the chemical composition of the alcohol, which results in the "softening" of the product [42,55]. As previously noted, the analytical techniques most commonly used to authenticate and identify the geographical origin of whisky are chromatographic methods [38–42]. They allow finding characteristic compounds and

determine aroma profiles, which can then be used to define the quality and authenticity of the tested whisky [56]. Especially the analysis of esters, which have the greatest impact on the aroma of the alcohol, enables an assessment of the aging process and, as a result, the verification of the authenticity of the age of whisky [57,58].

Taking into account the number of scientific studies dealing with the authentication and identification of the origin of food products, most of articles refer to wines; then fruit, vegetables and cereals; and, finally, meats, oils and fats. The available scientific data show that less than 10% of all publications devoted to food authentication concern the analysis of beverages (including spirit, beers, soft drinks and mineral waters) [30]. To the authors' knowledge, very few papers on metal analysis in whisky are available [59–62]. However, the use of the elemental profile to establish authenticity and provenance is extremely rare in the literature [60]. In the first part of the scientific study (The Elemental Fingerprints of Different Types of Whisky as Determined by ICP-OES and ICP-MS Techniques in Relation to Their Type, Age, and Origin [61]), the extensive elemental characterization of whisky samples was performed, including distinguishing alcohol samples based on their origin, type and age using statistical analysis and chemometric tests. The authors in this paper have not discussed the issues related to the authenticity of products or its possible identification.

The main purpose of this work was to assess the authenticity parameter based on an extensive elemental analysis supported by appropriate statistical and chemometric tests. It should be emphasized that in this study wide range of measurements were carried out with the use of 3 analytical techniques (ICP-MS, ICP-OES and CV-AAS) to determine the concentrations of 31 elements in 205 whisky samples (170 authentic and 35 fake samples). Additionally, the pH value was measured for each of the analyzed alcohol samples, and the collected semi-quantitative data were used to determine the isotope ratios.

2. Materials and Methods

2.1. Samples

In this study, a total of 205 whisky samples were analyzed, including 170 samples of original products, which were discussed in the first part of the publication (The Elemental Fingerprints of Different Types of Whisky as Determined by ICP-OES and ICP-MS Techniques in Relation to Their Type, Age, and Origin [63]), as well as 35 samples of unidentified identity, called fake products, which were used as a reference group for the authenticity studies. Among the 35 samples, 9 different sources of their origin can be distinguished. The source of origin is understood to mean the producer or the place where the product was manufactured. These alcohols were distributed on various scales as analog of whisky products. To the authors' knowledge, fake alcohols were not matured in wooden barrels or this stage was significantly reduced. However, the counterfeits whisky products were from sources that remain anonymous. The analysis was performed using the ICP-MS, ICP-OES and CVAAS techniques.

The information about whisky products categories was coded, and the manufacturers' names are not given in this paper. Basic characteristics of the tested samples are included in Table 1.

Table 1. Characteristics of the tested set of samples.

n	Authentic									
				35						
	170		Number of Samples from a Given Source							
		S1–7	S2–9	S3–6	S4–2	S5–3	S6-4	S7–2	S8-1	S9-1
Total		205								

S1–S9 code of source of origin (e.g., S1—source no 1).

- 2.2. Samples Preparation and Equipment
 - ICP-OES, ICP-MS and CV-AAS

The sample preparation procedures and the measurement conditions are described in detail in the publication Elemental Fingerprint of Different Types of Whisky Determined by ICP-OES and ICP-MS techniques in Relation to Their Type, Age and Origin [61] and in our preliminary study (Multielemental Analysis of Various Kinds of Whisky [63]). Moreover, all validation procedures were analogous to those described in the first part of the paper.

pH-Metr

Basic 20⁺ pH-meter (CARISON INSTRUMENTS S.A., Barcelona, Spain) was used to measure the pH values of the tested whisky samples. The pH-meter consists of a magnetic stirrer with automatic temperature stabilization and a combined electrode with glass and a silver chloride electrode placed in one holder. Before the measurement, the necessary calibration process was performed using buffers at pH 4.01, 7.00 and 9.21 (HACH Company, Düsseldorf, Germany). Measurements were carried out during a three-day analytical cycle. Three replicates were performed for each sample, and the average result was taken as the final result. After analyzing 20 samples, calibration was repeated.

2.3. Data Analysis

The STATISTICA 12.5 (New York, NY, USA) software was employed for raw data processing. The first step was to check the normality of the distribution of the studied variables. In this order, Kołmogorow–Smirnow tests were applied. On the basis of the tests, the hypothesis of normal distribution was rejected for all studied elements and isotope ratios, as well as pH-value (for the significance level $\alpha = 0.05$). Then, the existence of statistically significant differences was checked. For this purpose, the Kruskal–Wallis non-parametric test was used. In the final phase, data were investigated by multivariate chemometric analysis. To increase the interpretability of the results, principal component analysis (PCA) was applied.

3. Results and Discussion

3.1. Level of Metals in Analyzed Whisky Samples

In this study, the concentration of 31 elements in 205 whisky samples and products of unknown identity was determined. A total of 170 samples are authentic products, the concentrations of which were listed in the first part. The remaining 35 items are false objects and the obtained results for this group regarding their elemental profile were given in this paper. The ICP-MS technique was used to determine the concentration of the following elements: Ag, Al, B, Ba, Be, Bi, Cd, Co, Cr, Cu, Li, Mn, Mo, Ni, Pb, Sb, Sn, Sr, Te, Tl, U and V, while elements, such as Ca, Fe, K, Mg, P, S, Ti and Zn, were measured with the ICP-OES technique. The CVAAS technique was used to determine the total mercury content.

In terms of 35 samples of counterfeit products, some of the obtained results were below the quantification limits. The Hg concentration was below the limit of quantification in each case. Te was not determined in 31 samples. Ag was not determined in 19 samples, P in 15 and Fe in 13. Sb and Bi were not detected in 12 samples, while Cd and Ti in 9 samples. Zn was not found in six samples; Mo and Tl in four; and Al, V, Sn and Pb in three samples. U was not identified in two independent samples, while Li, Be and B were not quantified in one sample.

In the first part of the publication, the basic statistical parameters of authentic products (170 samples) were summarized. Therefore, in Table 2 the same type of the information was given, such as the mean, median, minimum and maximum, but for the group of counterfeit products (35 samples). In each case, due to the rejection of the hypothesis of normal distribution, in order to assess statistically significant differences between the groups under consideration, the non-parametric Kruskal–Wallis test was applied.

Element	n	Mean	Median	Min	Max	Element	n	Mean	Median	Min	Max
Ag		1.280	<loq< td=""><td><loq< td=""><td>8.600</td><td>Sb</td><td></td><td>0.540</td><td>0.300</td><td><loq< td=""><td>3.000</td></loq<></td></loq<></td></loq<>	<loq< td=""><td>8.600</td><td>Sb</td><td></td><td>0.540</td><td>0.300</td><td><loq< td=""><td>3.000</td></loq<></td></loq<>	8.600	Sb		0.540	0.300	<loq< td=""><td>3.000</td></loq<>	3.000
AÌ		168.4	163.3	<loq< td=""><td>470.7</td><td>Sn</td><td></td><td>13.89</td><td>9.810</td><td><loq< td=""><td>34.70</td></loq<></td></loq<>	470.7	Sn		13.89	9.810	<loq< td=""><td>34.70</td></loq<>	34.70
В		3794	2397	<loq< td=""><td>19,019</td><td>Sr</td><td></td><td>133.0</td><td>53.72</td><td>14.146</td><td>765.1</td></loq<>	19,019	Sr		133.0	53.72	14.146	765.1
Ba		199.6	189.0	117.3	378.0	Te		0.060	<loq< td=""><td><loq< td=""><td>1.100</td></loq<></td></loq<>	<loq< td=""><td>1.100</td></loq<>	1.100
Be		0.130	0.110	<loq< td=""><td>0.500</td><td>T1</td><td></td><td>0.210</td><td>0.030</td><td><loq< td=""><td>2.100</td></loq<></td></loq<>	0.500	T1		0.210	0.030	<loq< td=""><td>2.100</td></loq<>	2.100
Bi		3.220	0.600	<loq< td=""><td>25.80</td><td>U</td><td></td><td>0.360</td><td>0.190</td><td><loq< td=""><td>3.100</td></loq<></td></loq<>	25.80	U		0.360	0.190	<loq< td=""><td>3.100</td></loq<>	3.100
Cd		6.110	0.760	<loq< td=""><td>65.90</td><td>V</td><td></td><td>1.680</td><td>0.910</td><td><loq< td=""><td>10.40</td></loq<></td></loq<>	65.90	V		1.680	0.910	<loq< td=""><td>10.40</td></loq<>	10.40
Со	35	9.920	5.260	1.409	42.20	Ca	35	35,729	22,914	1994	271,134
Cr		182.5	112.3	54.57	770.3	Fe		174.7	29.98	<loq< td=""><td>2735</td></loq<>	2735
Cu		2383	56.86	1.922	33,212	К		97,091	10,882	<loq< td=""><td>670,611</td></loq<>	670,611
Li		67.12	19.25	<loq< td=""><td>825.4</td><td>Mg</td><td></td><td>5370</td><td>1577</td><td>465.4</td><td>33,074</td></loq<>	825.4	Mg		5370	1577	465.4	33,074
Mn		76.75	51.39	2.377	438.7	P		7352	74.29	<loq< td=""><td>56,793</td></loq<>	56,793
Mo		11.07	1.590	<loq< td=""><td>108.4</td><td>S</td><td></td><td>20,885</td><td>14,679</td><td>197.6</td><td>231,701</td></loq<>	108.4	S		20,885	14,679	197.6	231,701
Ni		62.71	39.86	2.418	411.0	Ti		43.49	25.35	<loq< td=""><td>316.8</td></loq<>	316.8
Pb		12.84	11.21	<loq< td=""><td>35.60</td><td>Zn</td><td></td><td>2987</td><td>274.8</td><td><loq< td=""><td>39,815</td></loq<></td></loq<>	35.60	Zn		2987	274.8	<loq< td=""><td>39,815</td></loq<>	39,815

Table 2. Basic statistics for determined elements for all counterfeit samples (n = 35) [μ g/L].

The average contents of median values for the elements in the alcohol samples of unidentified origin decreased in the following order: Ca > K > S > B > Mg > Zn > Ba > Al > Cr > Sr > P > Fe > Cu > Ni > Mn > Ti > Li > Sn > Pb > Co > Mo > V > Cd > Bi > Sb > U > Be > Tl > Ag > Te > Hg. The order of elements for authentic samples was similar with the general trend from macro to micro elements. However, it should be noted that in the case of original products, elements, such as P and Cu, are listed higher in this order, while S lower than the presented order for non-original samples.

The authors of this paper referred to the internal national standards that define the maximum permissible content of selected metals (Cd, Pb) in high-percentage alcohols [64], which were presented in the first part of the manuscript, decided also to check potential exceedances of heavy metals (Cd and Pb) in fake whisky samples. In the mentioned standards, the maximum lead content was set at 0.3 mg/L, and the cadmium one at 0.03 mg/L. This time, there were only exceedances in the case of cadmium. The exceedances of the maximum allowable concentrations concerned three samples (F10, F11 and F12), which came from a common source. The values recorded for Cd in these cases ranged from 32.25–65.90 µg/L.

3.2. Comparison of Elemental Profiles of Authentic and Counterfeit Whisky

In this experiment, a set of counterfeit and authentic samples was analyzed to reveal the possible differences between them, as well as to detect and identify the elemental fingerprint group of genuine and fake whisky. Apart from the above-mentioned 30 elements (Hg was omitted because its concentration in each sample was below the limit of quantification) and the pH value, in the analysis, the values of Sr and Cu isotope ratios were also used. These ratios were calculated based on the number of counts for each of the isotope as a result of the semi-quantitative analysis. In the case of Sr isotopes, the interference from Rb was corrected. For copper, an analysis was performed on the basis of the ⁶³Cu/⁶⁵Cu isotope ratio. In turn, for Sr, the following isotopic ratios were used: ⁸⁸Sr/⁸⁶Sr, ⁸⁴Sr/⁸⁶Sr, ⁸⁷Sr/⁸⁶Sr, as these are the parameters most frequently used in food authentication [45].

On the basis of the Kruskal–Wallis test, the existence of statistically significant differences in the concentration of the following elements was demonstrated: Be, Ca, Cu, Li, Mg, Mo, S, Sn, Sr and pH value (Table 3). In all mentioned cases the level of significance (p) was less than 0.05.

Element	Code	Ν	Mean	Median	Min	Max	Std. Dev.
⁹ Be	А	170	0.100	0.092	<loq< td=""><td>0.300</td><td>0.050</td></loq<>	0.300	0.050
	F	35	0.130	0.120	<loq< td=""><td>0.500</td><td>0.100</td></loq<>	0.500	0.100
59	А	170	4.530	2.468	0.406	74.90	7.870
5500	F	35	9.920	5.260	1.409	42.20	10.10
63 0	А	170	473.7	216.0	16.25	5252	736.4
⁰⁵ Cu	F	35	4021	56.86	1.922	33,212	7367
7.	А	170	21.36	12.27	0.474	399.5	35.40
' L1	F	35	67.12	19.25	<loq< td=""><td>825.4</td><td>140.8</td></loq<>	825.4	140.8
95. 6	А	170	1.790	1.066	<loq< td=""><td>32.30</td><td>3.320</td></loq<>	32.30	3.320
⁹⁵ Mo	F	35	11.07	1.590	<loq< td=""><td>108.4</td><td>30.30</td></loq<>	108.4	30.30
60	А	170	24.01	12.96	3.201	301.3	33.68
⁰⁰ N1	F	35	62.71	39.86	2.418	411.0	73.70
119 -	А	170	9.800	4.672	<loq< td=""><td>44.50</td><td>11.31</td></loq<>	44.50	11.31
¹¹⁰ Sn	F	35	13.89	9.810	<loq< td=""><td>34.70</td><td>11.00</td></loq<>	34.70	11.00
<u> </u>	А	170	47.18	45.81	15.84	119.2	19.80
^{oo} Sr	F	35	133.0	53.72	14.15	765.1	168.8
C . 202 2((А	170	14,655	9185	723.8	175,353	17,983
Ca 393.366	F	35	35,729	22,914	1994	271,134	50,189
Ma 270 552	А	170	1487	1046	208.5	11,548	13,926
Mg 279.555	F	35	5370	1577	465.4	33,074	764
C 100 F2 1	А	170	7126	4648	296.7	69,907	8654
5 180.731	F	35	20,885	14,679	197.6	231,701	39,556
nU value	А	170	3.63	3.63	1.95	6.20	0.68
pri value	F	35	4.71	4.39	2.79	8.70	1.50

Table 3. Contents of selected elements (with statistically significant differences) in the measured fake and authentic alcohol samples (n = 205) [μ g/L].

Comparing the median values of the two groups under consideration (fake and authentic whisky samples) in each case, except for copper, higher values were noted for products with unidentified identity. Although the highest content of copper was recorded in the fake sample (33.21 μ g/L), the median and mean values of the samples belonging to the group of authentic products were much higher. However, it should be noted that in the group of false samples there were five objects with a much higher concentration of copper. These were samples coded as F4 and F5 and from F9 to F11 with a copper content in the range from 12.89 to 33.21 μ g/L. As emphasized in the first part of the work, the presence of copper in alcohol is undoubtedly related to the material of the apparatus used in the production process, and more specifically during distillation. Therefore, the alcohols coded as F4, F5, F9, F10 and F11 have most certainly been distilled in copper stills, resembling the high-quality single malt whisky. As it was underlined in the previous paper, differentiation of the authentic samples may be influenced by several overlapping parameters. Moreover, counterfeit samples can be of variable origin and composition, so it is impossible to characterize them as one group with identical or comparable attributes. When the influence of overlapping parameters was eliminated, in the case of authentic samples, the increasing concentration of V, Cr, Ni, Sr, Sb, Bi, Zn, Mg, K and P with the age of the analyzed samples was revealed (despite the lack of statistically significant differences). A similar result was recorded for the comparison of authentic and false objects in this study. Despite the lack of statistically significant differences, higher values of both the median and mean of Mn and P and the median value for K were recorded for the genuine samples, which were maturated (minimum 3 years). Thus, it is possible to clearly indicate the influence of aging on the levels of phosphorus and manganese and potassium, as these elements can be selected as markers for the identification of products with adulterated maturation. The chemical composition of wood is the explanation for the higher content of the above-mentioned elements in the authentic samples in relation to the false ones. Unadulterated whisky is matured in oak barrels, usually incinerated from the inside. The presence of phosphorus and potassium is directly related to the oxides formed during

the firing of wooden barrels for aging alcohol. On the other hand, phosphorus, as a macroelement necessary for plant development, may accumulate in various parts of plants when migrating from the soil. The main form of phosphorus in soil is phosphates, including manganese phosphates [65,66]. In addition, manganese compounds are used as wood preservatives, which may also affect the content of this element in alcohol stored in oak barrels [67]. Thus, the longer the alcohol stays in contact with wooden barrels, the greater the migration of these elements into the product. It is true that the aforementioned average concentration of copper was higher in authentic samples, i.e., those subjected to the aging process, however, the content of this element should be associated with the equipment used for production rather than with the age parameter.

Among the elements listed in Table 3, for which the existence of statistically significant differences has been demonstrated, the presence of sulfur should be commented on. As reported in the literature data, sulfur volatile compounds generated during the whisky production process influence their quality to a large degree [68]. The selected alkyl sulfides (dimethyl sulfide (DMS), dimethyl disulfide (DMDS) and dimethyl trisulfide (DMTS)) have been recognized as age markers for whisky, as the level decreases with the time the alcohol spends in the barrel [69,70]. Comparing the mean and the median values of the groups of false and authentic samples, it is clear that the concentration of S in the set of counterfeit samples (not subjected to aging or with a falsified aging period) was an order of magnitude higher than in the original ones (which in each case were samples aged by at least 3 years). Thus, both the concentration of sulfur compounds, as evidenced by the literature, and the total sulfur content, as shown in this study, decrease with the aging of alcohol.

Also, the much higher pH value in the case of fake samples, as compared to the authentic ones, is worth emphasizing. This applies to both the mean and the median values. Although the set of authentic samples is much more numerous than the samples of unidentified identity, the pH values obtained in this group were much more similar and were in the acidic pH range. The counterfeit alcohol samples, on the other hand, had the pH ranging from 2.79 to 8.70, i.e., from acid to alkaline. Adherence to strict standards in the whisky production process ensures that certain physical and chemical parameters of alcohol are maintained within a given brand, including the characteristic pH value of the product. The large discrepancy in the results of the pH value in a small group of fake samples (including samples from a common source) suggests a lack of compliance with production standards and certain randomness during the production of this type of alcohol.

The comparison of the Cu and Sr isotope ratios of the genuine and false sample groups did not provide significant information allowing their better differentiation.

In the next step, the projection of cases on the factor plane for reduced data set was made. Since the significant influence of aging on the elemental profile of whisky had already been proven in earlier work, the age parameter was eliminated. Therefore, during the comparison of false and genuine samples, only the original samples were taken into account, which were aged for the legally required period (3 years).

As shown in Figure 1, quite a good separation between genuine and counterfeit samples using PCA was achieved. The vast majority of authentic samples are accumulated in one area of the graph (around the point of intersection of the coordinate axes), while the points belonging to the false samples are scattered over throughout the plot. This area contains over 70% of alcohol samples with unidentified identity. Despite the much smaller number of counterfeit samples, their large diversity in composition makes it impossible to characterize them as one group with similar physicochemical characteristics. Repeatedly, other authors have indicated that it is extremely difficult to find a marker occurring only in fake samples [42,71–75]. Most often, the problem arises from the type and nature of the adulterations. Depending on whether the adulteration concerns a lower alcohol content than the standard required [73] or on the addition of esters, aldehydes or organic acids [71,72], in order to reflect the age, taste, smell and quality of a given brand, a different and individual approach should be taken. Nonetheless, under such conditions,



nontargeted screening followed by chemometric analysis can be a powerful instrument to uncover deviations from typical authentic whisky fingerprints.

Figure 1. PCA score plot of 3-year-old authentic (A) and fake (F1-35) whisky samples.

Figure 1 resembles an analogous projection presented in the work of Stupak et al. [42]. The authors of the aforementioned work separated the samples of counterfeit and original whisky on the basis of selected markers measured with chromatographic techniques. In this case, in the PCA plot, all points belonging to the group of genuine products (both single malt and blended) were clustered in one common area, while objects belonging to the fake samples are dispersed across the graph.

3.3. Counterfeit Whisky Analysis

In the next steps, only samples marked as fake (35) were discussed separately with division to their sources of origin (1–9). On the basis of the Kruskal–Wallis test, the existence of statistically significant differences in the concentration of the following elements was demonstrated: B, Bi, Cd, Co, Fe, Mn, Mo, Ni, Pb, Sb and Zn. In each case, the level of significance (p) was less than 0.05. The most important statistical information connected with the division of fake samples against the sources is included in Table 4. It is worth noting that statistically significant differences for each of the elements, every time concerned, the source of the counterfeit whisky samples was marked as the number 2 (indicated as red color on Figure 2). Moreover, taking into account the median value for all elements listed in Table 5 (except Sn), the lowest concentrations were recorded for source 2.

Table 4. Groups with statistically significant differences.

Statistically Significant Differences	Elements
Source 6–Source 2	В
Source 3–Source 2	Fe; Mn; Mo; Sn
Source 1–Source 2	Bi; Cd; Co; Ni; Pb; Zn

Element	No. of Source	Ν	Mean	Median	Min	Max	Std. Dev.
	1	7	2064	2238	<loq< td=""><td>3289</td><td>1055</td></loq<>	3289	1055
11 -	2	9	1803	1704	190.7	3758	1158
11B	3	6	2503	2728	1704	3059	657.0
	6	4	9078	8413	5970	13.52	3318
	1	7	12.75	10.35	9.387	25.77	5.870
200	2	9	<loq< td=""><td><loq< td=""><td><loq< td=""><td><loq< td=""><td><loq< td=""></loq<></td></loq<></td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td><loq< td=""><td><loq< td=""></loq<></td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td><loq< td=""></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
²⁰⁹ Bi	3	6	0.847	0.419	<loq< td=""><td>3.543</td><td>1.347</td></loq<>	3.543	1.347
	6	4	2.300	2.705	<loq< td=""><td>3.790</td><td>1.618</td></loq<>	3.790	1.618
	1	7	26.05	11.06	3.204	65.90	28.11
111	2	9	0.019	<loq< td=""><td><loq< td=""><td>0.128</td><td>0.042</td></loq<></td></loq<>	<loq< td=""><td>0.128</td><td>0.042</td></loq<>	0.128	0.042
¹¹¹ Cd	3	6	2.690	2.166	<loq< td=""><td>7.325</td><td>2.857</td></loq<>	7.325	2.857
	6	4	0.724	0.659	0.171	1.410	0.510
	1	7	26.09	23.90	13.77	42.21	9.000
50	2	9	3.840	3.436	1.409	7.613	1.895
⁵⁹ Co	3	6	7.218	5.584	3.698	12.53	4.056
	6	4	5.985	4.690	3.504	11.06	3.430
	1	7	39.55	37.18	16.85	73.94	18.72
	2	9	14.12	5.192	2.377	64.16	20.26
⁵⁵ Mn	3	6	143.4	81.27	64.16	438.7	147.1
	6	4	49.89	31.59	6.299	130.0	58.44
	1	7	1.280	1.560	<loq< td=""><td>2.130</td><td>0.840</td></loq<>	2.130	0.840
05	2	9	0.289	0.242	<loq< td=""><td>0.988</td><td>0.339</td></loq<>	0.988	0.339
⁹⁵ Mo	3	6	56.68	59.58	1.982	108.4	56.76
	6	4	2.953	2.424	1.218	5.750	1.947
	1	7	79.75	57.46	34.79	136.2	43.85
60	2	9	13.77	10.21	2.419	30.11	10.04
⁶⁰ Ni	3	6	110.4	47.66	19.14	411.0	150.9
	6	4	75.36	74.30	69.34	83.49	6.114
	1	7	29.65	30.75	22.99	35.60	4.430
208	2	9	3.677	1.186	<loq< td=""><td>21.89</td><td>7.008</td></loq<>	21.89	7.008
²⁰⁸ Pb	3	6	10.72	13.38	3.569	13.42	4.308
	6	4	12.09	12.43	6.553	16.95	5.358
	1	7	4.330	4.737	<loq< td=""><td>8.600</td><td>2.860</td></loq<>	8.600	2.860
1180	2	9	17.09	19.97	9.310	20.41	4.627
¹¹⁰ Sn	3	6	29.63	29.59	23.42	34.65	3.617
	6	4	8.257	4.651	<loq< td=""><td>23.73</td><td>10.55</td></loq<>	23.73	10.55
	1	7	49.00	47.75	<loq< td=""><td>90.67</td><td>33.67</td></loq<>	90.67	33.67
E. 220 204	2	9	0.036	<loq< td=""><td><loq< td=""><td>0.316</td><td>0.105</td></loq<></td></loq<>	<loq< td=""><td>0.316</td><td>0.105</td></loq<>	0.316	0.105
Fe 238.204	3	6	669.7	233.2	<loq< td=""><td>2735</td><td>1035</td></loq<>	2735	1035
	6	4	7.496	<loq< td=""><td><loq< td=""><td>29.98</td><td>14.99</td></loq<></td></loq<>	<loq< td=""><td>29.98</td><td>14.99</td></loq<>	29.98	14.99
	1	7	11,005	5668	4353	39,815	12,795
7.010.054	2	9	90.47	0.144	<loq< td=""><td>429.3</td><td>152.5</td></loq<>	429.3	152.5
Zn 213.856	3	6	859.7	725.1	111.2	1891	704.8
	6	4	4189	77.29	<loq< td=""><td>16,603</td><td>8276</td></loq<>	16,603	8276

Table 5. Contents of selected elements (with statistically significant differences) in the measured fake alcohol samples (n = 35) [μ g/L].

<LOQ—limit of quantification

In the analyzed set of fake samples, nine different, independent sources were distinguished and according to this criterion a division was made and what is worth mentioning is the fact that within these separated groups, alcohol samples of a completely different nature were observed. This means that they were produced by one manufacturer, but some of them are "raw" products, i.e., distillates that have not undergone any treatment to change their color or taste, whereas others are finished products intended for sale and consumption. However, the tendency that can be noticed in the projection of the cases on the factor plane for the fake products presented in Figure 2 is the grouping of samples within a common source. Each group has been marked with a different color. Sources 8 (F2) and 9 (F1) are represented by single samples. Sample F1 (source 9) is distinguished by the highest values of Li, Mn, Sr and Ba in relation to the other counterfeit samples, hence its extreme position on the graph presented below. Within the source 1 (marked in green), a cluster of items from F30 to F32 can be distinguished. These are samples of the same alcohol coming probably from one production batch but taken from three independent bottles. It should be mentioned that this alcohol has been enriched with wood extracts in order to give it the characteristic whisky aromas. The other samples in this group are of a completely different nature. Moreover, samples F9–12 and F30–32 contain the highest concentrations of Cd in the tested set of false ones. For items F10–12, the permissible level of this element has been exceeded. The samples from sources 2, 4, 5 and 7 in Figure 2 form the most central, individual clusters. An interesting group is consisted of the samples from source 3 marked in yellow in Figure 2. Points F3, F22 and F24 are samples of high-strength distillates. In turn, samples F20, F26 and F34 are flavored products, which are made from these distillates. They have been enriched with sugar and fruit juices. These products were supposed to resemble whisky-based fruit liqueurs.



Projection of the cases on the factor-plane for the fake products

Figure 2. PCA score plot of fake whisky with division on 9 different sources of samples.

4. Conclusions

Mn, K and P are elements with higher concentrations recorded in the case of authentic samples. Their presence is directly related to the aging period of alcohol and can be indicated as markers for the identification of fraudulent activity in this respect. Another indicator certainly associated to the whisky maturation process in barrels is S. In products that were not aged or the aging period was much shorter than legally required (fake samples), the concentration of this element was much higher, compared to the original samples (in all cases subjected to the aging process). Counterfeit samples can be of variable origin and composition, so they cannot be characterized as one group with identical or comparable attributes. Often, the element of randomness dominates in the production of such alcohols. The use of unsuitable ingredients or production equipment, as well as inadequate knowledge in this field, cause the lack of repeatability of the taste and smell characteristics of alcohol beverages. This is evidenced by, for example, the failure to meet the standards for the maximum content of heavy metals in high-percentage alcohols. The

adulteration of food products, including whisky, may be of various characters. It can refer to a reduced percentage of alcohol or the addition of various organic compounds to improve the visual and flavor properties. Therefore, the identification of the falsification of a different nature requires the use of a wide range of analytical techniques and often an individual approach.

The results presented in this article constitute the final part of a broad characteristic of the elemental composition carried out for 205 whisky samples. As our research revealed, the elemental analysis supported by statistical tools may provide beneficial information, especially in the context of the differentiation of alcohol samples in regard to such parameters as type, origin and detecting age-related adulteration of whisky.

Author Contributions: A.P., P.W. and M.G. performed an elemental analysis of all samples, analyzed the data, performed the chemometric analysis, prepared the paper; E.M. and J.A. methodological and technical support for research, performed an elemental analysis of all samples, prepared the paper; K.J.—conducted substantive supervision; M.I.S.-J. conducted substantive supervision and final review. All authors have read and agreed to the published version of the manuscript.

Funding: This research received no external funding.

Institutional Review Board Statement: Not applicable.

Informed Consent Statement: Not applicable.

Data Availability Statement: The date are available from the corresponding author.

Acknowledgments: The authors of this paper would like to thank the invaluable technical support Patrycja Skrzek.

Conflicts of Interest: The authors declare no conflict of interest.

References

- 1. Luykx, D.M.A.M.; van Ruth, S.M. An overview of analytical methods for determining the geographical origin of food products. *Food Chem.* **2008**, *107*, 897–911. [CrossRef]
- 2. Lakshmi, V. Food adulteration. Int. J. Sci. Invent. Today 2012, 1, 101–113.
- Everstine, K. Economically Motivated Adulteration: Implications for Food Protection and Alternate Approaches to Detection. Ph.D. Thesis, University of Minnesota, Minneapolis, MN, USA, 2013.
- Ellis, D.I.; Brewster, V.L.; Dunn, W.B.; Allwood, J.W.; Golovanov, A.P.; Goodacre, R. Fingerprinting food: Current technologies for the detection of food adulteration and contamination. *Chem. Soc. Rev.* 2012, *41*, 5706. [CrossRef] [PubMed]
- 5. Tsagkaris, A.S.; Koulis, G.A.; Danezis, G.P.; Martakos, I.; Dasenaki, M.; Georgiou, C.A.; Thomaidis, N.S. Honey authenticity: Analytical techniques, state of the art and challenges. *RSC Adv.* **2021**, *11*, 11273. [CrossRef] [PubMed]
- Makowicz, E.; Jasicka-Misiak, I.; Teper, D.; Kafarski, P. HPTLC Fingerprinting—Rapid Method for the Differentiation of Honeys of Different Botanical Origin Based on the Composition of the Lipophilic Fractions. *Molecules* 2018, 23, 1811. [CrossRef] [PubMed]
- Gonzalvez, A.; Armenta, S.; de la Guardia, M. Trace-element composition and stable-isotope ratio for discrimination of foods with Protected Designation of Origin. *Trends Anal. Chem.* 2009, 28, 1295–1311. [CrossRef]
- Collins, E.J.T. Food adulteration and food safety in Britain in the 19th and early 20th centuries. *Food Policy* 1993, 18, 95–109. [CrossRef]
- Teletchea, F.; Maudet, C.; Hänni, C. Food and forensic molecular identification: Up-date and challenges. *Trends Biotechnol.* 2005, 23, 359–366. [CrossRef]
- Mori, C.; Matsumura, S. Current issues for mammalian species identification in forensic science: A review. *Int. J. Legal Med.* 2021, 135, 3–12. [CrossRef]
- Rossi Scalco, A.; Miller Devós Ganga, G.; Cristina De Oliveira, S.; Baker, G. Development and validation of a scale for identification of quality attributes of agri-food products in short chains. *Geoforum* 2020, 111, 165–175. [CrossRef]
- 12. Lim, J.H.; Bae, D.; Fong, A. Titanium dioxide in food products: Quantitative analysis using ICP-MS and Raman spectroscopy. J. *Agric. Food Chem.* **2018**, *66*, 13533–13540. [CrossRef]
- 13. Grassi, S.; Casiraghi, E.; Alamprese, C. Handheld NIR device: A non-targeted approach to assess authenticity of fish fillets and patties. *Food Chem.* **2018**, *243*, 382–388. [CrossRef]
- 14. Manfredi, M.; Robotti, E.; Quasso, F.; Mazzucco, E.; Calabrese, G.; Marengo, E. Fast classification of hazelnut cultivars through portable infrared spectroscopy and chemometrics. *Spectrochim. Acta A Mol. Biomol. Spectrosc.* **2018**, *189*, 427–435. [CrossRef]
- 15. Gajek, M.; Pawlaczyk, A.; Szynkowska-Jozwik, M.I. Multi-Elemental Analysis of Wine Samples in Relation to Their Type, Origin, and Grape Variety. *Molecules* **2021**, *26*, 214. [CrossRef]

- Peng, C.; Zhang, Y.; Song, W.; Cai, H.; Wang, Y.; Granato, D. Characterization of Brazilian coffee based on isotope ratio mass spectrometry (δ¹³C, δ¹⁸O, δ²H, and δ¹⁵N) and supervised chemometrics. *Food Chem.* **2019**, 297, 124963. [CrossRef]
- 17. Park, J.H.; Choi, S.H.; Bong, Y.S. Geographical origin authentication of onions using stable isotope ratio and compositions of C, H, O, N, and S. *Food Control* **2019**, *101*, 121–125. [CrossRef]
- Barberis, E.; Amede, E.; Dondero, F.; Marengo, E.; Manfredi, M. New Non-Invasive Method for the Authentication of Apple Cultivars. *Foods* 2022, 11, 89. [CrossRef]
- Datta, A.; Sharma, A.N.G.V. Quantification of minor and trace elements in raw and branded turmeric samples using instrumental neutron activation analysis utilizing apsara-U reactor for possible applications to forensic science. *J. Radioanal. Nucl. Chem.* 2020, 325, 967–975. [CrossRef]
- 20. Saadata, S.; Pandyaa, H.; Deya, A.; Rawtani, D. Food forensics: Techniques for authenticity determination of food products. *Forensic Sci. Int.* **2022**, 333, 111243. [CrossRef]
- 21. Laursen, K.H.; Schjoerring, J.K.; Kelly, S.D.; Husted, S. Authentication of organically grown plants—Advantages and limitations of atomic spectroscopy for multi-element and stable isotope analysis. *TrAC Trends Anal. Chem.* **2014**, *59*, 73–82. [CrossRef]
- Barbosa, R.M.; Nacano, L.R.; Freitas, R.; Batista, B.L.; Barbosa Jr, F. The use of decision trees and naïve bayes algorithms and trace element patterns for controlling the authenticity of free-range-pastured hens' eggs. J. Food Sci. 2014, 79, 1672–1677. [CrossRef]
- Rodrigues, S.M.; Otero, M.; Alves, A.A.; Coimbra, J.; Coimbra, M.A.; Pereira, E.; Duarte, A.C. Elemental analysis for categorization of wines and authentication of their certified brand of origin. *J. Food Compos. Anal.* 2011, 24, 548–562. [CrossRef]
- Farmaki, E.G.; Thomaidis, N.S.; Minioti, K.S.; Ioannou, E.; Georgiu, C.A.; Efstathiou, C.E. Geographical characterization of Greek olive oils using rare earth elements content and supervised chemometric techniques. *Anal. Lett.* 2012, 45, 920–932. [CrossRef]
- Baroni, M.V.; Podio, N.S.; Badini, R.; Inga, C.M.; Ostera, H.; Cagnoni, M.; Gautier, E.A.; Peral-Garcia, P.; Hoogewerff, J.; Wunderlin, D.A. Linking soil, water, and honey composition to assess the geo-graphical origin of Argentinean honey by multielemental and isotopic analyses. J. Agric. Food Chem. 2015, 63, 4638–4645. [CrossRef]
- 26. Barbosa, R.M.; Batista, B.L.; Varrique, R.M.; Coelho, V.A.; Campiglia, A.D.; Barbosa, F., Jr. The use of advanced chemometric techniques and trace element levels for controlling the authenticity of organic coffee. *Food Res. Int.* 2014, *61*, 246–251. [CrossRef]
- Ma, G.; Zhang, Y.; Zhang, J.; Wang, G.; Chen, L.; Zhang, M.; Liu, T.; Liu, X.; Lu, C. Determining the geographical origin of Chinese green tea by linear discriminant analysis of trace metals and rare earth elements: Taking *Dongting Biluochun* as an example. *Food Control* 2016, 59, 714–720. [CrossRef]
- Camin, F.; Wehrens, R.; Bertoldi, D.; Bontempo, L.; Ziller, L.; Perini, M.; Nicolini, G.; Nocetti, M.; Larcher, R. H, C, N and S stable isotopes and mineral profiles to objectively guarantee the authenticity of grated hard cheeses. *Anal. Chim. Acta* 2012, 711, 54–59. [CrossRef]
- Drivelos, S.A.; Higgins, K.; Kalivas, J.H.; Haroutounian, S.A.; Georgiou, C.A. Data fusion for food authentication. Combining rare earth elements and trace metals to discriminate "Fava Santorinis" from other yellow split peas using chemometric tools. *Food Chem.* 2014, 165, 316–322. [CrossRef]
- Danezis, G.P.; Tsagkaris, A.S.; Brusic, V.; Georgiou, C.A. Food authentication: State of the art and prospects. *Curr. Opin. Food Sci.* 2016, 10, 22–31. [CrossRef]
- Ibáñez, C.; García-Cañas, V.; Valdés, A.; Simó, C. Novel MS-based approaches and applications in food metabolomics. *Trends* Anal. Chem. 2013, 52, 100–111. [CrossRef]
- 32. Bat, K.B.; Vodopivec, B.M.; Eler, K.; Ogrinc, N.; Mulič, I.; Masuero, D.; Vrhovšek, U. Primary and secondary metabolites as a tool for differentiation of apple juice according to cultivar and geographical origin. *LWT* **2018**, *90*, 238–245. [CrossRef]
- Guo, J.; Yuan, Y.; Dou, P.; Yue, T. Multivariate statistical analysis of the polyphenolic constituents in kiwifruit juices to trace fruit varieties and geographical origins. *Food Chem.* 2017, 232, 552–559. [CrossRef] [PubMed]
- Sagratini, G.; Maggi, F.; Caprioli, G.; Cristalli, G.; Ricciutelli, M.; Torregiani, E.; Vittori, S. Comparative study of aroma profile and phenolic content of montepulcano monovarietal red wines from the marches and abruzzo regions of Italy using HS-SPME–GC–MS and HPLC–MS. *Food Chem.* 2012, 132, 1592–1599. [CrossRef] [PubMed]
- Liu, J.; Chen, N.; Yang, J.; Yang, B.; Ouyang, Z.; Wu, C.; Yuan, Y.; Wang, W.; Chen, M. An integrated approach combining HPLC, GC/MS, NIRS, and chemometrics for the geographical discrimination and commercial categorization of saffron. *Food Chem.* 2018, 253, 284–292. [CrossRef]
- Opatić, A.M.; Nečemer, M.; Lojen, S.; Masten, J.; Zlatić, E.; Šircelj, H.; Stopar, D.; Vidrih, R. Determination of geographical origin of commercial tomato through analysis of stable isotopes, elemental composition and chemical markers. *Food Control* 2018, *89*, 133–141. [CrossRef]
- Yudthavorasit, S.; Wongravee, K.; Leepipatpiboon, N. Characteristic fingerprint based on gingerol derivative analysis for discrimination of ginger (Zingiber officnale) according to geographical origin using HPLC-DAD combined with chemometrics. *Food Chem.* 2014, 158, 101–111. [CrossRef]
- Wisniewska, P.; Sliwinska, M.; Namiesnik, J.; Wardencki, W.; Dymerski, T. The Verification of the Usefulness of Electronic Nose Based on Ultra-Fast Gas Chromatography and Four Different Chemometric Methods for Rapid Analysis of Spirit Beverages. J. Anal. Methods Chem. 2016, 5, 1–12. [CrossRef]
- 39. Heinz, H.A.; Elkins, J.T. Comparison of unaged and barrel aged whiskies from the same Mash Bill using gas chromatography/mass spectrometry. *J. Brew. Distill.* **2019**, *8*, 1–6.

- 40. Daute, M.; Jack, F.; Baxter, I.; Harrison, B.; Grigor, J.; Walker, G. Comparison of Three Approaches to Assess the Flavour Characteristics of Scotch Whisky Spirit. *Appl. Sci.* **2021**, *11*, 1410. [CrossRef]
- Wisniewska, P.; Boqué, R.; Borràs, E.; Busto, O.; Wardencki, W.; Namieśnik, J.; Dymerski, T. Authentication of whisky due to its botanical origin and way of production by instrumental analysis and multivariate classification methods. *Spectrochim. Acta Part A Mol. Biomol. Spectrosc.* 2017, 173, 849–853. [CrossRef]
- Stupak, M.; Goodall, I.; Tomaniova, M.; Pulkrabova, J.; Hajslova, J. A novel approach to assess the quality and authenticity of Scotch Whisky based on gas chromatography coupled to high resolution mass spectrometry. *Anal. Chim. Acta* 2018, 1042, 60–70. [CrossRef]
- 43. Cvetkovic, D.; Stojilkovic, P.; Zvezdanovic, J.; Stanojevic, J.; Stanojevic, L.; Karabegovic, I. The identification of volatile aroma compounds from local fruit based spirits using a headspace solid-phase microextraction technique coupled with the gas chromatography-mass spectrometry. *Adv. Technol.* **2020**, *9*, 19–28. [CrossRef]
- 44. Fortunato, G.; Mumic, K.; Wunderli, S.; Pillonel, L.; Bosset, J.O.; Gremaud, G. Application of strontium isotope abundance ratios measured by MC-ICP-MS for food authentication. *J. Anal. At. Spectrom.* **2004**, *19*, 227–234. [CrossRef]
- Kelly, S.; Heaton, K.; Hoogewerff, J. Tracing the geographical origin of food: The application of multi-element and multi-isotope analysis. *Trends Food Sci. Tech.* 2005, 16, 555–567. [CrossRef]
- Manca, G.; Franco, M.A.; Versini, G.; Camin, F.; Rossmann, A.; Tola, A. Correlation between multielement stable isotope ratio and geographical origin in Peretta cows' milk cheese. J. Dairy Sci. 2006, 89, 831. [CrossRef]
- Longobardi, F.; Casiello, G.; Ventrella, A.; Mazzilli, V.; Nardelli, A.; Sacco, D.; Catucci, L.; Agostiano, A. Electronic nose and isotope ratio mass spectrometry in combination with chemometrics for the characterization of the geographical origin of Italian sweet cherries. *Food Chem.* 2015, 170, 90–96. [CrossRef]
- Longobardi, F.; Casiello, G.; Cortese, M.; Perini, M.; Camin, F.; Catucci, L.; Agostiano, A. Discrimination of geographical origin of lentils (*Lens culinaris* Medik.) using isotope ratio mass spectrometry combined with chemometrics. *Food Chem.* 2015, 188, 343–349. [CrossRef]
- De Rijke, E.; Schoorl, J.C.; Cerli, C.; Vonhof, H.B.; Verdegaal, S.J.A.; Vivó-Truyols, G.; Lopatka, M.; Dekter, R.; Bakker, D.; Sjerps, M.J.; et al. The use of δ²H and δ¹⁸O isotopic analyses combined with chemometrics as a traceability tool for the geographical origin of bell peppers. *Food Chem.* 2016, 204, 122–128. [CrossRef]
- 50. Luo, D.; Dong, H.; Luo, H.; Xian, Y.; Wan, J.; Guo, X.; Wu, Y. The application of stable isotope ratio analysis to determine the geographical origin of wheat. *Food Chem.* **2015**, *174*, 197–201. [CrossRef]
- Fan, S.; Zhong, Q.; Gao, H.; Wang, D.; Li, G.; Huang, Z. Elemental profile and oxygen isotope ratio (δ¹⁸ O) for verifying the geographical origin of Chinese wines. *J. Food Drug Anal.* 2018, 26, 1033–1044. [CrossRef]
- 52. Dinca, O.R.; Ionete, R.E.; Costinel, D.; Geana, I.E.; Popescu, R.; Stefanescu, I.; Radu, G.L. Regional and vintage discrimination of romanian wines based on elemental and isotopic fingerprinting. *Food Anal. Methods.* **2016**, *9*, 2406–2417. [CrossRef]
- 53. Ciepielowski, G.; Pacholczyk-Sienicka, B.; Fraczek, T.; Klajman, K.; Paneth, P.; Albrecht, L. Comparison of quantitative NMR and IRMS spectrometry for the authentication of "Polish Vodka". *J. Sci. Food Agric.* **2019**, *99*, 263–268. [CrossRef] [PubMed]
- Aylott, R. Chapter 16—Analytical strategies supporting protected designations of origin for alcoholic beverages. In *Comprehensive Analytical Chemistry*, 2nd ed.; de la Guardia, M., Gonzálvez, A., Eds.; Elsevier: London, UK, 2013; Volume 60, pp. 409–438.
 [CrossRef]
- 55. Reid, K.J.G.; Swan, J.S.; Gutteridge, C.S. Assessment of Scotch whisky quality by pyrolysis-mass spectrometry and the subsequent correlation of quality with the oak wood cask. *J. Anal. Appl. Pyrolysis* **1993**, *25*, 49–62. [CrossRef]
- Wisniewska, P.; Dymerski, T.; Wardencki, W.; Namiesnik, J. Chemical composition analysis and authentication of whisky. J. Sci. Food Agric. 2015, 95, 2159–2166. [CrossRef]
- Campo, E.; Cacho, J.; Ferreira, V. Solid phase extraction, multidimensional gas chromatography mass spectrometry determination of four novel aroma powerful ethyl esters: Assessment of their occurrence and importance in wine and other alcoholic beverages. *J. Chromatogr. A* 2007, 1140, 180–188. [CrossRef]
- Campillo, N.; Peñalver, R.; Hernández-Córdoba, M. Solid-phase microextraction for the determination of haloanisoles in wines and other alcoholic beverages using gas chromatography and atomic emission detection. J. Chromatogr. A 2008, 1210, 222–228. [CrossRef]
- 59. Barbeira, P.J.S.; Stradiotto, N.R. Anodic stripping voltammetric determination of Zn, Pb and Cu traces in whisky samples. *Fresen. J. Anal. Chem.* **1998**, *361*, 507–509. [CrossRef]
- 60. Adam, T.; Duthie, E.; Feldmann, J. Investigations into the use of copper and other metals as indicators for the authenticity of Scotch whiskies. *J. Inst. Brew.* **2002**, *108*, 459–464. [CrossRef]
- 61. Gajek, M.; Pawlaczyk, A.; Jozwik, K.; Szynkowska-Jozwik, M.I. The Elemental Fingerprints of Different Types of Whisky as Determined by ICP-OES and ICP-MS Techniques in Relation to Their Type, Age, and Origin. *Foods* **2022**, *11*, 1616. [CrossRef]
- 62. Shand, C.A.; Wendler, R.; Dawson, D.; Yates, K.; Stephenson, H. Multivariate analysis of Scotch whisky by total reflection x-ray fluorescence and chemometric methods: A potential tool in the identification of counterfeits. *Anal. Chim. Acta* 2017, 976, 14–24. [CrossRef]
- 63. Pawlaczyk, A.; Gajek, M.; Jozwik, K.; Szynkowska, M.I. Multielemental Analysis of Various Kinds of Whisky. *Molecules* 2019, 24, 1193. [CrossRef]

- 64. Regulation of the Minister of Health on the Maximum Levels of Biological and Chemical Contaminants that May Be Present in Food, Food Ingredients, Permitted Additives, Processing Aids or on the Surface of Food of 13 January 2003 (Journal of Laws of 2003). Available online: Sejm.gov.pl (accessed on 10 December 2021).
- 65. Phosphorus, Soil Phosphorus. *Forest Encyclopedia*. Available online: https://www.encyklopedialesna.pl/haslo/fosfor-fosfor-glebowy/ (accessed on 12 May 2022).
- 66. Jama, A.; Nowak, W. Uptaking of Macronutrients from the Soil Covered with Sewage Sludge by Willow (*Salix viminalis* L.) and Its Hybrids. *Nauka Przyr. Technol.* **2011**, *5*, 6.
- 67. Surgiewicz, J. Mangan i jego związki. Podstawy I Metod. Oceny Sr. Pr. 2012, 1, 111–116.
- 68. Wanikawa, A.; Sugimoto, T. A Narrative Review of Sulfur Compounds in Whisk(e)y. Molecules 2022, 27, 1672. [CrossRef]
- 69. Leppänen, O.; Ronkainen, P.; Denslow, J.; Laakso, R.; Lindeman, A.; Nykanen, I. Polysulphides and thiophenes in whisky. In *Flavour of Distilled Beverages: Origin and Development*; Piggott, J.R., Ed.; E. Horwood Ltd.: Chichester, UK, 1983; pp. 206–214.
- 70. Leppänen, O.; Denslow, J.; Ronkainen, P. A gas chromatographic method for the accurate determination of low concentrations of volatile sulphur compounds in alcoholic beverages. *J. Inst. Brew.* **1979**, *85*, 350–353. [CrossRef]
- Ashok, P.C.; Praveen, B.B.; Dholakia, K. Near infrared spectroscopic analysis of single malt Scotch whisky on an optofluidic chip. Opt. Express 2011, 19, 22982–22992. [CrossRef]
- Backhaus, A.; Ashok, P.C.; Praveen, B.B.; Dholakia, K.; Seiffert, U. Classifying Scotch whisky from near-infrared Raman spectra with a radial basis function network with relevance learning. In Proceedings of the 20th European Symposium on Artificial Neural Networks, Bruges, Belgium, 25–27 April 2012.
- 73. McIntyre, A.C.; Bilyk, M.L.; Nordon, A.; Colquhoun, G.; Littlejohn, D. Detection of counterfeit Scotch whisky samples using mid-infrared spectrometry with an attenuated total reflectance probe incorporating polycrystalline silver halide fibres. *Anal. Chim. Acta* **2011**, *690*, 228–233. [CrossRef]
- 74. Meier-Augenstein, W.; Kemp, H.F.; Hardie, S.M.L. Detection of counterfeit Scotch whisky by ²H and ¹⁸O stable isotope analysis. *Food Chem.* **2012**, *133*, 1070–1074. [CrossRef]
- 75. Garcia, J.S.; Vaz, B.G.; Corilo, Y.E.; Ramires, C.F.; Saraiva, S.A.; Sanvido, G.B.; Schmidt, E.M.; Maia, D.R.J.; Cosso, R.G.; Zacca, J.J.; et al. Whisky analysis by electrospray ionization-Fourier transform mass spectrometry. *Food Res. Int.* **2013**, *51*, 98–106. [CrossRef]