

Supplementary Material:***4,7-Bis(1,2,3,4,4a,9a-hexahydro-9H-carbazol-9-yl)-[1,2,5]oxadiazolo[3,4-d]pyridazine*****Timofey N. Chmovzh ^{1,2}, Karim S. Gaisin ¹, and Oleg A. Rakitin ^{1,*}**

¹ N. D. Zelinsky Institute of Organic Chemistry Russian Academy of Sciences, 47 Leninsky Prospekt, Moscow, 119991, Russia; orakitin@ioc.ac.ru

² Nanotechnology Education and Research Center, South Ural State University, 76 Lenina Avenue, Chelyabinsk, 454080, Russia; rakitino@susu.ru

* Correspondence: orakitin@ioc.ac.ru; Tel.: +7-499-1355327

Figure S1. ¹H NMR spectrum of 4,7-bis(1,2,3,4,4a,9a-hexahydro-9H-carbazol-9-yl)-[1,2,5]oxadiazolo[3,4-d]pyridazine **2**.




Figure S2. ^{13}C NMR spectrum of 4,7-bis(1,2,3,4,4a,9a-hexahydro-9H-carbazol-9-yl)-[1,2,5]oxadiazolo[3,4-d]pyridazine **2**.




Figure S3. IR spectrum of 4,7-bis(1,2,3,4,4a,9a-hexahydro-9H-carbazol-9-yl)-[1,2,5]oxadiazolo[3,4-d]pyridazine **2**.




Figure S4. HRMS spectrum of 4,7-bis(1,2,3,4,4a,9a-hexahydro-9H-carbazol-9-yl)-[1,2,5]oxadiazolo[3,4-*d*]pyridazine **2**.




Figure S5. Mass-spectrum of 4,7-bis(1,2,3,4,4a,9a-hexahydro-9H-carbazol-9-yl)-[1,2,5]oxadiazolo[3,4-d]pyridazine **2**.




Figure S6. UV-spectrum of 4,7-bis(1,2,3,4,4a,9a-hexahydro-9H-carbazol-9-yl)-[1,2,5]oxadiazolo[3,4-d]pyridazine **2**.

