

Supplementary Information

For

Assessing the potential of urban trees to accumulate potentially toxic elements: a network approach

Marija Matić¹, Dragana Pavlović^{1,*}, Veljko Perović¹, Olga Kostić¹, Dragan Čakmak¹, Miroslava
Mitrović¹, Pavle Pavlović¹

¹ Department of Ecology, Institute for Biological Research 'Siniša Stanković', University of Belgrade,
Bulevar despota Stefana 142, 11060 Belgrade, Serbia

* Corresponding author: E-mail: dragana.pavlovic@ibiss.bg.ac.rs

Tel: +38111 2078358

Fax: +381 11 2761433

Tables:

Table S1. Potentially toxic elements concentrations (PTEs) in the leaves of selected urban tree species (mg kg⁻¹ d.w.), average and standard deviation (Std Dev).

Table S2. Pearson's correlations between the content of PTEs in leaves and the ecophysiological response of the studied species.

Table S3. Content of Chl a, Chl b, Chl a+b, Chl a/b and Tot Carot (mg g⁻¹ d.w.) and photosynthetic efficiency (Fv/Fm) of selected urban tree species, average and standard deviation (Std Dev).

Table S1. Potentially toxic elements concentrations (PTEs) in the leaves of selected urban tree species (mg kg⁻¹ d.w.), average and standard deviation (Std Dev).

Tree species	Sampling sites	Al	B	Cr	Cu	Fe	Mn	Ni	Pb	Sr	Zn
<i>A. platanoides</i>	Pancevo	204.30	56.85	1.60	6.42	275.42	92.36	0.54	0.53	30.58	18.47
	Smederevo	124.62	106.55	2.24	7.06	274.36	31.98	0.46	0.29	39.05	16.16
	Obrenovac	124.41	77.80	2.27	6.10	161.87	26.92	0.61	0.32	47.80	18.88
	Belgrade I	155.98	130.66	1.07	6.77	181.24	345.86	0.65	0.37	140.07	22.13
	Belgrade II	124.74	60.93	2.50	6.37	170.66	66.49	0.63	0.47	56.65	30.56
Average	Study area	146.81	86.56	1.94	6.54	212.71	112.72	0.58	0.40	62.83	21.24
Std Dev		34.90	31.47	0.59	0.38	57.18	133.03	0.08	0.10	44.26	5.63
<i>A. pseudoplatanus</i>	Pancevo	130.52	88.35	0.35	5.71	182.35	114.24	0.47	0.39	43.18	27.46
	Smederevo	103.37	143.13	0.66	3.86	216.78	88.76	0.51	0.32	68.48	20.35
	Obrenovac	138.27	93.29	1.47	10.61	163.22	23.12	0.61	0.32	39.87	28.72
	Belgrade I	299.85	73.72	0.88	15.73	488.63	62.43	0.77	0.77	64.09	42.86
	Belgrade II	144.36	81.34	2.01	7.34	220.83	60.93	0.64	0.37	54.56	26.80
Average	Study area	163.28	95.97	1.07	8.65	254.36	69.89	0.60	0.43	54.04	29.24
Std Dev		77.94	27.38	0.66	4.67	133.15	34.08	0.12	0.19	12.54	8.28
<i>B. pendula</i>	Pancevo	112.08	46.78	1.09	4.21	137.05	88.73	< dl	< dl	30.78	31.36
	Smederevo	114.25	144.09	1.25	3.88	253.12	30.11	< dl	< dl	38.39	45.30
	Obrenovac	180.72	65.36	1.53	4.55	196.30	21.67	< dl	< dl	35.76	36.45
	Belgrade I	151.28	238.28	0.93	4.86	168.00	25.72	< dl	< dl	48.74	292.20
	Belgrade II	96.42	73.09	1.82	4.77	125.96	35.05	< dl	< dl	29.19	35.32
Average	Study area	130.95	113.52	1.32	4.45	176.09	40.25	< dl	< dl	36.57	88.12
Std Dev		34.35	78.91	0.35	0.41	51.10	27.55	0.00	0.00	7.75	114.19
<i>Tilia sp.</i>	Pancevo	210.27	51.68	0.96	6.41	265.62	40.91	0.47	0.50	33.72	18.66
	Smederevo	188.29	80.27	1.29	3.15	340.72	38.48	0.46	0.31	46.45	17.93
	Obrenovac	84.77	92.16	0.46	4.20	101.69	15.85	0.65	0.41	67.06	23.16
	Belgrade I	142.75	489.31	0.62	5.46	206.47	25.33	0.64	0.60	77.34	36.15
	Belgrade II	125.77	195.98	0.76	6.32	167.24	48.91	0.68	0.39	61.44	15.56
Average	Study area	150.37	181.88	0.82	5.11	216.35	33.90	0.58	0.44	57.20	22.29
Std Dev		49.98	180.30	0.32	1.41	91.59	13.18	0.11	0.11	17.23	8.22
<i>J. regia</i>	Pancevo	115.99	196.50	0.99	4.54	155.02	45.03	0.52	0.43	36.67	17.12
	Smederevo	135.66	248.25	1.13	4.16	327.99	24.13	0.49	0.27	52.90	18.49
	Obrenovac	115.58	178.65	0.66	5.65	192.95	56.21	0.70	0.44	62.72	23.92
	Belgrade I	103.26	138.30	0.45	4.78	131.35	122.38	0.77	0.43	112.98	39.03
	Belgrade II	107.41	139.35	0.72	9.12	157.42	33.30	1.04	0.47	48.33	21.05
Average	Study area	115.58	180.21	0.79	5.65	192.95	56.21	0.70	0.41	62.72	23.92
Std Dev		12.47	45.61	0.27	2.01	78.63	38.91	0.22	0.08	29.61	8.84
<i>A. hippocastanum</i>	Pancevo	265.58	35.08	0.66	5.34	324.27	66.84	0.71	< dl	35.96	16.10
	Smederevo	203.53	158.44	0.97	2.84	449.16	39.43	< dl	< dl	48.43	15.42
	Obrenovac	141.84	63.67	0.43	4.83	203.52	20.98	< dl	< dl	30.88	14.27
	Belgrade I	293.43	123.42	0.58	16.04	644.07	72.98	0.97	< dl	90.84	42.52
	Belgrade II	153.22	54.29	0.48	10.44	226.58	27.62	0.91	< dl	50.23	18.90
Average	Study area	211.52	86.98	0.62	7.90	369.52	45.57	0.52	< dl	51.27	21.44
Std Dev		66.99	51.81	0.21	5.34	181.49	23.28	0.48	0.00	23.59	11.91
<i>P. acerifolia</i>	Pancevo	121.39	36.17	1.03	4.75	140.07	62.58	0.45	< dl	52.89	9.25
	Smederevo	123.32	87.92	1.00	2.33	280.89	26.11	0.51	< dl	28.74	11.73
	Obrenovac	77.34	72.51	0.83	4.08	104.87	51.37	0.56	< dl	34.54	16.70
	Belgrade I	118.92	59.44	2.14	15.52	211.40	27.36	0.91	< dl	106.23	23.68
	Belgrade II	111.98	53.59	0.73	7.45	161.52	51.66	0.68	< dl	49.05	16.68

Average	Study area	110.59	61.92	1.15	6.83	179.75	43.81	0.62	< dl	54.29	15.61
Std Dev		19.08	19.54	0.57	5.19	68.46	16.24	0.18	0.00	30.70	5.54
<i>P. nigra I</i>	Pancevo	35.66	17.75	0.50	4.49	56.17	16.34	0.47	0.40	8.22	21.33
	Smederevo	54.97	29.51	0.82	2.80	105.05	17.64	0.69	0.26	8.36	24.61
	Obrenovac	39.67	24.06	0.35	3.69	46.25	13.83	0.84	0.32	8.40	21.41
	Belgrade I	53.27	22.77	1.08	3.90	71.82	23.26	0.65	0.37	9.80	26.63
	Belgrade II	51.36	16.23	0.40	5.06	74.11	16.58	0.57	0.79	8.77	29.40
Average	Study area	46.99	22.06	0.63	3.99	70.68	17.53	0.65	0.43	8.71	24.68
Std Dev		8.72	5.31	0.31	0.85	22.37	3.50	0.14	0.21	0.64	3.46
<i>P. nigra II</i>	Pancevo	115.34	25.84	0.94	2.93	170.29	25.57	0.50	0.43	12.49	19.28
	Smederevo	100.10	43.89	1.24	2.56	227.29	24.84	0.49	0.34	11.34	38.85
	Obrenovac	104.70	32.42	0.74	2.52	101.68	17.54	0.57	0.58	11.84	14.80
	Belgrade I	107.59	57.74	1.21	3.12	152.98	45.00	0.59	0.42	18.68	29.09
	Belgrade II	111.43	23.42	0.74	6.53	172.66	19.09	0.56	0.93	11.50	17.09
Average	Study area	107.83	36.66	0.97	3.53	164.98	26.41	0.54	0.54	13.17	23.82
Std Dev		5.89	14.21	0.24	1.69	45.06	10.97	0.05	0.23	3.11	10.01

Table S2. Pearson's correlations between the content of PTEs in leaves and the ecophysiological response of the studied species.

		Chl a	Chl b	Chl a+b	Chl a/b	Tot Carot	Fv/Fm
Study area	Al	0.677**	0.650**	0.673**	-0.142	0.680**	0.399**
	B	0.237	0.207	0.229	-0.094	0.344*	0.252
	Cr	0.219	0.254	0.232	-0.107	0.202	0.279
	Cu	0.383**	0.382**	0.385**	-0.088	0.437**	0.365*
	Fe	0.621**	0.604**	0.320**	-0.164	0.603**	0.289
	Mn	0.169	0.201	0.181	-0.230	0.229	0.236
	Ni	-0.121	-0.060	-0.102	-0.176	-0.072	-0.092
	Pb	-0.244	-0.163	-0.219	-0.286	-0.215	-0.380**
	Sr	0.401**	0.371*	0.394**	-0.101	0.485**	0.560**
	Zn	-0.049	-0.095	-0.064	0.279	-0.034	0.056

** Correlation is significant at the 0.01 level (2-tailed), * Correlation is significant at the 0.05 level (2-tailed)

Table S3. Content of Chl a, Chl b, Chl a+b, Chl a/b and Tot Carot (mg g⁻¹ d.w.) and photosynthetic efficiency (Fv/Fm) of selected urban tree species, average and standard deviation (Std Dev).

Tree species	Sampling sites	Chl a	Chl b	Chl a+b	Chl a/b	Tot carot	Fv/Fm
<i>A. platanoides</i>	Pancevo	6.46	3.19	9.66	2.29	1.84	0.77
	Smederevo	4.81	2.84	7.65	1.88	1.47	0.78
	Obrenovac	6.76	3.48	10.25	2.05	1.66	0.78
	Belgrade I	3.04	1.51	4.55	2.28	1.04	0.77
	Belgrade II	3.59	1.50	5.09	2.63	1.18	0.80
Average	Study area	4.93	2.50	7.44	2.23	1.44	0.77
Std Dev		1.66	0.94	2.58	0.28	0.33	0.02
<i>A. pseudoplatanus</i>	Pancevo	6.25	3.12	9.38	2.27	1.62	0.71
	Smederevo	6.60	2.90	9.50	2.67	1.61	0.69
	Obrenovac	4.83	2.45	7.29	2.22	1.48	0.72
	Belgrade I	6.42	3.15	9.57	2.25	1.90	0.75
	Belgrade II	3.84	1.91	5.75	2.11	1.35	0.78
Average	Study area	5.59	2.71	8.30	2.30	1.59	0.73
Std Dev		1.20	0.53	1.71	0.21	0.21	0.03
<i>B. pendula</i>	Pancevo	4.58	1.74	6.31	2.72	1.38	0.79
	Smederevo	3.60	1.76	5.36	2.38	1.14	0.78
	Obrenovac	5.18	2.00	7.19	2.65	1.29	0.78
	Belgrade I	3.03	1.07	4.10	3.14	0.95	0.76
	Belgrade II	4.34	1.80	6.15	2.81	1.20	0.82
Average	Study area	4.15	1.67	5.82	2.74	1.19	0.79
Std Dev		0.84	0.36	1.16	0.28	0.17	0.02
<i>Tilia sp.</i>	Pancevo	4.90	1.88	6.78	2.85	1.49	0.80
	Smederevo	7.94	3.36	11.30	2.70	1.47	0.79
	Obrenovac	2.89	1.07	3.96	3.15	0.93	0.77
	Belgrade I	3.76	1.46	5.22	2.65	1.22	0.69
	Belgrade II	5.09	2.00	7.10	2.80	1.37	0.81
Average	Study area	4.92	1.95	6.87	2.83	1.30	0.77
Std Dev		1.91	0.87	2.78	0.19	0.23	0.05
<i>J. regia</i>	Pancevo	3.03	1.42	4.46	2.30	1.18	0.75
	Smederevo	4.60	2.13	6.73	2.05	1.54	0.76
	Obrenovac	3.56	1.74	5.23	2.09	1.33	0.76
	Belgrade I	2.58	1.36	3.95	1.88	1.10	0.77
	Belgrade II	4.02	2.04	6.06	2.11	1.50	0.77
Average	Study area	3.56	1.74	5.30	2.09	1.33	0.76
Std Dev		0.79	0.35	1.13	0.15	0.19	0.01
<i>A. hippocastanum</i>	Pancevo	4.92	2.47	7.39	2.18	1.47	0.77
	Smederevo	6.16	2.71	8.87	2.33	1.71	0.76
	Obrenovac	5.02	2.11	7.13	2.68	1.46	0.74
	Belgrade I	6.63	2.71	9.34	2.76	1.76	0.76
	Belgrade II	4.80	2.25	7.06	2.35	1.40	0.76

Average	Study area	5.51	2.45	7.96	2.46	1.56	0.76
Std Dev		0.83	0.27	1.07	0.24	0.16	0.01
<i>P. acerifolia</i>	Pancevo	3.61	1.43	5.04	2.67	1.14	0.78
	Smederevo	2.16	1.07	3.23	2.60	0.70	0.73
	Obrenovac	2.72	1.27	3.99	2.54	0.93	0.76
	Belgrade I	3.74	1.35	5.09	3.14	1.00	0.82
	Belgrade II	3.13	1.10	4.23	2.81	0.82	0.79
Average	Study area	3.07	1.25	4.32	2.75	0.92	0.78
Std Dev		0.65	0.15	0.78	0.24	0.17	0.03
<i>P. nigra I</i>	Pancevo	0.79	0.30	1.08	2.85	0.26	0.54
	Smederevo	0.96	0.38	1.34	2.69	0.31	0.61
	Obrenovac	1.16	0.43	1.59	2.76	0.37	0.63
	Belgrade I	1.02	0.45	1.47	2.44	0.32	0.59
	Belgrade II	1.06	0.54	1.60	2.28	0.33	0.69
Average	Study area	1.00	0.42	1.42	2.60	0.32	0.61
Std Dev		0.14	0.09	0.21	0.24	0.04	0.05
<i>P. nigra II</i>	Pancevo	0.77	0.32	1.10	2.62	0.25	0.49
	Smederevo	1.05	0.43	1.48	2.82	0.34	0.49
	Obrenovac	1.05	0.36	1.41	2.99	0.33	0.55
	Belgrade I	0.82	0.34	1.16	2.60	0.25	0.55
	Belgrade II	0.87	0.46	1.33	2.12	0.28	0.62
Average	Study area	0.91	0.38	1.29	2.63	0.29	0.54
Std Dev		0.13	0.06	0.16	0.33	0.04	0.05