

**Supplementary Table S1. Acute kidney injury (AKI) in hospitalized patients with SARS-CoV-2 infection: study and type design of reports.**

<b>Authors</b>	<b>Study design and country</b>
<b>Xu S, et al.</b>	Retrospective study of patient admitted to two hospitals (from Hubei and Anhui provinces, China)
<b>Li X, et al.</b>	Retrospective survey of patients admitted to Tongji Hospital (Wuhan, China)
<b>Li Q, et al.</b>	Single-center survey on patients hospitalized in Shanghai Public Health Clinical Center, China
<b>Pei G, et al.</b>	Retrospective, single-center review from electronic health records (Wuhan, China)
<b>Fisher M, et al.</b>	Retrospective, observational study at MHS (Montefiore Health System (Bronx, NYC, NY, US)
<b>Argenziano M, et al.</b>	Retrospective manual medical record review from NewYork-Presbyterian/Columbia University Irving Medical Center, New York City (US)
<b>Suleyman G, et al.</b>	Case series of consecutive patients with COVID-19 evaluated at Henry Ford Health System in metropolitan Detroit, Michigan (US)
<b>Kolhe N, et al.</b>	Investigator-initiated, multicenter, retrospective cohort study from Research and Development Department of University Hospitals of Derby and Burton (UHDB) National Health Service (NHS) Trust (UK)
<b>Guan W, et al.</b>	Updated analysis of cases throughout mainland China (552 hospitals)
<b>Cheng Y, et al.</b>	Prospective, cohort study of patients with COVID-19 admitted in a tertiary teaching hospital that also encompassed three affiliates following a major outbreak (2020) in Wuhan (China)
<b>Zahid U, et al.</b>	Single-center retrospective cohort study (Brookdale, NY) (US)
<b>Chan L, et al.</b>	Retrospective, observational review from electronic health records (Mount Sinai COVID Informatics Center, MSCIC) (New York City, NY, US)
<b>Xu H, et al.</b>	Retrospective, observational study at 2 geriatric clinics (Stockholm, Sweden)
<b>Ng J, et al.</b>	Retrospective, cohort study, from 13 hospitals from electronic health records (Allscripts) (metropolitan New York) (US)
<b>Gameiro J, et al.</b>	Retrospective, single-center analysis (Lisbon, Portugal)
<b>Walendy V, et al.</b>	Nationwide, retrospective, population-based data on hospitalizations (with COVID-19 and AKI) in Germany
<b>Morieri M, et al.</b>	International, multicenter, retrospective study (Padua, Italy and Moscow, Russia)
<b>Fabrizi F, et al.</b>	Single-center, retrospective survey (Milano, Italy)
<b>Yoo Y, et al.</b>	Retrospective analysis of patients from the National COVID Cohort Collaborative (N3C) (US)
<b>Tan B, et al.</b>	Multicenter, observational cohort study from the Consortium for Clinical Characterization of COVID-19 by EHR (electronic health record) (4CE) (US, Spain, Italy, France, Germany, Singapore)
<b>Kim S, et al.</b>	Single-center, retrospective, observational study (Seoul and Pyeongtaek, Republic of Korea)

<b>Shchepalina A, et al.</b>	Single-center, (retrospective), observational study (Tareev Clinic, Moscow, Russia)
<b>Palomba H, et al.</b>	Multi-center, retrospective, observational study (23 private hospitals, Brazil)
<b>McNicholas B, et al.</b>	Multi-center, prospective, observational survey (CCCC and LUNG-SAFE studies)