

Supplementary Table S1. Frequency, severity, and duration of oral manifestations of COVID-19.

Symptoms		All participants N=57 n/N	Mild COVID-19 disease symptoms 11 (19)	Moderate COVID-19 disease symptoms 35 (62)	Severe & Critical COVID-19 disease symptoms ^π 11 (19)	P value ^{π π}
<i>Distortion of taste</i> *						
Total		34 (60)	7 (21)	24 (70)	3 (9)	0.0658
Severity	Mild	5 (15)	2 (40)	3 (60)	0 (0)	0.5687
	Moderate	11 (33)	2 (18)	7 (64)	2 (18)	
	Severe	18 (53)	3 (17)	14 (78)	1 (5)	
Duration	1-2 days	0 (0)	0 (0)	0 (0)	0 (0)	0.7873
	3-4 days	6 (18)	2 (33)	4 (67)	0 (0)	
	5+ days	27 (82)	5 (19)	19 (70)	3 (11)	
<i>Xerostomia</i> **						
Total		24 (42)	5 (21)	12 (50)	7 (64)	0.2857
Severity	Mild	5 (21)	2 (40)	3 (60)	0 (0)	0.3919
	Moderate	16 (67)	2 (12)	8 (50)	6 (38)	
	Severe	3 (12)	1 (33)	1 (33)	1 (33)	
Duration	1-2 days	3 (13)	0 (0)	3 (13)	0 (0)	0.3453
	3-4 days	9 (39)	1 (11)	4 (44)	4 (44)	
	5+ days	11 (47)	4 (36)	4 (36)	3 (37)	
<i>Oral ulceration</i>						
Total		6 (11)	0 (0)	4 (67)	2 (33)	0.4104
Severity	Mild	1 (17)	0 (0)	1 (100)	0 (0)	
	Moderate	4 (67)	0 (0)	3 (75)	1 (25)	
	Severe	1 (16)	0 (0)	0 (0)	1 (100)	
Duration	1-2 days	0 (0)	0 (0)	0 (0)	0 (0)	-
	3-4 days	2 (33)	0 (0)	2 (100)	0 (0)	
	5+ days	4 (67)	0 (0)	2 (50)	2 (50)	
<i>Gingivitis</i> ***						
Total		3 (6)	0 (0)	3 (100)	0 (0)	-
Severity	Mild	3 (100)	0 (0)	3 (100)	0 (0)	-
	Moderate	0 (0)	0 (0)	0 (0)	0 (0)	
	Severe	0 (0)	0 (0)	0 (0)	0 (0)	

Duration	1-2 days	0 (0)	0 (0)	0 (0)	0 (0)	-
	3-4 days	0 (0)	0 (0)	0 (0)	0 (0)	
	5+ days	0 (0)	0 (0)	0 (0)	0 (0)	
<i>Petechiae</i> ⁺						
Total		3 (6)	0 (0)	3 (100)	0 (0)	-
Severity	Mild	2 (67)	0 (0)	2 (100)	0 (0)	-
	Moderate	1 (33)	0 (0)	1 (100)	0 (0)	
	Severe	0 (0)	0 (0)	0 (0)	0 (0)	
Duration	1-2 days	0 (0)	0 (0)	0 (0)	0 (0)	-
	3-4 days	0 (0)	0 (0)	0 (0)	0 (0)	
	5+ days	1 (100)	0 (0)	1 (100)	0 (0)	
<i>Candidiasis</i>						
Total		3 (6)	1 (33)	1 (33)	1 (33)	0.3289
Severity	Mild	2 (67)	1 (50)	1 (50)	0 (0)	1.0000
	Moderate	0 (0)	0 (0)	0 (0)	0 (0)	
	Severe	1 (33)	0 (0)	0 (0)	1 (100)	
Duration	1-2 days	5 (83)	3 (60)	2 (40)	0 (0)	0.1667
	3-4 days	0 (0)	0 (0)	0 (0)	0 (0)	
	5+ days	1 (17)	0 (0)	0 (0)	1 (100)	
<i>Necrotizing periodontal disease</i> ^y						
Total		2 (4)	0 (0)	2 (100)	0 (0)	1.0000
Severity	Mild	2 (100)	0 (0)	2 (100)	0 (0)	-
	Moderate	0 (0)	0 (0)	0 (0)	0 (0)	
	Severe	0 (0)	0 (0)	0 (0)	0 (0)	
Duration	1-2 days	0 (0)	0 (0)	0 (0)	0 (0)	-
	3-4 days	0 (0)	0 (0)	0 (0)	0 (0)	
	5+ days	0 (0)	0 (0)	0 (0)	0 (0)	
<i>Vesiculobullous lesions</i> ^z						
Total		2 (4)	0 (0)	2 (100)	0 (0)	1.000
Severity	Mild	2 (100)	0 (0)	2 (100)	0 (0)	-
	Moderate	0 (0)	0 (0)	0 (0)	0 (0)	
	Severe	0 (0)	0 (0)	0 (0)	0 (0)	
Duration	1-2 days	0 (0)	0 (0)	0 (0)	0 (0)	-
	3-4 days	0 (0)	0 (0)	0 (0)	0 (0)	
	5+ days	0 (0)	0 (0)	0 (0)	0 (0)	

<i>Erythema migrans</i> [±]						
Total		2 (4)	0 (0)	2 (100)	0 (0)	1.000
Severity	Mild	2 (100)	0 (0)	2 (100)	0 (0)	-
	Moderate	0 (0)	0 (0)	0 (0)	0 (0)	
	Severe	0 (0)	0 (0)	0 (0)	0 (0)	
Duration	1-2 days	0 (0)	0 (0)	0 (0)	0 (0)	-
	3-4 days	0 (0)	0 (0)	0 (0)	0 (0)	
	5+ days	0 (0)	0 (0)	0 (0)	0 (0)	
<i>Geographical tongue</i> ^β						
Total		2 (4)	0 (0)	2 (100)	0 (0)	1.000
Severity	Mild	2 (100)	0 (0)	2 (100)	0 (0)	-
	Moderate	0 (0)	0 (0)	0 (0)	0 (0)	
	Severe	0 (0)	0 (0)	0 (0)	0 (0)	
Duration	1-2 days	0 (0)	0 (0)	0 (0)	0 (0)	-
	3-4 days	0 (0)	0 (0)	0 (0)	0 (0)	
	5+ days	0 (0)	0 (0)	0 (0)	0 (0)	

^π 1 of those with severe and critical symptoms had critical symptoms of COVID-19 disease

^{ππ} Chi square or fisher's test

* 1 missing information on dysgeusia duration

** 1 missing information on xerostomia duration

*** 3 missing information on gingivitis duration

•2 missing information on petechiae duration

^γ information not collected on duration of necrotizing periodontal disease

[±] 2 missing information on vesicobullous disease duration

^{±±} 2 missing information on Erythema migrans duration

^β 2 missing information on geographical tongue duration