

SUPPLEMENTARY TABLES

Table S1. Essential oil composition of *Hypericum perforatum*

Observed KI*	Adams KI	Compound Name	Min-Max (%)
-	865	2-methyloctane	10.79-10.96
-	900	nonane	1.34-1.36
921	924	α -thujene	0.27
929	932	α -pinene	10.52-10.72
962	972	3-methylnonane	2.95-3.03
971	974	β -pinene	5.90-6.03
983	984	myrcene	0.46-0.47
1019	1020	p-cymene	0.57-0.58
1023	1024	limonene	0.44-0.45
1031	1032	cis- β -ocimene	0.41-0.43
1042	1044	trans- β -ocimene	0.79-0.81
1059	1061	2-methyldecane	1.03-1.07
1099	1100	undecane	0.88-0.98
1129	-	unknown, mw 126	0.55-0.59
1173	1174	terpinen-4-ol	0.28-0.29
1186	1186	α -terpineol	0.29-0.30
1261	1261	2-methyldodecane	0.27-0.31
1371	1374	α -copaene	0.30-0.31
1379	1387	β -bourbonene	0.33-0.37
1406	1411	2-epi- β -funebrene	0.35-0.36
1415	1417	trans- β -caryophyllene	15.78-16.21
1440	-	unknown, 204	0.31-0.32
1450	1452	α -humulene	0.75-0.89
1453	1454	trans- β -farnesene	1.85-1.86
1457	1458	alloaromadendrene	0.34-0.49
1475	1478	γ -muurolene	1.36-1.39
1480	1480	germacrene D	5.37-5.47
1494	-	unknown, 204	1.33-1.36
1500	1500	α -muurolene	0.36-0.37
1512	1513	γ -cadinene	0.80-0.82
1521	1522	δ -cadinene	1.49-1.53
1548	-	unknown, 220	0.98-0.99
1557	-	unknown, 220	0.16-0.34
1563	-	unknown, 204	0.43-0.71
1573	1577	spathulenol	2.00-2.05
1577	1582	caryophyllene oxide	15.70-16.11
1595	1602	ledol	1.26-1.27
1599	-	unknown, 220	0.46-0.47
1627	-	unknown, 222	0.76-0.78
1630	-	unknown, 220	0.67-0.69
1636	-	unknown, 218	0.87-0.92
1645	-	unknown, 222	0.37-0.41
1650	-	unknown, 222	0.85-0.93
1654	-	unknown, 220	0.47-0.58
1671	-	unknown, 220	1.00-1.05
1760	-	unknown	0.58-0.72

1839	-	unknown	0.37-0.39
1957	-	unknown	0.76-0.99
2094	-	unknown	0.40-0.43
2108	-	unknown	0.69-0.77
2292	-	unknown	0.33-0.36
2494	-	unknown	0.42-0.52

* Kovats Index

Table S2. Essential oil composition of *Hypericum hirsutum*

Observed KI*	Adams KI	Compound Name	Min-Max (%)
-	900	nonane	47.04-48.3
962	972	3-methylnonane	0.51-0.52
993	1000	decane	0.84-0.85
1089	1087	2-nonanone	0.41-0.45
1101	1100	undecane	18.36-18.67
1199	1201	decanal	0.27-0.29
1348	1350	α -longipinene	2.46-2.53
1414	1417	trans-caryophyllene	1.49-1.55
1431	1432	α -trans-bergamotene	0.39-0.42
1448	-	unknown, 204	6.75-7.05
1454	1454	trans- β -farnesene	1.76-1.94
1475	1478	γ -muurolene	1.10-1.15
1482	1481	γ -himachalene	1.97-2.12
1492	1496	valencene	0.65-0.68
1500	-	unknown, 204	0.33-0.35
1513	1513	γ -cadinene	0.44-0.48
1522	1522	δ -cadinene	1.08-1.16
1561	-	unknown, 220	0.18-0.26
1572	-	unknown, 220	0.59-0.64
1576	1582	caryophyllene oxide	2.98-3.13
1594	1600	cedrol	4.87-5.21
1643	-	unknown, 204	0.49-0.50
1651	-	unknown, 222	0.57-0.61
1682	-	unknown, 204	0.21-0.24
1761	-	unknown, 330	0.33-0.38
1958	-	unknown	0.86-0.97
2078	-	unknown	0.44-0.49
2096	-	unknown	0.35-0.36
2293	-	unknown	0.38-0.39

* Kovats Index

Table S3. Essential oil composition of *Hypericum maculatum*

Observed KI*	Adams KI	Compound Name	Min-Max (%)
-	865	2-methyloctane	2.28-2.31
-	900	nonane	8.59-8.71
929	932	α -pinene	6.59-6.67
962	972	3-methylnonane	1.64-1.66
967	969	sabinene	0.47
971	974	β -pinene	0.71-0.73
984	988	myrcene	0.32-0.33
1019	1020	p-cymene	0.18
1024	1024	limonene	0.26
1043	1044	(E)- β -ocimene	0.26
1100	1100	undecane	2.17-2.22
1106	1100	nonanal	0.36-0.37
1173	1174	terpinen-4-ol	0.23
1347	1351	α -cubebene	0.35-0.36
1371	1374	α -copaene	0.87
1380	1384	β -bourbonene	0.99-1.00
1384	1390	β -cubebene	0.36-0.37
1403	1409	α -gurjunene	0.98-1.00
1414	1417	trans-caryophyllene	3.82-3.88
1424	1430	β -copaene	0.65-0.67
1441	-	unknown, 204	0.66-0.67
1450	1452	α -humulene	0.57-0.74
1455	1454	trans- β -farnesene	3.91-4.28
1458	1458	alloaromadendrene	0.97-1.72
1477	1478	γ -muurolene	2.32-2.42
1483	1480	germacrene D	26.61-27.0
1495	-	unknown, 204	1.15-1.18
1497	1500	bicyclogermacrene	1.55-1.60
1500	1500	α -muurolene	0.98-0.99
1513	1513	γ -cadinene	2.06-2.07
1522	1522	δ -cadinene	5.85-5.93
1535	1537	α -cadinene	0.41-0.42
1539	1544	α -calacorene	0.26
1572	1577	spathulenol	1.86-1.88
1576	1582	caryophyllene oxide	2.31-2.36
1595	1602	ledol	3.54-3.62
1637	1638	τ -cadinol	2.65-2.69
1642	1646	α -muurolol	0.77-0.78
1651	1652	α -cadinol	3.40-3.45
1761	-	unknown, 218	0.60-0.67
1896	1900	nonadecane	0.40-0.41
1958	-	unknown	0.84-0.90
2079	-	unknown	1.41-1.48
2095	-	unknown	0.40-0.42
2109	-	unknown	0.46-0.50
2296	-	unknown	0.32-0.33

* Kovats Index

Table S4. Essential oil composition of *Hypericum montbretii*

Observed KI*	Adams KI	Name	Average (%)
901	900	n-Nonane	0.54-0.53
926	924	α -Thujene	0.07-0.09
935	932	α -Pinene	15.19-15.32
968	969	Sabinene	0.31-0.32
973	974	β -Pinene	5.14-4.98
985	988	β -Myrcene	3.05-3.37
1015	1014	α -Terpinene	0.15-0.16
1022	1020	p-Cymene	0.16-0.17
1025	1024	D-Limonene	2.6-2.62
1027	1026	β -Phellandrene	0.07-0.09
1034	1032	cis- β -Ocimene	5.64-5.73
1040	1044	trans- β -Ocimene	2.88-3.33
1055	1054	γ -Terpinene	0.54-0.56
1066	1063	n-Octanol	0.21-0.22
1085	1086	Terpinolene	0.40-0.43
1101	1100	n-Undecane	3.80-4.59
1103	1102	Nonanal	0.76-0.81
1178	1174	1-Terpinen-4-ol	0.39-0.42
1268	1271	trans-2-decenol	0.89-1.01
1347	1351	α -Cubebene	2.90-3.02
1373	1374	α -Copaene	0.28-0.37
1390	1388	β -Bourbonene	0.27-0.29
1403	1399	Dodecanal	0.84-0.87
1419	1417	β -Caryophyllene	3.99-4.20
1436	1439	Aromadendrene	0.41-0.43
1442	1440	β -Farnesene	0.90-0.95
1453	1343	α -Humullene	0.45-0.48
1484	1481	Germacrene D	2.51-2.64
1502	1500	α -Muurolene	1.73-1.82
1510	1513	γ -Cadinene	5.50-5.75
1521	1522	δ -Cadinene	4.40-4.63
1564	1561	trans-Nerolidol	4.67-5.03
1579	1577	(-)-Spathulenol	1.08-1.14
1580	1582	Caryophyllene oxide	1.22-1.29
1633	1630	γ -Eudesmol	1.96-2.26
1637	1638	tau.-Cadinol	0.89-0.98
1642	1640	tau.-Muurolol	0.49-0.51
1647	1649	α -Muurolol (Torreyol)	1.40-1.47
1650	1652	α -Eudesmol	1.60-1.69
1777	1779	α -14-hydroxy-Muurolene	3.16-3.40
1871	1874	1-Hexadecanol	0.42-0.43
1900	1900	n-Nonadecane	0.35-0.37
1955	1959	n-Hexadecanoic acid	4.86-4.96
2101	2100	n-Heneicosane	0.51-0.53
2122	2118	3,7,11,15-Tetramethyl-2-hexadecen-1-ol	0.23-0.24
2144	2141	(Z,Z,Z)-9,12, 15-octadecatrienoic acid	1.85-1.92
2302	2300	n-Tricosane	0.20-0.21
2501	2500	n-Pentacosane	0.25-0.26
2803	2800	n-Octacosane	0.94-0.98

2900	n-Nonacosane	2.59-2.70
------	--------------	-----------

* Kovats Index

Table S5. Essential oil composition of *Hypericum perforatum*, commercial from USA and Bulgaria

Observed KI*	Adams KI	Compound Name (from USA)	Min-Max (%)
-	865	2-methyloctane	40.86-41.00
-	900	nonane	8.80-8.82
929	932	α -pinene	13.73-13.75
942	946	camphene	0.13
963	972	3-methylnonane	11.30-11.37
971	975	β -pinene	2.27-2.28
983	1000	2-pentylfuran	0.13-0.19
993	1000	decane	0.24
1019	1020	p-cymene	0.59
1023	1024	limonene	0.76-0.77
1060	1061	2-methyldecane	5.27-5.30
1087	1091	p-cymenene	0.21-0.22
1100	1100	undecane	6.21-6.26
1261	1261	2-methyldodecane	1.30-1.32
1299	1300	tridecane	0.60-0.61
1371	1374	α -copaene	0.33
1406	1411	2-epi- β -funebrene	0.35
1413	1417	trans- β -caryophyllene	1.69-1.71
1474	1478	γ -muurolene	0.88-0.89
1499	1500	α -muurolene	0.30-0.31
1512	1513	γ -cadinene	0.52-0.53
1521	1522	trans-calamenene	0.44
1571	1577	spathulenol	0.23-0.28
1576	1582	caryophyllene oxide	1.95-1.99
1837	-	unknown	0.17-0.19
1895	-	unknown	0.16-0.17
1956	-	unknown	0.29

Observed KI	Adams KI	Compound name (from Bulgaria)	Min-Max (%)
743	745	4-methyl-2-Pentanol	0.26-0.27
861	865	2-Methyloctane	9.03-9.23
900	900	n-Nonane	1.61-1.97
926	924	α -Thujene	0.55-0.57
935	932	α -Pinene	8.63-8.77
947	946	Camphene	0.467-0.48
968	969	Sabinene	0.235
970	972	1-Octen-3-one	1.86-2.40
973	974	β -Pinene	3.01-3.08
1004	1002	α -Phellandrene	0.60-0.62
1015	1014	α -Terpinene	0.31-0.32
1022	1020	p-Cymene	0.64-0.65
1023	1024	D-Limonene	3.35-3.83
1025	1026	Eucalyptol	0.39-0.40
1034	1032	β -cis-Ocimene	0.30

1040	1044	β -trans-Ocimene	0.35-0.36
1044	1049	Isobutyl angelate	1.25-1.28
1055	1054	γ -Terpinene	0.70-0.72
1066	1063	n-Octanol	1.11-1.13
1085	1086	Terpinolene	0.35-0.36
1089	1087	2-Nonanone	0.45-0.46
1096	1095	β -Linalool	2.08-2.50
1120	1123	2-Methylbutyl-2-methylbutyrate	0.28
1141	1143	Isoamyl angelate	0.11
1149	1148	Isoamyl tiglate	1.10-1.08
1178	1174	1-Terpinen-4-ol	1.06-1.08
1199	1197	(2Z)-Octenol acetate	0.59-0.61
1203	1201	n-Decanal	0.10-0.09
1226	1227	Nerol	1.45-1.48
1232	1231	tetrahydro-Linalyl acetate	0.31-0.32
1247	1249	3-Methyl pentyl angelate	0.22-0.23
1291	1293	2-Undecanone	0.25-0.24
1301	1300	n-Tridecane	0.07
1357	1359	Neryl acetate	8.93-9.47
1366	1365	(2E)-Undecenol	0.17
1373	1374	α -Copaene	1.12-1.15
1400	1400	n-Tetradecane	0.18-0.19
1406	1405	Italicene	2.79-2.85
1409	1411	α -cis-Bergamotene	0.61-0.62
1419	1417	β -Caryophyllene	2.39-2.45
1420	1421	p-Cymen-7-ol acetate	1.61-1.64
1423	1422	Linalool butanoate	0.14-0.15
1429	1430	β -Copaene	0.37-0.38
1436	1437	α -Guaiene	2.72-2.97
1439	1440	(Z)- β -Farnesene	0.56-0.57
1444	1445	(2Z,6E)-Dodecadien-1-al	0.29-0.30
1450	1449	α -Himachalene	0.32-0.30
1470	1469	n-Dodecanol	0.51-0.52
1475	1474	Undecanal. dimethyl acetal	0.58-0.59
1481	1479	γ -Curcumene	0.77-0.79
1502	1500	β -Himachalene	7.34-7.82
1513	1514	β -Curcumene	2.46-2.52
1524	1522	δ -Cadinene	0.82-0.84
1539	1537	α -Cadinene	1.05-1.40
1546	1544	α -Calacorene	0.61-0.63
1550	1552	cis-Cadinene ether	0.56-0.57
1556	1557	trans-Cadinene ether	0.68-0.70
1560	1564	β -Calacorene	1.07-1.10
1575	1574	Germacrene D-4-ol	0.53-0.54
1576	1575	Pentyl salicylate	0.64-0.66
1578	1577	(-)-Spathulenol	0.54-0.55
1580	1582	Caryophyllene oxide	0.29-0.30
1592	1590	Globulol	1.80-1.96
1633	1630	γ -Eudesmol	2.39-2.45
1637	1638	tau.-Cadinol	0.21
1642	1640	tau.-Muurolol	1.34-1.36

1647	1649	β -Eudesmol	0.16
1650	1652	α -Eudesmol	2.11-2.16
1656	1655	Geranyl valerate	0.49
1665	1667	(6Z)-Pentadecen-2-one	0.25-0.26
1686	1685	Germacra-4(15).5.10(14)-trien-1 α -ol	0.19
1700	1700	n-Heptadecane	0.18
1720	1722	(2Z.6E)-Farnesol	0.13
1743	1740	(2E.6E)-Farnesal	0.10
1765	1767	14-oxy- α -Muurolene	0.51-0.52
1778	1779	14-hydroxy- α -Muurolene	0.24-0.25
1784	1783	(2E.6E)-Methyl farnesoate	0.69-0.70
1791	1789	1-Octadecene	0.48

* Kovats Index

Table S6. Essential oil composition of *Hypericum sp.* from second experiment

Observed Adams		Name	HP1	HP2	Hcer	HR	Hcal. flos	Hcal. leaves
KI*	KI		Aver \pm SD					
900	900	n-Nonane	0.35 \pm 0.02	0.50 \pm 0.01	nd	0.88 \pm 0.01	5.33 \pm 0.02	1.78 \pm 0.01
926	924	α -Thujene	0.13 \pm 0.01	0.04 \pm	nd	nd	nd	nd
929	926	Ethyl 2-methyl pentanoate	nd	0.57 \pm 0.02	6.87 \pm 0.01	3.39 \pm 0.02	0.98 \pm 0.01	0.70 \pm 0.01
935	932	α -Pinene	6.76 \pm 0.30	6.41 \pm 0.22	nd	9.89 \pm 0.38	23.86 \pm 1.01	7.99 \pm 0.46
947	946	Camphene	nd	nd	nd	0.73 \pm 0.02	0.36 \pm 0.01	0.79 \pm 0.02
968	969	Sabinene	0.44 \pm 0.02	0.74 \pm 0.02	nd	0.95 \pm 0.01	0.23 \pm 0.01	0.13 \pm 0.01
973	974	β -Pinene	3.04 \pm 0.01	3.51 \pm 0.01	nd	16.43 \pm 1.25	29.37 \pm 2.01	720.62 \pm 2.028
985	988	β -Myrcene	2.52 \pm 0.02	3.00 \pm 0.05	nd	5.95 \pm 0.78	6.48 \pm 1.46	2.39 \pm 0.65
1004	1002	α -Phellandrene	nd	nd	nd	2.93 \pm 0.01	0.17 \pm 0.01	0.15 \pm 0.01
1015	1014	α -Terpinene	0.15 \pm 0.01	0.28 \pm 0.02	nd	1.91 \pm 0.01	0.38 \pm 0.01	0.65 \pm 0.03
1022	1020	p-Cymene	0.18 \pm 0.02	0.49 \pm 0.03	nd	0.99 \pm 0.01	0.09 \pm 0.00	0.10 \pm 0.02
1023	1024	D-Limonene	0.22 \pm 0.01	0.38 \pm 0.02	nd	3.75 \pm 0.11	9.74 \pm 1.01	14.44 \pm 2.05
1028	1026	β -Phellandrene	0.12 \pm 0.01	0.28 \pm 0.01	nd	1.40 \pm 0.02	0.11 \pm 0.02	0.46 \pm 0.04
1034	1032	cis- β -Ocimene	0.45 \pm 0.02	0.72 \pm 0.01	nd	8.69 \pm 0.02	0.37 \pm 0.02	3.92 \pm 0.02
1040	1044	trans- β -Ocimene	5.28 \pm 0.02	5.81 \pm 0.02	nd	12.88 \pm 0.02	0.61 \pm 0.01	0.65 \pm 0.01
1055	1054	γ -Terpinene	0.35 \pm 0.02	0.72 \pm 0.01	nd	3.31 \pm 0.03	0.70 \pm 0.02	1.21 \pm 0.02
1066	1063	n-Octanol	0.64 \pm 0.03	1.07 \pm 0.03	nd	0.15 \pm 0.01	0.50 \pm 0.02	0.14 \pm 0.02
1085	1086	Terpinolene	0.09 \pm 0.01	0.18 \pm 0.02	nd	1.20 \pm 0.02	1.10 \pm 0.03	1.25 \pm 0.04
1102	1100	n-Undecane	0.38 \pm 0.01	0.64 \pm 0.02	nd	1.33 \pm 0.1	nd	nd
1103	1102	Nonanal	0.09 \pm 0.01	0.18 \pm 0.02	nd	0.45 \pm 0.01	nd	nd
1178	1174	1-Terpinen-4-ol	0.11 \pm 0.01	0.16 \pm 0.02	nd	1.06 \pm 0.01	0.08 \pm 0.00	0.23 \pm 0.01
1265	1268	trans-2-decenol	0.13 \pm 0.01	0.32 \pm 0.02	nd	0.16 \pm 0.01	0.13 \pm 0.02	0.16 \pm 0.02
1270	1272	(3Z)-Nonenal dimethyl acetal	nd	nd	nd	0.67 \pm 0.02	0.53 \pm 0.02	0.28 \pm 0.02
1280	1277	Nonanal dimethyl acetal	nd	nd	nd	0.61 \pm 0.02	0.63 \pm 0.02	1.57 \pm 0.23
1292	1289	Thymol	nd	nd	8.31 \pm 1.32	nd	nd	nd
1347	1351	α -Cubebene	0.25 \pm 0.02	0.78 \pm 0.02	nd	1.41 \pm 0.02	0.21 \pm 0.02	nd
1351	1349	Thymol acetate	nd	nd	4.77 \pm 0.02	nd	nd	nd
1373	1374	α -Copaene	0.20 \pm 0.01	0.19 \pm 0.01	nd	0.25 \pm 0.01	0.14 \pm 0.01	0.32 \pm 0.01
1390	1388	β -Bourbonene	0.66 \pm 0.02	0.78 \pm 0.02	nd	0.08 \pm 0.00	0.39 \pm 0.02	0.59 \pm 0.02

1403	1399	Dodecanal	0.55±0.02	0.98±0.01	nd	2.25±0.10	0.16±0.01	0.10±0.01
1419	1417	β-Caryophyllene	16.08±0.02	6.20±0.02	nd	0.79±0.02	1.53±0.11	4.15±0.12
1436	1439	Aromadendrene	0.62±0.02	0.98±0.03	nd	0.42±0.01	0.22±0.03	0.14±0.02
1442	1440	β-Farnesene	4.05±0.02	6.03±0.76	nd	0.11±0.01	1.02±0.01	0.45±0.01
1453	1343	α-Humullene	1.80±0.01	1.68±0.01	nd	0.14±0.01	0.16±0.01	6.70±0.84
1484	1481	Germacrene D	12.87±1.49	16.08±0.94	nd	3.82±0.23	6.50±0.47	8.84±0.57
1502	1500	α-Muurolene	2.28±0.02	2.62±0.054	nd	0.57±0.05	0.40±0.02	3.13±0.12
1510	1513	γ-Cadinene	3.72±0.21	3.13±0.41	nd	0.35±0.02	2.19±0.02	0.54±0.03
1521	1522	δ-Cadinene	3.51±0.16	3.54±0.03	nd	0.15±0.03	0.96±0.02	1.55±0.02
1550	1553	Thymohydroquinone	nd	nd	3.63±0.12	nd	nd	0.31±0.02
1564	1561	trans-Nerolidol	2.25±0.01	3.45±0.01	nd	0.72±0.01	0.15±0.02	0.19±0.02
1579	1577	(-)-Spathulenol	3.95±0.01	3.50±0.1	nd	0.10±0.01	0.17±0.01	0.32±0.01
1580	1582	Caryophyllene oxide	5.12±0.13	3.35±0.01	nd	0.16±0.01	0.16±0.01	0.40±0.01
1633	1630	γ-Eudesmol	0.95±0.02	0.87±0.01	nd	0.09±0.00	0.12±0.00	0.40±0.02
1637	1638	tau.-Cadinol	2.03±0.01	3.36±0.01	nd	0.36±0.01	0.44±0.02	1.60±0.10
1642	1640	tau.-Muurolol	1.97±0.02	4.45±0.12	nd	0.48±0.01	0.13±0.01	0.64±0.01
1647	1649	α-Muurolol (Torreyol)	2.96±0.02	2.71±0.03	nd	0.47±0.01	0.56±0.02	5.66±0.42
1650	1652	α-Eudesmol	2.31±0.02	2.62±0.03	nd	0.11±0.01	0.22±0.02	0.16±0.01
1777	1779	α-14-hydroxy-Muurolene	2.30±0.14	2.40±0.01	nd	1.29±0.05	0.12±0.02	0.98±0.03
1871	1874	1-Hexadecanol	0.23±0.02	0.26±0.01	nd	0.23±0.01	0.12±0.01	nd
1900	1900	n-Nonadecane	0.19±0.01	0.27±0.02	nd	0.50±0.02	0.28±0.02	0.36±0.01
1955	1959	n-Hexadecanoic acid	2.51±0.04	0.67±0.02	36.48±1.45	nd	nd	nd
2101	2100	n-Heneicosane	0.28±0.02	0.10±0.01	0.13±0.01	0.22±0.02	0.35±0.01	0.37±0.02
2122	2118	3,7,11,15-Tetramethyl-2-hexadecen-1-ol	0.13±0.01	0.19±	28.49±0.02	0.09±0.02	0.12±	nd
2135	2132	(Z,Z)-9,12-octadecadienoic acid	nd	nd	3.45±0.02	nd	nd	nd
2144	2141	(Z,Z,Z)-9,12, 15-octadecatrienoic acid	0.85±0.02	0.12±0.01	4.03±0.01	nd	nd	nd
2302	2300	n-Tricosane	0.11±0.01	0.09±0.00	2.47±0.03	0.25±0.01	0.16±0.01	0.18±0.01
2501	2500	n-Pentacosane	0.14±0.01	0.18±0.02	nd	0.18±0.01	0.45±0.02	0.14±0.01
2803	2800	n-Octacosane	0.52±0.02	0.19±0.01	nd	0.68±0.02	0.20±0.01	0.17±0.02
2900	2900	n-Nonacosane	1.42±0.03	0.48±0.02	nd	2.45±0.02	0.25±0.01	0.20±0.01

* Kovats Index