

Supplementary Table S1. Growth parameters and dry content of grapevine interacting with AMF and viruses. The data is presented as mean \pm SD.

Treatment	Viral status	Shoot Length (cm)	Internode Length (cm)	DW/FW
T1	NO VIRUS	33.3 \pm 5.30	1.6 \pm 0.58	0.37 \pm 0.01 ^{abcd}
T2		77.5 \pm 12.02	2.5 \pm 0.28	0.4 \pm 0.02 ^{abcd}
T3		101.5 \pm 19.09	2.9 \pm 0.04	0.39 \pm 0.01 ^{abcd}
T4	GRSPaV	51.0 \pm 4.18	2.0 \pm 0.22	0.36 \pm 0.01 ^{abc}
T5		62.6 \pm 3.07	2.5 \pm 0.23	0.43 \pm 0.01 ^d
T6		83.4 \pm 16.74	2.5 \pm 0.37	0.37 \pm 0.02 ^{ab}
T7	GRSPaV + GLRaV-3	46.8 \pm 6.72	2.0 \pm 0.04	0.35 \pm 0.01 ^{ab}
T8		62.3 \pm 11.68	2.6 \pm 0.43	0.41 \pm 0.02 ^{bcd}
T9		71.3 \pm 10.02	2.3 \pm 0.06	0.39 \pm 0.01 ^{abcd}
T10	GRSPaV + GPGV	48.7 \pm 11.50	1.9 \pm 0.35	0.4 \pm 0.01 ^{abcd}
T11		64.8 \pm 18.87	2.4 \pm 0.28	0.4 \pm 0.01 ^{abcd}
T12		78.0 \pm 18.75	2.5 \pm 0.38	0.4 \pm 0.02 ^{abcd}
T13	GRSPaV +	36.0 \pm 2.83	1.7 \pm 0.13	0.34 \pm 0.01 ^a
T14	GLRaV-3 +	64.6 \pm 13.91	2.5 \pm 0.41	0.41 \pm 0.02 ^{cd}
T15	GPGV	59.0 \pm 16.90	2.3 \pm 0.66	0.38 \pm 0.03 ^{abc}
Virus	No	70.8 \pm 32.7	2.3 \pm 0.6	0.38 \pm 0.02
	GRSPaV	69.4 \pm 18.3	2.4 \pm 0.4	0.39 \pm 0.03
	GRSPaV + GLRaV3	61.8 \pm 13.3	2.3 \pm 0.4	0.39 \pm 0.03
	GRSPaV + GPGV	66.0 \pm 13.8	2.3 \pm 0.4	0.40 \pm 0.02
	GRSPaV + GLRaV3 + GPGV	58.9 \pm 19.4	2.3 \pm 0.5	0.39 \pm 0.04
	<i>p</i>	ns	ns	ns
AMF	No AMF	45.2 \pm 9.1	1.9 \pm 0.3	0.36 \pm 0.02 ^a
	<i>R. irregularis</i>	65.0 \pm 13.1	2.3 \pm 0.3	0.41 \pm 0.02 ^c
	Mix AMF	77.2 \pm 21.3	2.5 \pm 0.4	0.38 \pm 0.02 ^b
	<i>p</i>	ns	ns	< 0.001
Virus \times AMF	F	0.937	0.517	2.73
	<i>p</i>	ns	ns	0.016

The lowercase letters represent statistically significant difference in growth parameter revealed by two-way ANOVA.