

Article

Generalized Remote Preparation of Arbitrary m -qubit Entangled States via Genuine Entanglements

Dong Wang ^{1,2,3,*}, Ross D. Hoehn ², Liu Ye ¹ and Sabre Kais ^{2,4}

¹ School of Physics & Material Science, Anhui University, Hefei 230601, China;
E-Mail: yeliu@ahu.edu.cn

² Department of Chemistry and Birck Nanotechnology Center, Purdue University, West Lafayette, IN 47907, USA; E-Mail: rhoehn@purdue.edu (R.D.H.); kais@purdue.edu (S.K.)

³ National Laboratory for Infrared Physics, Shanghai Institute of Technical Physics, Chinese Academy of Sciences, Shanghai 200083, China

⁴ Qatar Environment and Energy Research Institute, Qatar Foundation, Doha, 5825 Qatar

* Author to whom correspondence should be addressed; E-Mail: dwang@ahu.edu.cn;
Tel.: +86-551-63861154.

Academic Editor: Antonio Scarfone

Received: 21 January 2015 / Accepted: 26 March 2015 / Published: 30 March 2015

Abstract: Herein, we present a feasible, general protocol for quantum communication within a network via generalized remote preparation of an arbitrary m -qubit entangled state designed with genuine tripartite Greenberger–Horne–Zeilinger-type entangled resources. During the implementations, we construct novel collective unitary operations; these operations are tasked with performing the necessary phase transfers during remote state preparations. We have distilled our implementation methods into a five-step procedure, which can be used to faithfully recover the desired state during transfer. Compared to previous existing schemes, our methodology features a greatly increased success probability. After the consumption of auxiliary qubits and the performance of collective unitary operations, the probability of successful state transfer is increased four-fold and eight-fold for arbitrary two- and three-qubit entanglements when compared to other methods within the literature, respectively. We conclude this paper with a discussion of the presented scheme for state preparation, including: success probabilities, reducibility and generalizability.

Keywords: quantum communication; remote state preparation; entangled state; collective unitary operation; success probability

PACS classifications: 03.67.Lx; 03.67.Ac; 03.67.Hk

1. Introduction

Quantum entanglement is the primary resource for both quantum computation and quantum communication. Utilizing these resources allows one to perform information processing with unprecedented high efficiencies by exploiting the fundamental laws of quantum mechanics. Specifically, quantum entanglement possesses a variety of intriguing applications within the realm of quantum information processing [1–9]; these applications include: quantum teleportation (QT) [1], remote state preparation (RSP) [2–4], quantum secret sharing [5], quantum cryptography [6], *etc.* Both QT and RSP are important methods in quantum communication. With the help of previously-shared entanglements and necessary classical communications, QT and RSP can be applied to achieve the transportation of the information encoded by qubits. Yet, there exists several subtle differences between QT and RSP, including: classical resource consumptions and the trade-off between classical and quantum resources. Typically in standard QT, the transmission of an unknown quantum state consumes 1 ebit and an additional 2 cbits. In contrast, if the state is known to the sender, the resources required for the same action can be reduced to 1 ebit and 1 cbit in RSP. This decrease in resource consumption generally comes at the expense of a lower success probability. Furthermore, Pati [3] has argued that RSP is able to maintain its low resource consumption while meeting the success probability of QT for preparing special ensemble states (e.g., states existing on the equator and great polar circle of the Bloch sphere). Characterized by conservation of resources while maintaining high total success probability (TSP), it is not surprising that RSP has recently received much attention within the literature.

To date, many authors have proposed a number of promising methodologies for RSP; a list of such methods should include: low-entanglement RSP [10], optimal RSP [11], oblivious RSP [12,13], RSP without oblivious conditions [14], generalized RSP [15], faithful RSP [16], joint RSP (JRSP) [17–33], multiparty-controlled JRSP [34], RSP for many-body states [35–43] and continuous variable RSP in phase space [44,45]. Various RSP proposals utilizing different physical systems have been experimentally demonstrated, as well [46–54]. For example, Peng *et al.* investigated an RSP scheme employing NMR techniques [46], while others have explored the use of spontaneous parametric down-conversion within their RSP schemes [47,48]. Mikami *et al.* [49] experimentally demonstrated a novel preparation method for an arbitrary, pure single-qutrit state via biphoton polarization; furthermore, they claim that their method requires only two single-qubit projective measurements without any interferometric setup. Barreiro *et al.* [53] reported the remote preparation of two-qubit hybrid entangled states, including a family of vector-polarization beams; the single-photon states are encoded within the photon spin and orbital angular momentum, and the desired state is reconstructed by means of spin-orbit state tomography and transverse polarization tomography. Very recently, Rådmark *et al.* [54] experimentally demonstrated multi-location remote state preparation via multiphoton interferometry. This method allows the sender to remotely prepare a large class of symmetric states (including single-qubit states, two-qubit Bell states and three-qubit W , or \overline{W} states).

There do exist a number of proposals [55–58] dedicated to addressing the RSP of arbitrary two- and three-qubit entangled pure states. Liu *et al.* employed two and three Bell-type entanglements as quantum channels for conducting such preparations with total success probabilities (TSP) of $(a_1 a_2)^2$ and $(a_1 a_2 a_3)^2$, respectively [55]. Both Brown and χ states have also been employed for the creation of correlations among participants [56,57]. Resulting from these correlations, the maximal success probability for general two- and three-qubit states is $\leq 50\%$ for such strategies. Recently, Zhan [58] presented two schemes for the remote preparation of two- and three-qubit entangled states with unity success probability via maximally entangled states, *i.e.*, Greenberger–Horne–Zeilinger (GHZ) states. In our present work, the aim is to investigate generalized remote preparation for an arbitrary m -qubit entangled state, while only utilizing general entanglement states (*i.e.*, non-maximally entangled states) as quantum channels. We will show that the above scheme is capable of performing faithful RSP with a four-fold or eight-fold increase of the success probability over existing methods, for $m = 2$ and $m = 3$, respectively [55]. These enhancements are afforded by the construction of two novel m -qubit collective unitary transformations, respective of the number of entangled qubits within the desired state.

The organization of this paper is as follows: In the next section, we shall detail our procedure for the RSP of a general m -qubit entangled state employing a series of GHZ-type entanglements as quantum channels. Our results show that the desired state can be faithfully restored at the receiver with a fixed, predictable success probability. In Section 3, we will illustrate our general procedure through its implementation for the RSP of a two-qubit entangled state. Section 4 will contain our discussion and comments on the procedure, as well as an evaluation of the classical information cost (CIC) for the procedure and the total success probability (TSP), which can be expected. We will close with Section 5, containing a concise summary. We have also chosen to attach a second illustrative example in the Appendix; this example repeats the general procedure upon a three-qubit entangled state.

2. General RSP Procedure for an Arbitrary m -Qubit Entangled State

The method presented in this paper is a general scheme for the remote preparation of an arbitrary state using a generic (m) number of GHZ-type entanglements, which will be used as quantum channels. Within this procedure, we will firstly specify an m -qubit state, which we desire to be transferred from a sender (Alice) to a receiver (Bob). For simplicity, we have introduced $l = 2^m$ to note the number of vectors required to form a complete basis set for a set of m qubits. Furthermore, we introduce $n = 3m$ as the number of qubits required to form the GHZ-entangled quantum channels. The desired state is given by:

$$|\mathcal{P}\rangle = \alpha_0|00\dots 0\rangle + \alpha_1 e^{i\eta_1}|00\dots 1\rangle + \dots + \alpha_{l-1} e^{i\eta_{l-1}}|11\dots 1\rangle. \quad (1)$$

Within the above, constraints are imposed on the coefficients and phase factors: $\alpha_i \in \mathbb{R}$ and satisfies the normalized condition $\sum_{i=0}^{l-1} \alpha_i^2 = 1$; and $\eta_i \in [0, 2\pi]$. The series of GHZ-type entangled states used as quantum channels are given by:

$$|\phi_1\rangle = (x_0|000\rangle + y_0|111\rangle)_{123}; \quad (2)$$

$$|\phi_2\rangle = (x_1|000\rangle + y_1|111\rangle)_{456}; \quad (3)$$

$$\vdots \quad (4)$$

$$|\phi_m\rangle = (x_{m-1}|000\rangle + y_{m-1}|111\rangle)_{(n-2)(n-1)(n)}. \tag{5}$$

Without loss of generality, we may assert the following two constraints: $x_i \in \mathbb{R}$ and $|x_i| \leq |y_i|$. Within these channels, a series of qubits are held locally by Alice, $\{1, 2, 4, 5, \dots, n - 2, n - 1\}$, and another by Bob, $\{3, 6, \dots, n\}$. We can now proceed to our stepwise procedure for RSP.

Step 1: Alice will perform an m -partite projective measurement on qubits: $(1, 4, \dots, n - 2)$. This measurement is defined through application of a projection matrix, Ω , which is constructed by starting with a state that is similar to the desired state, $|\mathcal{P}\rangle$, except opposite phases, as the first row vector and producing a series of orthonormal spanning vectors. The aforementioned series of qubits is now described by a new complete series of orthogonal vectors: $\{|M_{i_1 i_2 \dots i_m}\rangle_{14\dots n-2}\}$, where $\{i_1, i_2, \dots, i_m\} \in \{0, 1\}$. This series of spanning vectors is comprised of orthonormal weightings of the l -dimensional ordering basis.

The resulting n -qubit systemic state, $|\Phi\rangle$, taken as quantum channels is factorizable as:

$$\begin{aligned} |\Phi\rangle &= |\phi_1\rangle \otimes |\phi_2\rangle \otimes \dots \otimes |\phi_m\rangle \\ &= \sum_{i_1, i_2, \dots, i_m}^{0,1} |M_{i_1 i_2 \dots i_m}\rangle_{14\dots n-2} \otimes |R_{i_1 i_2 \dots i_m}\rangle_{2356\dots(n-1)(n)}. \end{aligned} \tag{6}$$

where in the above, the non-normalized state $|R_{i_1 i_2 \dots i_m}\rangle_{2356\dots(n-1)(n)} \equiv {}_{14\dots n-2} \langle M_{i_1 i_2 \dots i_m} | \Phi \rangle$ can be probed with specific probability, $(1/N_{i_1 i_2 \dots i_m})^2$, where $N_{i_1 i_2 \dots i_m}$ is the normalization coefficient of state $|R_{i_1 i_2 \dots i_m}\rangle_{2356\dots(n-1)(n)}$.

Step 2: Alice executes a second m -partite joint unitary operation constructed under the l -dimensional ordering basis. This operation will be designated by the operator form: $\hat{U}_{25\dots(n-1)}^{i_1 i_2 \dots i_m}$. She does this operation on qubits $(2, 5, \dots, n - 1)$. This operation is designed to canonically order the phase factors, η_i , within the set of $\{|R_{i_1 i_2 \dots i_m}\rangle_{2356\dots(n-1)(n)}\}$ vectors. There will be l unique operators of this class; Alice selects the operator in response to the outcome of the previous measurement.

Step 3: Alice now measures qubits $(2, 5, \dots, n - 1)$ under the complete set of orthogonal basis vectors: $\{|\pm\rangle\}$. She then has all of her measurement outcomes via classical channels. To conserve the amount of classical resources required for this system, it should be prearranged that all authorized anticipators of this information that are bits $(i_1 i_2 \dots i_m)$ will correspond to the outcome of the measurement in Step 1 and cbits $(j_1 j_2 \dots j_m)$ will designate the outcomes of the measurement in Step 3. For brevity, we shall declare that the authorized anticipators have been prearranged to use the cbit notation:

$$j_k (k = 1, 2, \dots, m) = \begin{cases} 0, & \text{if } |+\rangle \text{ is measured} \\ 1, & \text{if } |-\rangle \text{ is measured} \end{cases}.$$

Before moving on to Step 4, we should first comment on a special case. In the limiting case where we take the quantum channels to be maximally entangled, we may omit Step 4 and move to Step 5. Only in the case where the channels are permitted to assume an arbitrary degree of entanglement is Step 4 necessary.

Step 4: Bob now introduces a single auxiliary qubit, A , in an initial state $|0\rangle$. He then performs a $(m + 1)$ -partite collective unitary transformation, $\hat{U}_{36\dots(n)A}$, on qubits $(3, 6, \dots, n, A)$ under the 2^{m+1} series of ordering basis vectors. This operator takes the form of a $2^{m+1} \times 2^{m+1}$ matrix, whose intent is the resolution of the x_i and y_i coefficients from the state vectors.

Since Bob does not possess knowledge of the desired state, $|\mathcal{P}\rangle$, he is unable to ascertain the success of the protocol. For this reason, Bob then measures qubit A under the measuring basis vectors $\{|0\rangle, |1\rangle\}$. If Bob detects state $|1\rangle$, the remaining qubits at his location will collapse into the trivial state, which will be the fail state for the RSP procedure; he must start from the beginning. If state $|0\rangle$ is detected, the procedure may continue forth to the next step.

Step 5: Bob, aware of the success of the RSP transfer, now is able to reclaim the desired state, $|\mathcal{P}\rangle$. Then there is the application of a final operation upon the qubits at Bob’s location (qubits $\{3, 6, \dots, n\}$). This operation is specifically tuned to information contained within the classical bit sequence that Bob received from Alice $(i_1 i_2 \dots i_m j_1 j_2 \dots j_m)$ and is denoted by $\hat{U}_{36\dots n}^{i_1 i_2 \dots i_m j_1 j_2 \dots j_m}$.

3. RSP for an Arbitrary Two-Qubit Entangled State: An Example

Here, we shall illustrate the above procedure through an example. We have selected a small value for our m -qubit entangled state, $m = 2$. Furthermore, for the benefit of comparing and contrasting, we have included a second example, $m = 3$, as the Appendix to this paper. Let us now define the desired state that Alice wishes to prepare in Bob’s distant laboratory. The desired state, $|\mathcal{P}\rangle$, is an arbitrary two-qubit entangled state given by:

$$|\mathcal{P}\rangle = \alpha_0|00\rangle + \alpha_1 e^{i\eta_1}|01\rangle + \alpha_2 e^{i\eta_2}|10\rangle + \alpha_3 e^{i\eta_3}|11\rangle. \tag{7}$$

where $\alpha_i \in \mathbb{R}$ and satisfies the normalized condition $\sum_{i=0}^3 \alpha_i^2 = 1$; furthermore, $\eta_i \in [0, 2\pi]$. Note that, Alice has knowledge of the desired state, yet Bob has no such knowledge. Initially, a class of robust and genuine GHZ-type entanglements must be constructed and shared between Alice and Bob. These GHZ states for our example are given by:

$$|\phi_1\rangle = (x_0|000\rangle + y_0|111\rangle)_{123}, \tag{8}$$

and:

$$|\phi_2\rangle = (x_1|000\rangle + y_1|111\rangle)_{456}. \tag{9}$$

Without loss of generality, the conditions $x_i \in \mathbb{R}$ and $|x_i| \leq |y_i|$ are maintained. Initially, Qubits 1, 2, 4 and 5 are held by Alice, while Qubits 3 and 6 are held by Bob.

In order to accomplish our RSP procedure, we shall implement the steps discussed within Section 2:

Step 1: Alice executes one bipartite projective measurement, Ω , on the qubit bipartite (1, 4) under a set of complete orthogonal basis vectors $\{|M_{ij}\rangle_{14}\}$, where the indices $i, j \in \{0, 1\}$ take the place of (i_1, i_2, \dots) within the general procedure. This basis, $\{|M_{ij}\rangle_{14}\}$, is written in terms of the computational basis: $\{|00\rangle, |01\rangle, |10\rangle, |11\rangle\}$. The projective measurement is formed in the method previously discussed and can be written as:

$$\Omega = \begin{pmatrix} \alpha_0 & \alpha_1 e^{-i\eta_1} & \alpha_2 e^{-i\eta_2} & \alpha_3 e^{-i\eta_3} \\ \alpha_1 & -\alpha_0 e^{-i\eta_1} & \alpha_3 e^{-i\eta_2} & -\alpha_2 e^{-i\eta_3} \\ \alpha_2 & -\alpha_3 e^{-i\eta_1} & -\alpha_0 e^{-i\eta_2} & \alpha_1 e^{-i\eta_3} \\ \alpha_3 & \alpha_2 e^{-i\eta_1} & -\alpha_1 e^{-i\eta_2} & -\alpha_0 e^{-i\eta_3} \end{pmatrix}. \tag{10}$$

The result of the projective transformation is:

$$(|M_{00}\rangle_{14}, |M_{01}\rangle_{14}, |M_{10}\rangle_{14}, |M_{11}\rangle_{14})^T = \Omega \cdot (|00\rangle, |01\rangle, |10\rangle, |11\rangle)^T. \tag{11}$$

As a result, our quantum channels, constructed from the six-qubit systemic state, can be expressed as:

$$\begin{aligned}
 |\Phi\rangle &= |\phi_1\rangle_{123} \otimes |\phi_2\rangle_{456} \\
 &= \sum_{i,j}^{0,1} |M_{ij}\rangle_{14} \otimes |R_{ij}\rangle_{2356} \\
 &= |M_{00}\rangle_{14}(\alpha_0 x_0 x_1 |0000\rangle + \alpha_1 e^{i\eta_1} x_0 y_1 |0011\rangle + \alpha_2 e^{i\eta_2} y_0 x_1 |1100\rangle + \alpha_3 e^{i\eta_3} y_0 y_1 |1111\rangle)_{2356} \\
 &\quad + |M_{01}\rangle_{14}(\alpha_1 x_0 x_1 |0000\rangle - \alpha_0 e^{i\eta_1} x_0 y_1 |0011\rangle + \alpha_3 e^{i\eta_2} y_0 x_1 |1100\rangle - \alpha_2 e^{i\eta_3} y_0 y_1 |1111\rangle)_{2356} \\
 &\quad + |M_{10}\rangle_{14}(\alpha_2 x_0 x_1 |0000\rangle - \alpha_3 e^{i\eta_1} x_0 y_1 |0011\rangle - \alpha_0 e^{i\eta_2} y_0 x_1 |1100\rangle + \alpha_1 e^{i\eta_3} y_0 y_1 |1111\rangle)_{2356} \\
 &\quad + |M_{11}\rangle_{14}(\alpha_3 x_0 x_1 |0000\rangle + \alpha_2 e^{i\eta_1} x_0 y_1 |0011\rangle - \alpha_1 e^{i\eta_2} y_0 x_1 |1100\rangle - \alpha_0 e^{i\eta_3} y_0 y_1 |1111\rangle)_{2356}.
 \end{aligned} \tag{12}$$

where the non-normalized state $|R_{ij}\rangle_{2356} \equiv {}_{14}\langle M_{ij}|\Phi\rangle$ can be probed with the probability $(1/N_{ij})^2$.

Step 2: Following the measurement $|M_{ij}\rangle$, Alice executes a corresponding bipartite joint unitary operation, \hat{U}_{25}^{ij} , on Qubits 2 and 5, under the ordering basis: $\{|00\rangle, |01\rangle, |10\rangle, |11\rangle\}$. To be explicit, \hat{U}_{25}^{ij} is taken as a 4×4 matrix of the form:

$$\hat{U}_{25}^{00} = \text{diag}(1, 1, 1, 1) = \mathbb{I}_{4 \times 4}, \tag{13}$$

$$\hat{U}_{25}^{01} = \text{diag}(e^{i\eta_1}, -e^{-i\eta_1}, e^{i(\eta_3-\eta_2)}, -e^{i(\eta_2-\eta_3)}), \tag{14}$$

$$\hat{U}_{25}^{10} = \text{diag}(e^{i\eta_2}, -e^{i(\eta_3-\eta_1)}, -e^{-i\eta_2}, e^{i(\eta_1-\eta_3)}), \tag{15}$$

$$\hat{U}_{25}^{11} = \text{diag}(e^{i\eta_3}, e^{i(\eta_2-\eta_1)}, -e^{i(\eta_1-\eta_2)}, -e^{-i\eta_3}). \tag{16}$$

Step 3: Alice now performs a measurement on Qubits 2 and 5 under the complete set of orthogonal basis vectors: $\{|\pm\rangle := \frac{1}{\sqrt{2}}(|0\rangle \pm |1\rangle)\}$. She then publishes the measurement outcomes via classical channels where the authorized anticipators have already conspired concerning the interpretation of the classical bits. It should now be stated that all authorized anticipators have conspired in advance that cbits ' ij ' correspond to the outcome $|M_{ij}\rangle_{14}$ and cbits ' rs ' (previously (j_1, j_2, \dots)) correspond to the measuring outcome of Qubits 2 and 5.

Step 4: Bob introduces one auxiliary qubit, A , with an initial state of $|0\rangle$. He then performs a triplet collective unitary transformation, \hat{U}_{36A} , on Qubits 3, 6 and A under the set of ordering basis vectors: $\{|000\rangle_{36A}, |010\rangle_{36A}, |100\rangle_{36A}, |110\rangle_{36A}, |001\rangle_{36A}, |011\rangle_{36A}, |101\rangle_{36A}, |111\rangle_{36A}\}$. The transformation matrix is given by:

$$\hat{U}_{36A} = \begin{pmatrix} \hat{D} & \hat{F} \\ \hat{F} & -\hat{D} \end{pmatrix}_{8 \times 8}, \tag{17}$$

where the operators \hat{D} and \hat{F} are 4×4 matrices. Explicitly, these operators are given by:

$$\hat{D} = \text{diag}(1, \frac{x_1}{y_1}, \frac{x_0}{y_0}, \frac{x_0 x_1}{y_0 y_1}) \tag{18}$$

and:

$$\hat{F} = \text{diag}(0, \sqrt{1 - (\frac{x_1}{y_1})^2}, \sqrt{1 - (\frac{x_0}{y_0})^2}, \sqrt{1 - (\frac{x_0 x_1}{y_0 y_1})^2}). \tag{19}$$

Subsequently, Bob measures qubit A under a set of measuring basis vectors, $\{|0\rangle, |1\rangle\}$. If state $|1\rangle$ is detected, his remaining qubits will collapse into the trivial state. If $|0\rangle$ is obtained, the preparation procedure may continue on to the final step.

Step 5: Finally, Bob executes an appropriate unitary transformation, \hat{U}_{36}^{ijrs} (see Table 1 for more details), on his Qubits 3 and 6. The exact form of this operator varies with the observed values associated with the measurements denoted by cbits i, j, r and s . This operation allows Bob to recover $|\mathcal{P}\rangle$ at his location.

This overall procedure may be conveyed as a quantum circuit and is displayed within Figure 1.

Table 1. $ijrs$ denotes the series of cbits corresponding to measurement outcomes from the sender and \hat{U}_{36}^{ijrs} denotes an unitary transformation that Bob needs to perform on Qubits 3 and 6 for the recovery of $|\mathcal{P}\rangle$.

$ijrs$	\hat{U}_{36}^{ijrs}	$ijrs$	\hat{U}_{36}^{ijrs}	$ijrs$	\hat{U}_{36}^{ijrs}	$ijrs$	\hat{U}_{36}^{ijrs}
0000	$I_3 I_6$	0100	$I_3 \sigma_6^x$	1000	$\sigma_3^x I_6$	1100	$\sigma_3^x \sigma_6^x$
0001	$I_3 \sigma_6^z$	0101	$I_3 \sigma_6^x \sigma_6^z$	1001	$\sigma_3^x \sigma_6^z$	1101	$\sigma_3^x \sigma_6^x \sigma_6^z$
0010	$\sigma_3^z I_6$	0110	$\sigma_3^z \sigma_6^x$	1010	$\sigma_3^x \sigma_3^z I_6$	1110	$\sigma_3^x \sigma_3^z \sigma_6^x$
0011	$\sigma_3^z \sigma_6^z$	0111	$\sigma_3^z \sigma_6^x \sigma_6^z$	1011	$\sigma_3^x \sigma_3^z \sigma_6^z$	1111	$\sigma_3^x \sigma_3^z \sigma_6^x \sigma_6^z$




Figure 1. Quantum circuit for implementing remote state preparation (RSP) of arbitrary two-qubit entangled states. $|M_{ij}\rangle_{14}$ denotes a two-qubit projective measurement on Qubits 1 and 4 under a set of complete orthogonal basis vectors $\{|M_{ij}\rangle_{14}\}$; \hat{U}_{25}^{ij} denotes Alice’s appropriate collective unitary transformation on bipartite (2,5); \hat{U}_{36A} denotes Bob’s collective three-qubit unitary transformation on his Qubits 3, 6 and A , and \hat{U}_{36}^{ijrs} denotes Bob’s appropriate single-qubit unitary transformations on his Qubits 3 and 6.

4. Discussion

4.1. Total Success Probability and Classical Information Cost

In this subsection, let us turn to calculate the TSP and CIC of the present scheme. In our generalized scheme, one can see from the discussion of Step 1 in Section 2 that the state $|M_{i_1 i_2 \dots i_m}\rangle$ can be probed with probability of:

$$P(|M_{i_1 i_2 \dots i_m}\rangle) = \frac{1}{(N_{i_1 i_2 \dots i_m})^2}. \tag{20}$$

The probability for the capture of $|0\rangle_A$ is given by:

$$P(|0\rangle_A) = (N_{i_1 i_2 \dots i_m} x_0 x_1 \dots x_{m-1})^2. \tag{21}$$

Hence, the success probability of RSP for the particular measurement outcome $(i_1 i_2 \dots i_m)$ is equal to:

$$P(i_1 i_2 \dots i_m) = P(|\mathcal{A}_{i_j}\rangle) \times P(|0\rangle_A) = (x_0 x_1 \dots x_{m-1})^2. \tag{22}$$

It can easily be determined that the TSP over all possible states sums to:

$$P_{Total} = \sum_{i_1, i_2, \dots, i_m}^{0,1} P(i_1 i_2 \dots i_m) = 2^m (x_0 x_1 \dots x_{m-1})^2, \tag{23}$$

which is inherently associated with the smaller coefficients of the employed channels. The interplay between the choice of coefficients and the TSP can most easily be seen in Figure 2 for the $m = 2$ and $m = 3$ example systems.

Moreover, one can work out that the required CIC should be of the form:

$$C(P) = 2^{m+1} (x_0 x_1 \dots x_{m-1})^2 \log_2 \frac{1}{(x_0 x_1 \dots x_{m-1})^2} \text{ (cbits)}. \tag{24}$$

This value, $C(P)$, is constructed as an average relying on the definition of resource consumption in [41] and necessary extra communication for outcome (j_1, j_2, \dots, j_m) between the sender and the receiver.




Figure 2. The relation between the total success probability (TSP) and the smaller coefficients of entanglements severing as quantum channels. (a) The case of RSP for arbitrary two-qubit entangled states; (b) the case of RSP for arbitrary three-qubit entangled states. One can see that the TSP is increased as the value of $|x_i|$ increases.

4.2. The Properties of the Current Scheme

We have also found that there are several remarkable properties with respect to our present scheme; these include: (1) high success probability. Generally, contemporary RSP protocols can be faithfully performed with a TSP of $2^m(x_0x_1 \dots x_{m-1})^2$. When $|x_i| = 1/\sqrt{2}$ is chosen, the TSP can be pushed as high as one. (2) Reducibility. Within our scheme, if m is reduced to two and three, two specific schemes naturally appear: RSP for arbitrary two- and three-qubit entangled states. Furthermore, with respect to RSP for two- and three-qubit states, some applicable schemes have already been presented, which permits a degree of comparison [55–58]. There do, however, exist differences in key elements associated with intrinsic efficiency, including operation complexity and resources consumption. We have provided a comparison between RSP schemes for maximally-entangled states as Table 2, illustrated by items, such as: required quantum resource, the necessary classical resource, the required operation, success probability and intrinsic efficiency. We should also stress that in the limit where our quantum channels are taken to be maximally entangled, Step 4 become needless. Stated otherwise, Steps 1–3 and 5 are sufficient to achieve RSP for an arbitrary m -qubit state when we restrict our channels to be maximally entangled.

Table 2. Comparison between our scheme and the previous works in the case of maximally-entangled channels. Within this table, abbreviations should be read as: EPR, Einstein–Podolsky–Rosen entangled state; BS, Brown state; GHZ, Greenberger–Horne–Zeilinger state; TQPM, two-qubit projective measurement; SQPM, single-qubit projective measurement; TEQPM, three-qubit projective measurement; FQPM, four-qubit projective measurement; CIC, classical information consumption; TSP, total success probability; and Γ represents the intrinsic efficiency of the scheme.

Protocols		Entanglements employed	Quantum operations	CIC	TSP	Γ
Two-qubit case	[55]	two 2-qubit EPR	one TQPM	2	$\frac{1}{4}$	8.33%
	[56]	five-qubit BS	one TQPM and one SQPM	3	$\frac{1}{2}$	12.5%
	[57]	five-qubit χ -state	one TEQPM	3	$\frac{1}{2}$	12.5%
	Our scheme	two 3-qubit GHZ	one TQPM and two SQPM	4	1	20%
Three-qubit case	[55]	three 2-qubit EPR	one TEQPM	3	$\frac{1}{8}$	8.33%
	[56]	five-qubit BS and EPR	one TEQPM and one SQPM	4	$\frac{1}{2}$	13.64%
	[57]	four-qubit χ -state and GHZ	one FQPM	4	$\frac{1}{2}$	13.64%
	Our scheme	three GHZ	one TEQPM and two SQPM	6	1	20%

From Table 2, it can be directly noted that the TSP of our scheme is capable of both approaching and attaining a value of unity. The intrinsic efficiency (Γ) achieves 20%, which is much greater than that of previous schemes [55–57]. Due to characteristically high intrinsic efficiency and TSP, our scheme is highly efficient when compared to other existent schemes; further, our scheme is capable of optimal

performance in specific limiting cases. *En passant*, the intrinsic efficiency of a scheme is defined by [59] and is given by the form:

$$\Gamma = \frac{Q_s}{Q_q + Q_c} \times TSP. \quad (25)$$

In the above, Q_s denotes the number of qubits in the desired states; Q_q denotes the amount of quantum resources consumed in the process and Q_c denotes the amount of classical information resources consumed. (3) Generalizability. Herein, we have designed a general scenario for RSP of arbitrary m -qubit states via GHZ-class entanglements. The generalization is embodied in several aspects, which we will now note. First, the states that we desire to remotely prepare are arbitrary m -qubit ($m = 1, 2, \dots$) entangled states. Second, the quantum channels employed are GHZ-class entanglements, which are non-maximally-entangled states. It has been previously shown that non-maximally-entangled states are general cases and are more achievable in real-world laboratory conditions. In contrast, maximally-entangled states are a special case of general entangled states when the state coefficients are restricted to special values. Therefore, our scheme is a readily general procedure. Additionally, [58] investigated deterministic RSP for both the $m = 2$ and the $m = 3$ cases; however, there are some differences between these schemes and the analogous cases within our works: First, [58] concentrated only on the cases when maximally entangled states are taken as channels; this limit is just a special case of our schemes where the channels are general, yet still allow for the maximally-entangled case. Second, we employ a von Neumann projective measurement in a set of vectors $|\pm\rangle$ instead of measurement on the basis of $\{|0\rangle, |1\rangle\}$ and Hadamard transformations. Considering these differences, we argue that our scheme is more general than previous works, and we reduce both the number and complexity of operations in the overall procedure.

5. Summary

In summary, we have derived a novel strategy for the implementation of RSP of a general m -qubit entangled state. This was done by taking advantage of robust GHZ-type states acting as quantum channels. With the assistance of appropriate local operations and classical communication, the schemes can be realized with high success probabilities, increased four-fold and eight-fold when compared to previous schemes with $m = 2$ and $m = 3$, respectively [55]. Remarkably, our schemes feature several nontrivial properties, including a high success probability, reducibility and generalizability. Moreover, the TSP of RSP can reach unity when the quantum channels are reduced to maximally-entangled states; that is, our schemes become deterministic at such a limit. Further, we argue that our current RSP proposal might be important for applications in long-distance quantum communication using prospective node-node quantum networks.

Acknowledgments

This work was supported by the National Natural Science Foundation of China (Grant Nos. 11247256, 11074002 and 61275119). Additional funding was provided by the Anhui Provincial Natural Science Foundation (Grant No. 1508085QF139), China Scholarship Council and the National

Laboratory for Infrared Physics (Grant No. M201307), as well as from the National Science Foundation Centers for Chemical Innovation: CHE-1037992.

Author Contributions

Dong Wang proposed the main idea of the paper. The authors together proceeded and finished the research. Dong Wang and Ross D. Hoehn wrote the paper. All authors have read and approved the final manuscript.

Appendix

Within this Appendix, we shall provide a second illustration of the procedure featured in Section 2 of the main text. We have provided this example to assist in comparisons between two values of m for the RSP of an arbitrary m -qubit entangled state. Appendix A will cover the general RSP procedure for a three-qubit entangled state. Appendix B will declare specific states for the measurements and explicitly perform the operations of the general procedure; $(i, j, k, r, s, t) = (0, 0, 1, 0, 0, 1)$.

A. General RSP for Three-Qubit Entangled States

Let us attempt the RSP for an arbitrary three-qubit entangled state described by:

$$|\mathcal{P}\rangle = \alpha_0|000\rangle + \alpha_1e^{i\eta_1}|001\rangle + \alpha_2e^{i\eta_2}|010\rangle + \alpha_3e^{i\eta_3}|011\rangle + \alpha_4e^{i\eta_4}|100\rangle + \alpha_5e^{i\eta_5}|101\rangle + \alpha_6e^{i\eta_6}|110\rangle + \alpha_7e^{i\eta_7}|111\rangle. \quad (26)$$

This state is to be remotely prepared at Bob's location, transmitted from Alice; in the above, the coefficients must satisfy the following conditions: $\alpha_i \in \mathbb{R}$, $\eta_i \in [0, 2\pi]$ and $\sum_{i=0}^7 \alpha_i^2 = 1$. It merits stressing that a nontrivial precondition in standard RSP must be met: the sender has the knowledge of the desired state, yet the receiver does not possess this knowledge. Originally, Alice and Bob are robustly linked by genuine entanglements (GHZ-type entanglements) described by:

$$|\phi_1\rangle = (x_0|000\rangle + y_0|111\rangle)_{123}, \quad (27)$$

$$|\phi_2\rangle = (x_1|000\rangle + y_1|111\rangle)_{456}, \quad (28)$$

and:

$$|\phi_3\rangle = (x_2|000\rangle + y_2|111\rangle)_{789}. \quad (29)$$

We assume that the conditions $x_i \in \mathbb{R}$ and $|x_i| \leq |y_i|$ are satisfied. Additionally, it should be noted that Qubits 1, 2, 4, 5, 7 and 8 are held by Alice, while Qubits 3, 6 and 9 are held by Bob.

For the sake of a successful RSP, the procedure can be implemented in a manner consistent with the five-step procedure in the main text:

Step 1: Alice performs a three-qubit projective measurement on the qubit triplet (1, 4, 7) under a set of complete orthogonal basis vectors: $\{|M_{ijk}\rangle_{147}\}$ ($i, j, k \in \{0, 1\}$); where $\{|M_{ijk}\rangle_{147}\}$ is comprised of this computational basis: $\{|000\rangle, |001\rangle, |010\rangle, |011\rangle, |100\rangle, |101\rangle, |110\rangle, |111\rangle\}$. This measurement takes the form:

$$\begin{aligned}
 & (|M_{000}\rangle_{147}, |M_{001}\rangle_{147}, |M_{010}\rangle_{147}, |M_{011}\rangle_{147}, |M_{100}\rangle_{147}, |M_{101}\rangle_{147}, |M_{110}\rangle_{147}, |M_{111}\rangle_{147})^T \\
 = & \Omega \cdot (|000\rangle, |001\rangle, |010\rangle, |011\rangle, |100\rangle, |101\rangle, |110\rangle, |111\rangle)^T.
 \end{aligned} \tag{30}$$

where the projection operator, Ω , is of the form:

$$\Omega = \begin{pmatrix} \alpha_0 & \alpha_1 e^{-i\eta_1} & \alpha_2 e^{-i\eta_2} & \alpha_3 e^{-i\eta_3} & \alpha_4 e^{-i\eta_4} & \alpha_5 e^{-i\eta_5} & \alpha_6 e^{-i\eta_6} & \alpha_7 e^{-i\eta_7} \\ \alpha_1 & -\alpha_0 e^{-i\eta_1} & \alpha_3 e^{-i\eta_2} & -\alpha_2 e^{-i\eta_3} & \alpha_5 e^{-i\eta_4} & -\alpha_4 e^{-i\eta_5} & \alpha_7 e^{-i\eta_6} & -\alpha_6 e^{-i\eta_7} \\ \alpha_2 & -\alpha_3 e^{-i\eta_1} & -\alpha_0 e^{-i\eta_2} & \alpha_1 e^{-i\eta_3} & -\alpha_6 e^{-i\eta_4} & \alpha_7 e^{-i\eta_5} & \alpha_4 e^{-i\eta_6} & -\alpha_5 e^{-i\eta_7} \\ \alpha_3 & \alpha_2 e^{-i\eta_1} & -\alpha_1 e^{-i\eta_2} & -\alpha_0 e^{-i\eta_3} & \alpha_7 e^{-i\eta_4} & \alpha_6 e^{-i\eta_5} & -\alpha_5 e^{-i\eta_6} & -\alpha_4 e^{-i\eta_7} \\ \alpha_4 & -\alpha_5 e^{-i\eta_1} & \alpha_6 e^{-i\eta_2} & -\alpha_7 e^{-i\eta_3} & -\alpha_0 e^{-i\eta_4} & \alpha_1 e^{-i\eta_5} & -\alpha_2 e^{-i\eta_6} & \alpha_3 e^{-i\eta_7} \\ \alpha_5 & \alpha_4 e^{-i\eta_1} & -\alpha_7 e^{-i\eta_2} & -\alpha_6 e^{-i\eta_3} & -\alpha_1 e^{-i\eta_4} & -\alpha_0 e^{-i\eta_5} & \alpha_3 e^{-i\eta_6} & \alpha_2 e^{-i\eta_7} \\ \alpha_6 & -\alpha_7 e^{-i\eta_1} & -\alpha_4 e^{-i\eta_2} & \alpha_5 e^{-i\eta_3} & \alpha_2 e^{-i\eta_4} & -\alpha_3 e^{-i\eta_5} & -\alpha_0 e^{-i\eta_6} & \alpha_1 e^{-i\eta_7} \\ \alpha_7 & \alpha_6 e^{-i\eta_1} & \alpha_5 e^{-i\eta_2} & \alpha_4 e^{-i\eta_3} & -\alpha_3 e^{-i\eta_4} & -\alpha_2 e^{-i\eta_5} & -\alpha_1 e^{-i\eta_6} & -\alpha_0 e^{-i\eta_7} \end{pmatrix}. \tag{31}$$

Thus, the total systemic state, encompassing the quantum channels, reads as:

$$\begin{aligned}
 |\Phi\rangle &= |\phi_1\rangle_{123} \otimes |\phi_2\rangle_{456} \otimes |\phi_3\rangle_{789} \\
 &= \sum_{i,j,k}^{0,1} |M_{ijk}\rangle_{147} \otimes |R_{ijk}\rangle_{235689} \\
 &= |M_{000}\rangle_{147} (\alpha_0 x_0 x_1 x_2 |000000\rangle + \alpha_1 e^{i\eta_1} x_0 x_1 y_2 |000011\rangle + \alpha_2 e^{i\eta_2} x_0 y_1 x_2 |001100\rangle \\
 &\quad + \alpha_3 e^{i\eta_3} x_0 y_1 y_2 |001111\rangle + \alpha_4 e^{i\eta_4} y_0 x_1 x_2 |110000\rangle + \alpha_5 e^{i\eta_5} y_0 x_1 y_2 |110011\rangle \\
 &\quad + \alpha_6 e^{i\eta_6} y_0 y_1 x_2 |111100\rangle + \alpha_7 e^{i\eta_7} y_0 y_1 y_2 |111111\rangle)_{235689} \\
 &\quad + |M_{001}\rangle_{147} (\alpha_1 x_0 x_1 x_2 |000000\rangle - \alpha_0 e^{i\eta_1} x_0 x_1 y_2 |000011\rangle + \alpha_3 e^{i\eta_2} x_0 y_1 x_2 |001100\rangle \\
 &\quad - \alpha_2 e^{i\eta_3} x_0 y_1 y_2 |001111\rangle + \alpha_5 e^{i\eta_4} y_0 x_1 x_2 |110000\rangle - \alpha_4 e^{i\eta_5} y_0 x_1 y_2 |110011\rangle \\
 &\quad + \alpha_7 e^{i\eta_6} y_0 y_1 x_2 |111100\rangle - \alpha_6 e^{i\eta_7} y_0 y_1 y_2 |111111\rangle)_{235689} \\
 &\quad + |M_{010}\rangle_{147} (\alpha_2 x_0 x_1 x_2 |000000\rangle - \alpha_3 e^{i\eta_1} x_0 x_1 y_2 |000011\rangle - \alpha_0 e^{i\eta_2} x_0 y_1 x_2 |001100\rangle \\
 &\quad + \alpha_1 e^{i\eta_3} x_0 y_1 y_2 |001111\rangle - \alpha_6 e^{i\eta_4} y_0 x_1 x_2 |110000\rangle + \alpha_7 e^{i\eta_5} y_0 x_1 y_2 |110011\rangle \\
 &\quad + \alpha_4 e^{i\eta_6} y_0 y_1 x_2 |111100\rangle - \alpha_5 e^{i\eta_7} y_0 y_1 y_2 |111111\rangle)_{235689} \\
 &\quad + |M_{011}\rangle_{147} (\alpha_3 x_0 x_1 x_2 |000000\rangle + \alpha_2 e^{i\eta_1} x_0 x_1 y_2 |000011\rangle - \alpha_1 e^{i\eta_2} x_0 y_1 x_2 |001100\rangle \\
 &\quad - \alpha_0 e^{i\eta_3} x_0 y_1 y_2 |001111\rangle + \alpha_7 e^{i\eta_4} y_0 x_1 x_2 |110000\rangle + \alpha_6 e^{i\eta_5} y_0 x_1 y_2 |110011\rangle \\
 &\quad - \alpha_5 e^{i\eta_6} y_0 y_1 x_2 |111100\rangle - \alpha_4 e^{i\eta_7} y_0 y_1 y_2 |111111\rangle)_{235689} \\
 &\quad + |M_{100}\rangle_{147} (\alpha_4 x_0 x_1 x_2 |000000\rangle - \alpha_5 e^{i\eta_1} x_0 x_1 y_2 |000011\rangle + \alpha_6 e^{i\eta_2} x_0 y_1 x_2 |001100\rangle \\
 &\quad - \alpha_7 e^{i\eta_3} x_0 y_1 y_2 |001111\rangle - \alpha_0 e^{i\eta_4} y_0 x_1 x_2 |110000\rangle + \alpha_1 e^{i\eta_5} y_0 x_1 y_2 |110011\rangle \\
 &\quad - \alpha_2 e^{i\eta_6} y_0 y_1 x_2 |111100\rangle + \alpha_3 e^{i\eta_7} y_0 y_1 y_2 |111111\rangle)_{235689} \\
 &\quad + |M_{101}\rangle_{147} (\alpha_5 x_0 x_1 x_2 |000000\rangle + \alpha_4 e^{i\eta_1} x_0 x_1 y_2 |000011\rangle - \alpha_7 e^{i\eta_2} x_0 y_1 x_2 |001100\rangle \\
 &\quad - \alpha_6 e^{i\eta_3} x_0 y_1 y_2 |001111\rangle - \alpha_1 e^{i\eta_4} y_0 x_1 x_2 |110000\rangle - \alpha_0 e^{i\eta_5} y_0 x_1 y_2 |110011\rangle
 \end{aligned}$$

$$\begin{aligned}
 & +\alpha_3 e^{i\eta_6} y_0 y_1 x_2 |111100\rangle + \alpha_2 e^{i\eta_7} y_0 y_1 y_2 |111111\rangle)_{235689} \\
 & + |M_{110}\rangle_{147} (\alpha_6 x_0 x_1 x_2 |000000\rangle - \alpha_7 e^{i\eta_1} x_0 x_1 y_2 |000011\rangle - \alpha_4 e^{i\eta_2} x_0 y_1 x_2 |001100\rangle) \\
 & + \alpha_5 e^{i\eta_3} x_0 y_1 y_2 |001111\rangle + \alpha_2 e^{i\eta_4} y_0 x_1 x_2 |110000\rangle - \alpha_3 e^{i\eta_5} y_0 x_1 y_2 |110011\rangle \\
 & - \alpha_0 e^{i\eta_6} y_0 y_1 x_2 |111100\rangle + \alpha_1 e^{i\eta_7} y_0 y_1 y_2 |111111\rangle)_{235689} \\
 & + |M_{111}\rangle_{147} (\alpha_7 x_0 x_1 x_2 |000000\rangle + \alpha_6 e^{i\eta_1} x_0 x_1 y_2 |000011\rangle + \alpha_5 e^{i\eta_2} x_0 y_1 x_2 |001100\rangle) \\
 & + \alpha_4 e^{i\eta_3} x_0 y_1 y_2 |001111\rangle - \alpha_3 e^{i\eta_4} y_0 x_1 x_2 |110000\rangle - \alpha_2 e^{i\eta_5} y_0 x_1 y_2 |110011\rangle \\
 & - \alpha_1 e^{i\eta_6} y_0 y_1 x_2 |111100\rangle - \alpha_0 e^{i\eta_7} y_0 y_1 y_2 |111111\rangle)_{235689}. \tag{32}
 \end{aligned}$$

Within the above, the states $|R_{ijk}\rangle$ are non-normalized; N_{ijk} are the normalized coefficients associated with the states $|R_{ijk}\rangle$ and the non-normalized state $|R_{ijk}\rangle_{235689} \equiv {}_{147}\langle M_{ijk} | \Phi \rangle$ can be obtained with a probability of $(1/N_{ijk})^2$.

Step 2: In accordance with the measurement outcome $|M_{ijk}\rangle$, Alice makes an appropriate triplet joint unitary operation, \hat{U}_{258}^{ijk} , on her remaining three qubits: 2, 5 and 8. This operation is performed under the ordering basis: $\{|000\rangle, |001\rangle, |010\rangle, |011\rangle, |100\rangle, |101\rangle, |110\rangle, |111\rangle\}$. To be explicit, \hat{U}_{258}^{ijk} is an 8×8 matrix and takes one of the following forms:

$$\hat{U}_{258}^{000} = \text{diag}(1, 1, 1, 1, 1, 1, 1, 1) = \mathbb{I}_{8 \times 8}, \tag{33}$$

$$\hat{U}_{258}^{001} = \text{diag}(e^{i\theta_1}, -e^{-i\theta_1}, e^{i(\theta_3-\theta_2)}, -e^{i(\theta_2-\theta_3)}, e^{i(\theta_5-\theta_4)}, -e^{i(\theta_4-\theta_5)}, e^{i(\theta_7-\theta_6)}, -e^{i(\theta_6-\theta_7)}), \tag{34}$$

$$\hat{U}_{258}^{010} = \text{diag}(e^{i\theta_2}, -e^{i(\theta_3-\theta_1)}, -e^{-i\theta_2}, e^{i(\theta_1-\theta_3)}, -e^{i(\theta_6-\theta_4)}, e^{i(\theta_7-\theta_5)}, e^{i(\theta_4-\theta_6)}, -e^{i(\theta_5-\theta_7)}), \tag{35}$$

$$\hat{U}_{258}^{011} = \text{diag}(e^{i\theta_3}, e^{i(\theta_2-\theta_1)}, -e^{i(\theta_1-\theta_2)}, -e^{-i\theta_3}, e^{i(\theta_7-\theta_4)}, e^{i(\theta_6-\theta_5)}, -e^{i(\theta_5-\theta_6)}, -e^{i(\theta_4-\theta_7)}), \tag{36}$$

$$\hat{U}_{258}^{100} = \text{diag}(e^{i\theta_4}, -e^{i(\theta_5-\theta_1)}, e^{i(\theta_6-\theta_2)}, -e^{i(\theta_7-\theta_3)}, -e^{-i\theta_4}, e^{i(\theta_1-\theta_5)}, -e^{i(\theta_2-\theta_6)}, e^{i(\theta_3-\theta_7)}), \tag{37}$$

$$\hat{U}_{258}^{101} = \text{diag}(e^{i\theta_5}, e^{i(\theta_4-\theta_1)}, -e^{i(\theta_7-\theta_2)}, -e^{i(\theta_6-\theta_3)}, -e^{i(\theta_1-\theta_4)}, -e^{-i\theta_5}, e^{i(\theta_3-\theta_6)}, e^{i(\theta_2-\theta_7)}), \tag{38}$$

$$\hat{U}_{258}^{110} = \text{diag}(e^{i\theta_6}, -e^{i(\theta_7-\theta_1)}, -e^{i(\theta_4-\theta_2)}, e^{i(\theta_5-\theta_3)}, e^{i(\theta_2-\theta_4)}, -e^{i(\theta_3-\theta_5)}, -e^{-i\theta_6}, e^{i(\theta_1-\theta_7)}), \tag{39}$$

$$\hat{U}_{258}^{111} = \text{diag}(e^{i\theta_7}, e^{i(\theta_6-\theta_1)}, e^{i(\theta_5-\theta_2)}, e^{i(\theta_4-\theta_3)}, -e^{i(\theta_3-\theta_4)}, -e^{i(\theta_2-\theta_5)}, -e^{i(\theta_1-\theta_6)}, -e^{-i\theta_7}). \tag{40}$$

Step 3: Next, Alice performs a measurement on her Qubits 2, 5 and 8 under the set of complete orthogonal basis vector $\{|\pm\rangle\}$ and broadcasts the measurement outcome via a classical channel (*i.e.*, sending some cbits). Again, all of the authorized anticipators make an agreement in advance that cbits ' ijk ' correspond to the outcome $|M_{ijk}\rangle_{147}$ ($(i_1 i_2 i_3)$ within Section 2 of main text) and cbits ' rst ' to the measuring outcome of Qubits 2, 5 and 8 ($(j_1 j_2 j_3)$ within Section 2 of main text), respectively.

Step 4: After receiving Alice's messages, Bob introduces one auxiliary qubit, A , with an initial state of $|0\rangle$. Bob then makes quadruplet collective unitary transformation, \hat{U}_{369A} , on Qubits 3, 6, 9 and A under a set of ordering basis vectors: $\{|0000\rangle_{369A}, |0010\rangle_{369A}, |0100\rangle_{369A}, |0110\rangle_{369A}, |1000\rangle_{369A}, |1010\rangle_{369A}, |1100\rangle_{369A}, |1110\rangle_{369A}, |0001\rangle_{369A}, |0011\rangle_{369A}, |0101\rangle_{369A}, |0111\rangle_{369A}, |1001\rangle_{369A}, |1011\rangle_{369A}, |1101\rangle_{369A}, |1111\rangle_{369A}\}$. The form of this transformation operator is:

$$\hat{U}_{369A} = \begin{pmatrix} \hat{H} & \hat{G} \\ \hat{G} & -\hat{H} \end{pmatrix}_{16 \times 16}, \tag{41}$$

where \hat{H} and \hat{G} are both 8×8 matrices. Explicitly, these matrices are given by:

$$\hat{H} = \text{diag} \left(1, \frac{x_2}{y_2}, \frac{x_1}{y_1}, \frac{x_1 x_2}{y_1 y_2}, \frac{x_0}{y_0}, \frac{x_0 x_2}{y_0 y_2}, \frac{x_0 x_1}{y_0 y_1}, \frac{x_0 x_1 x_2}{y_0 y_1 y_2} \right) \tag{42}$$

and:

$$\hat{G} = \text{diag} \left(0, \sqrt{1 - \left(\frac{x_2}{y_2}\right)^2}, \sqrt{1 - \left(\frac{x_1}{y_1}\right)^2}, \sqrt{1 - \left(\frac{x_1 x_2}{y_1 y_2}\right)^2}, \sqrt{1 - \left(\frac{x_0}{y_0}\right)^2}, \sqrt{1 - \left(\frac{x_0 x_2}{y_0 y_2}\right)^2}, \sqrt{1 - \left(\frac{x_0 x_1}{y_0 y_1}\right)^2}, \sqrt{1 - \left(\frac{x_0 x_1 x_2}{y_0 y_1 y_2}\right)^2} \right). \tag{43}$$

Next, Bob measures his auxiliary qubit, A , under the set of measuring basis vectors: $\{|0\rangle, |1\rangle\}$. If state $|1\rangle$ is measured, his remaining qubits will collapse into the trivial state, leading to the failure of the RSP. Otherwise, $|0\rangle$ is obtained, and the procedure shall continue forward to the final step.

Step 5: Finally, Bob operates with an appropriate unitary transformation, $\hat{U}_{369}^{ijklrst}$ (see Table 3 for details), on Qubits 3, 6 and 9.

For clarity, the quantum circuit for this RSP scheme is provided as Figure 3.

Table 3. $ijklrst$ denotes the CIC corresponding to measurement outcomes from the sender; $\hat{U}_{369}^{ijklrst}$ denotes the unitary transformation that Bob needs to perform on Qubits 3, 6 and 9 to recover the desired state, $|\mathcal{P}\rangle$.

$ijklrst$	$\hat{U}_{369}^{ijklrst}$	$ijklrst$	$\hat{U}_{369}^{ijklrst}$	$ijklrst$	$\hat{U}_{369}^{ijklrst}$	$ijklrst$	$\hat{U}_{369}^{ijklrst}$
000000	$I_3 I_6 I_9$	010000	$I_3 \sigma_6^x I_9$	100000	$\sigma_3^x I_6 I_9$	110000	$\sigma_3^x \sigma_6^x I_9$
000001	$I_3 I_6 \sigma_9^z$	010001	$I_3 \sigma_6^x \sigma_9^z$	100001	$\sigma_3^x I_6 \sigma_9^z$	110001	$\sigma_3^x \sigma_6^x \sigma_9^z$
000010	$I_3 \sigma_6^z I_9$	010010	$I_3 \sigma_6^x \sigma_6^z I_9$	100010	$\sigma_3^x \sigma_6^z I_9$	110010	$\sigma_3^x \sigma_6^x \sigma_6^z I_9$
000011	$I_3 \sigma_6^z \sigma_9^z$	010011	$I_3 \sigma_6^x \sigma_6^z \sigma_9^z$	100011	$\sigma_3^x \sigma_6^z \sigma_9^z$	110011	$\sigma_3^x \sigma_6^x \sigma_6^z \sigma_9^z$
000100	$\sigma_3^z I_6 I_9$	010100	$\sigma_3^z \sigma_6^x I_9$	100100	$\sigma_3^x \sigma_3^z I_6 I_9$	110100	$\sigma_3^x \sigma_3^z \sigma_6^x I_9$
000101	$\sigma_3^z I_6 \sigma_9^z$	010101	$\sigma_3^z \sigma_6^x \sigma_9^z$	100101	$\sigma_3^x \sigma_3^z I_6 \sigma_9^z$	110101	$\sigma_3^x \sigma_3^z \sigma_6^x \sigma_9^z$
000110	$\sigma_3^z \sigma_6^z I_9$	010110	$\sigma_3^z \sigma_6^x \sigma_6^z I_9$	100110	$\sigma_3^x \sigma_3^z \sigma_6^z I_9$	110110	$\sigma_3^x \sigma_3^z \sigma_6^x \sigma_6^z I_9$
000111	$\sigma_3^z \sigma_6^z \sigma_9^z$	010111	$\sigma_3^z \sigma_6^x \sigma_6^z \sigma_9^z$	100111	$\sigma_3^x \sigma_3^z \sigma_6^z \sigma_9^z$	110111	$\sigma_3^x \sigma_3^z \sigma_6^x \sigma_6^z \sigma_9^z$
001000	$I_3 I_6 \sigma_9^x$	011000	$I_3 \sigma_6^x \sigma_9^x$	101000	$\sigma_3^x I_6 \sigma_9^x$	111000	$\sigma_3^x \sigma_6^x \sigma_9^x$
001001	$I_3 I_6 \sigma_9^x \sigma_9^z$	011001	$I_3 \sigma_6^x \sigma_9^x \sigma_9^z$	101001	$\sigma_3^x I_6 \sigma_9^x \sigma_9^z$	111001	$\sigma_3^x \sigma_6^x \sigma_9^x \sigma_9^z$
001010	$I_3 \sigma_6^z \sigma_9^x$	011010	$I_3 \sigma_6^x \sigma_6^z \sigma_9^x$	101010	$\sigma_3^x \sigma_6^z \sigma_9^x$	111010	$\sigma_3^x \sigma_6^x \sigma_6^z \sigma_9^x$
001011	$I_3 \sigma_6^z \sigma_9^x \sigma_9^z$	011011	$I_3 \sigma_6^x \sigma_6^z \sigma_9^x \sigma_9^z$	101011	$\sigma_3^x \sigma_6^z \sigma_9^x \sigma_9^z$	111011	$\sigma_3^x \sigma_6^x \sigma_6^z \sigma_9^x \sigma_9^z$
001100	$\sigma_3^z I_6 \sigma_9^x$	011100	$\sigma_3^z \sigma_6^x \sigma_9^x$	101100	$\sigma_3^x \sigma_3^z I_6 \sigma_9^x$	111100	$\sigma_3^x \sigma_3^z \sigma_6^x \sigma_9^x$
001101	$\sigma_3^z I_6 \sigma_9^x \sigma_9^z$	011101	$\sigma_3^z \sigma_6^x \sigma_9^x \sigma_9^z$	101101	$\sigma_3^x \sigma_3^z I_6 \sigma_9^x \sigma_9^z$	111101	$\sigma_3^x \sigma_3^z \sigma_6^x \sigma_9^x \sigma_9^z$
001110	$\sigma_3^z \sigma_6^z \sigma_9^x$	011110	$\sigma_3^z \sigma_6^x \sigma_6^z \sigma_9^x$	101110	$\sigma_3^x \sigma_3^z \sigma_6^z \sigma_9^x$	111110	$\sigma_3^x \sigma_3^z \sigma_6^x \sigma_6^z \sigma_9^x$
001111	$\sigma_3^z \sigma_6^z \sigma_9^x \sigma_9^z$	011111	$\sigma_3^z \sigma_6^x \sigma_6^z \sigma_9^x \sigma_9^z$	101111	$\sigma_3^x \sigma_3^z \sigma_6^z \sigma_9^x \sigma_9^z$	111111	$\sigma_3^x \sigma_3^z \sigma_6^x \sigma_6^z \sigma_9^x \sigma_9^z$




Figure 3. Quantum circuit for implementing RSP of arbitrary three-qubit entangled states. $|M_{ijk}\rangle_{147}$ denotes a three-qubit projective measurement on Qubits 1, 4 and 7 under a set of complete orthogonal basis vectors $\{|M_{ijk}\rangle_{147}\}$; \hat{U}_{258}^{ijk} denotes Alice’s appropriate triplet collective unitary transformation on triplet (2,5,8); \hat{U}_{369A} denotes Bob’s collective four-qubit unitary transformation on his Qubits 3, 6, 9 and A and \hat{U}_{369}^{ijkrst} denotes Bob’s appropriate single-qubit unitary transformations on his Qubits 3, 6 and 9.

B. Three-Qubit Entangled State RSP for $(i, j, k, r, s, t) = (0, 0, 1, 0, 0, 1)$

Above, we have shown that RSP for an arbitrary three-qubit entangled state can be faithfully performed with a certain success probability. For clarity, here we will take the case of $(i, j, k, r, s, t) = (0, 0, 1, 0, 0, 1)$ as an example. That is, the state $|M_{001}\rangle_{147}$ is detected by Alice at the beginning. Thus, the remaining qubits will be converted into:

$$\begin{aligned}
 |R_{001}\rangle_{235689} = & (\alpha_1 x_0 x_1 x_2 |000000\rangle + \alpha_0 e^{i\eta_1} x_0 x_1 y_2 |000011\rangle + \alpha_3 e^{i\eta_2} x_0 y_1 x_2 |001100\rangle \\
 & - \alpha_2 e^{i\eta_3} x_0 y_1 y_2 |001111\rangle + \alpha_5 e^{i\eta_4} y_0 x_1 x_2 |110000\rangle - \alpha_4 e^{i\eta_5} y_0 x_1 y_2 |110011\rangle \\
 & + \alpha_7 e^{i\eta_6} y_0 y_1 x_2 |111100\rangle - \alpha_6 e^{i\eta_7} y_0 y_1 y_2 |111111\rangle)_{235689}.
 \end{aligned}
 \tag{44}$$

Later, Alice makes the operation \hat{U}_{258}^{001} on her remaining Qubits 2, 5 and 8. As a consequence, the above state will evolve into:

$$\begin{aligned}
 N_{001} & (\alpha_1 e^{i\eta_1} x_0 x_1 x_2 |000000\rangle + \alpha_0 x_0 x_1 y_2 |000011\rangle + \alpha_3 e^{i\eta_3} x_0 y_1 x_2 |001100\rangle \\
 & + \alpha_2 e^{i\eta_2} x_0 y_1 y_2 |001111\rangle + \alpha_5 e^{i\eta_5} y_0 x_1 x_2 |110000\rangle + \alpha_4 e^{i\eta_4} y_0 x_1 y_2 |110011\rangle \\
 & + \alpha_7 e^{i\eta_7} y_0 y_1 x_2 |111100\rangle + \alpha_6 e^{i\eta_6} y_0 y_1 y_2 |111111\rangle)_{235689}.
 \end{aligned}
 \tag{45}$$

Within the above, the normalization parameter is: $N_{001} \equiv (|\alpha_1 x_0 x_1 x_2|^2 + |\alpha_0 x_0 x_1 y_2|^2 + |\alpha_3 x_0 y_1 x_2|^2 + |\alpha_2 x_0 y_1 y_2|^2 + |\alpha_5 y_0 x_1 x_2|^2 + |\alpha_4 y_0 x_1 y_2|^2 + |\alpha_7 y_0 y_1 x_2|^2 + |\alpha_6 y_0 y_1 y_2|^2)^{-\frac{1}{2}}$. Incidentally, the state given in Equation (45) can be rewritten as:

$$\begin{aligned}
 |R_{001}\rangle & = \sum_{r,s,t}^{0,1} |\varphi_{rst}\rangle_{258} |\psi_{rst}\rangle_{369} \\
 & = \frac{N_{001}}{2\sqrt{2}} [|+++ \rangle_{258} (\alpha_1 e^{i\eta_1} x_0 x_1 x_2 |000\rangle + \alpha_0 x_0 x_1 y_2 |001\rangle + \alpha_3 e^{i\eta_3} x_0 y_1 x_2 |010\rangle
 \end{aligned}$$

$$\begin{aligned}
 & +\alpha_2 e^{i\eta_2} x_0 y_1 y_2 |011\rangle + \alpha_5 e^{i\eta_5} y_0 x_1 x_2 |100\rangle + \alpha_4 e^{i\eta_4} y_0 x_1 y_2 |101\rangle \\
 & +\alpha_7 e^{i\eta_7} y_0 y_1 x_2 |110\rangle + \alpha_6 e^{i\eta_6} y_0 y_1 y_2 |111\rangle)_{369} \\
 & +|++-\rangle_{258} (\alpha_1 e^{i\eta_1} x_0 x_1 x_2 |000\rangle - \alpha_0 x_0 x_1 y_2 |001\rangle + \alpha_3 e^{i\eta_3} x_0 y_1 x_2 |010\rangle \\
 & -\alpha_2 e^{i\eta_2} x_0 y_1 y_2 |011\rangle + \alpha_5 e^{i\eta_5} y_0 x_1 x_2 |100\rangle - \alpha_4 e^{i\eta_4} y_0 x_1 y_2 |101\rangle \\
 & +\alpha_7 e^{i\eta_7} y_0 y_1 x_2 |110\rangle - \alpha_6 e^{i\eta_6} y_0 y_1 y_2 |111\rangle)_{369} \\
 & +|+-+\rangle_{258} (\alpha_1 e^{i\eta_1} x_0 x_1 x_2 |000\rangle + \alpha_0 x_0 x_1 y_2 |001\rangle - \alpha_3 e^{i\eta_3} x_0 y_1 x_2 |010\rangle \\
 & -\alpha_2 e^{i\eta_2} x_0 y_1 y_2 |011\rangle + \alpha_5 e^{i\eta_5} y_0 x_1 x_2 |100\rangle + \alpha_4 e^{i\eta_4} y_0 x_1 y_2 |101\rangle \\
 & -\alpha_7 e^{i\eta_7} y_0 y_1 x_2 |110\rangle - \alpha_6 e^{i\eta_6} y_0 y_1 y_2 |111\rangle)_{369} \\
 & +|+--\rangle_{258} (\alpha_1 e^{i\eta_1} x_0 x_1 x_2 |000\rangle - \alpha_0 x_0 x_1 y_2 |001\rangle - \alpha_3 e^{i\eta_3} x_0 y_1 x_2 |010\rangle \\
 & +\alpha_2 e^{i\eta_2} x_0 y_1 y_2 |011\rangle + \alpha_5 e^{i\eta_5} y_0 x_1 x_2 |100\rangle - \alpha_4 e^{i\eta_4} y_0 x_1 y_2 |101\rangle \\
 & -\alpha_7 e^{i\eta_7} y_0 y_1 x_2 |110\rangle + \alpha_6 e^{i\eta_6} y_0 y_1 y_2 |111\rangle)_{369} \\
 & +| - ++\rangle_{258} (\alpha_1 e^{i\eta_1} x_0 x_1 x_2 |000\rangle + \alpha_0 x_0 x_1 y_2 |001\rangle + \alpha_3 e^{i\eta_3} x_0 y_1 x_2 |010\rangle \\
 & +\alpha_2 e^{i\eta_2} x_0 y_1 y_2 |011\rangle - \alpha_5 e^{i\eta_5} y_0 x_1 x_2 |100\rangle - \alpha_4 e^{i\eta_4} y_0 x_1 y_2 |101\rangle \\
 & -\alpha_7 e^{i\eta_7} y_0 y_1 x_2 |110\rangle - \alpha_6 e^{i\eta_6} y_0 y_1 y_2 |111\rangle)_{369} \\
 & +| - +- \rangle_{258} (\alpha_1 e^{i\eta_1} x_0 x_1 x_2 |000\rangle - \alpha_0 x_0 x_1 y_2 |001\rangle + \alpha_3 e^{i\eta_3} x_0 y_1 x_2 |010\rangle \\
 & -\alpha_2 e^{i\eta_2} x_0 y_1 y_2 |011\rangle - \alpha_5 e^{i\eta_5} y_0 x_1 x_2 |100\rangle + \alpha_4 e^{i\eta_4} y_0 x_1 y_2 |101\rangle \\
 & -\alpha_7 e^{i\eta_7} y_0 y_1 x_2 |110\rangle + \alpha_6 e^{i\eta_6} y_0 y_1 y_2 |111\rangle)_{369} \\
 & +| - - +\rangle_{258} (\alpha_1 e^{i\eta_1} x_0 x_1 x_2 |000\rangle + \alpha_0 x_0 x_1 y_2 |001\rangle - \alpha_3 e^{i\eta_3} x_0 y_1 x_2 |010\rangle \\
 & -\alpha_2 e^{i\eta_2} x_0 y_1 y_2 |011\rangle - \alpha_5 e^{i\eta_5} y_0 x_1 x_2 |100\rangle - \alpha_4 e^{i\eta_4} y_0 x_1 y_2 |101\rangle \\
 & +\alpha_7 e^{i\eta_7} y_0 y_1 x_2 |110\rangle + \alpha_6 e^{i\eta_6} y_0 y_1 y_2 |111\rangle)_{369} \\
 & +| - - -\rangle_{258} (\alpha_1 e^{i\eta_1} x_0 x_1 x_2 |000\rangle - \alpha_0 x_0 x_1 y_2 |001\rangle - \alpha_3 e^{i\eta_3} x_0 y_1 x_2 |010\rangle \\
 & +\alpha_2 e^{i\eta_2} x_0 y_1 y_2 |011\rangle - \alpha_5 e^{i\eta_5} y_0 x_1 x_2 |100\rangle + \alpha_4 e^{i\eta_4} y_0 x_1 y_2 |101\rangle \\
 & +\alpha_7 e^{i\eta_7} y_0 y_1 x_2 |110\rangle - \alpha_6 e^{i\eta_6} y_0 y_1 y_2 |111\rangle)_{369}.
 \end{aligned}$$

Accordingly, Alice measures Qubits 2, 5 and 8 under the basis vectors $\{| \pm \rangle\}$. Letting the outcome be $|+\rangle_2 |+\rangle_5 |-\rangle_8$, Alice broadcasts this outcome to Bob via the classical message '001'. The subsystem state will then be:

$$\begin{aligned}
 |\psi_{001}\rangle_{369} = & N_{001} (\alpha_1 e^{i\eta_1} x_0 x_1 x_2 |000\rangle - \alpha_0 x_0 x_1 y_2 |001\rangle + \alpha_3 e^{i\eta_3} x_0 y_1 x_2 |010\rangle \\
 & - \alpha_2 e^{i\eta_2} x_0 y_1 y_2 |011\rangle + \alpha_5 e^{i\eta_5} y_0 x_1 x_2 |100\rangle - \alpha_4 e^{i\eta_4} y_0 x_1 y_2 |101\rangle \\
 & + \alpha_7 e^{i\eta_7} y_0 y_1 x_2 |110\rangle - \alpha_6 e^{i\eta_6} y_0 y_1 y_2 |111\rangle)_{369}.
 \end{aligned} \tag{46}$$

Bob then introduces the auxiliary qubit, A , with an initial state of $|0\rangle$. He may now implement a local quadruplet collective unitary transformation, \hat{U}_{369A} , on Qubits 3, 6, 9 and A . Thus, Bob's system will become:

$$\begin{aligned}
& N_{001}[x_0x_1x_2(\alpha_1e^{i\eta_1}|000\rangle - \alpha_0|001\rangle + \alpha_3e^{i\eta_3}|010\rangle - \alpha_2e^{i\eta_2}|011\rangle + \alpha_5e^{i\eta_5}|100\rangle \\
& - \alpha_4e^{i\eta_4}|101\rangle + \alpha_7e^{i\eta_7}|110\rangle - \alpha_6e^{i\eta_6}|111\rangle)_{369} \otimes |0\rangle_A + (-\alpha_0x_0x_1y_2\sqrt{1 - (\frac{x_2}{y_2})^2}|001\rangle \\
& - \alpha_2e^{i\eta_2}x_0y_1y_2\sqrt{1 - (\frac{x_1x_2}{y_1y_2})^2}|011\rangle + \alpha_3e^{i\eta_3}x_0y_1x_2\sqrt{1 - (\frac{x_1}{y_1})^2}|010\rangle \\
& - \alpha_4e^{i\eta_4}y_0x_1y_2\sqrt{1 - (\frac{x_0x_2}{y_0y_2})^2}|101\rangle + \alpha_5e^{i\eta_5}y_0x_1x_2\sqrt{1 - (\frac{x_0}{y_0})^2}|100\rangle \\
& - \alpha_6e^{i\eta_6}y_0y_1y_2\sqrt{1 - (\frac{x_0x_1x_2}{y_0y_1y_2})^2}|111\rangle + \alpha_7e^{i\eta_7}y_0y_1x_2\sqrt{1 - (\frac{x_0x_1}{y_0y_1})^2}|110\rangle)_{369} \otimes |1\rangle_A].
\end{aligned} \tag{47}$$

Subsequently, he makes a single-qubit projective measurement on qubit A under basis vectors $\{|0\rangle, |1\rangle\}$. If $|1\rangle_A$ is measured, his remaining qubits will collapse into the trivial state, and the RSP fails. If $|0\rangle_A$ is measured, the remaining qubits will transform into the state: $(\alpha_1e^{i\eta_1}|000\rangle - \alpha_0|001\rangle + \alpha_3e^{i\eta_3}|010\rangle - \alpha_2e^{i\eta_2}|011\rangle + \alpha_5e^{i\eta_5}|100\rangle - \alpha_4e^{i\eta_4}|101\rangle + \alpha_7e^{i\eta_7}|110\rangle - \alpha_6e^{i\eta_6}|111\rangle)_{369} \equiv (\hat{U}_{369}^{001001})^\dagger|\mathcal{P}\rangle$. This may readily allow Bob to redeem the desired state after the operation: $\hat{U}_{369}^{001001} = I_3I_6\sigma_9^x\sigma_9^z$.

Of course, Alice's outcome may be one of the remaining seven states: $|M_{000}\rangle, |M_{010}\rangle, |M_{011}\rangle, |M_{100}\rangle, |M_{101}\rangle, |M_{110}\rangle$ and $|M_{111}\rangle$. Therefore, the desired state can be faithfully recovered at Bob's location with certainty by similar analysis methods as those above.

Conflicts of Interest

The authors declare no conflict of interest.

References

1. Bennett, C.H.; Brassard, G.; Crépeau, C.; Jozsa, R.; Peres, A.; Wootters, W.K. Teleporting an unknown quantum state via dual classical and Einstein-Podolsky-Rosen channels. *Phys. Rev. Lett.* **1993**, *70*, 1895–1899.
2. Lo, H.K. Classical-communication cost in distributed quantum-information processing: A generalization of quantum communication complexity. *Phys. Rev. A* **2000**, *62*, 012313.
3. Pati, A.K. Minimum classical bit for remote preparation and measurement of a qubit. *Phys. Rev. A* **2000**, *63*, 015302.
4. Bennett, C.H.; DiVincenzo, D.P.; Shor, P.W.; Smolin, J.A.; Terhal, B.M.; Wootters, W.K. Remote state preparation. *Phys. Rev. Lett.* **2001**, *87*, 077902.
5. Hillery, M.; Bužek, V.; Berthiaume, A. Quantum secret sharing. *Phys. Rev. A* **1999**, *59*, 1829–1834.
6. Horodecki, R.; Horodecki, P.; Horodecki, M.; Horodecki, K. Quantum entanglement. *Rev. Mod. Phys.* **2009**, *81*, 865–942.
7. Wang, H.F.; Kais, S. Quantum teleportation in one-dimensional quantum dots system. *Chem. Phys. Lett.* **2006**, *421*, 338–342.
8. Kais, S. *Entanglement, Electron Correlation, and Density Matrices*; Wiley: New York, NY, USA, 2007; Volume 134, pp. 493–535.

9. Zhu, J.; Kais, S.; Aspuru-Guzik, A.; Rodrigues, S.; Brock, B.; Love, P.J. Multipartite quantum entanglement evolution in photosynthetic complexes. *J. Chem. Phys.* **2012**, *137*, 074112.
10. Devetak, I.; Berger, T. Low-entanglement remote state preparation. *Phys. Rev. Lett.* **2001**, *87*, 197901.
11. Leung, D.W.; Shor, P.W. Oblivious remote state preparation. *Phys. Rev. Lett.* **2003**, *90*, 127905.
12. Berry, D.W.; Sanders, B.C. Optimal remote state preparation. *Phys. Rev. Lett.* **2003**, *90*, 057901.
13. Kurucz, Z.; Adam, P.; Janszky, J. General criterion for oblivious remote state preparation. *Phys. Rev. A* **2006**, *73*, 062301.
14. Hayashi, A.; Hashimoto, T.; Horibe, M. Remote state preparation without oblivious conditions. *Phys. Rev. A* **2003**, *67*, 052302.
15. Abeyesinghe, A.; Hayden, P. Generalized remote state preparation: Trading cbits, qubits, and ebits in quantum communication. *Phys. Rev. A* **2003**, *68*, 062319.
16. Ye, M.Y.; Zhang, Y.S.; Guo, G.C. Faithful remote state preparation using finite classical bits and a nonmaximally entangled state. *Phys. Rev. A* **2004**, *69*, 022310.
17. Xia, Y.; Song, J.; Song, H.S. Multiparty remote state preparation. *J. Phys. B: At. Mol. Opt. Phys.* **2007**, *40*, 3719–3724.
18. Nguyen, B.A.; Kim, J. Joint remote state preparation. *J. Phys. B: At. Mol. Opt. Phys.* **2008**, *41*, 095501.
19. Luo, M.X.; Chen, X.B.; Ma, S.Y.; Niu, X.X.; Yang, Y.X. Joint remote preparation of an arbitrary three-qubit state. *Opt. Commun.* **2010**, *283*, 4796–4801.
20. Xiao, X.Q.; Liu, J.M.; Zeng, G.H. Joint remote state preparation of arbitrary two- and three-qubit states. *J. Phys. B: At. Mol. Opt. Phys.* **2011**, *44*, 075501.
21. Chen, Q.Q.; Xia, Y.; Nguyen, B.A. Joint remote preparation of an arbitrary three-qubit state via EPR-type pairs. *Opt. Commun.* **2011**, *284*, 2617–2621.
22. Nguyen, B.A.; Cao, T.B.; Nung, V.D. Joint remote preparation of four-qubit cluster-type states revisited. *J. Phys. B: At. Mol. Opt. Phys.* **2011**, *44*, 135506.
23. Luo, M.X.; Chen, X.B.; Yang, Y.X.; Niu, X.X. Experimental architecture of joint remote state preparation. *Quantum Inf. Process.* **2012**, *11*, 751–767.
24. Zhou, P. Joint remote preparation of an arbitrary m-qudit state with a pure entangled quantum channel via positive operator-valued measurement. *J. Phys. A* **2012**, *45*, 215305.
25. Xia, Y.; Chen, Q.Q.; Nguyen, B.A. Deterministic joint remote preparation of an arbitrary three-qubit state via Einstein-Podolsky-Rosen pairs with a passive receiver. *J. Phys. A* **2012**, *45*, 335306.
26. Zhan, Y.B.; Ma, P.C. Deterministic joint remote preparation of arbitrary two- and three-qubit entangled states. *Quantum Inf. Process.* **2013**, *12*, 997–1009.
27. Chen, Q.Q.; Xia, Y.; Nguyen, B.A. Flexible deterministic joint remote state preparation with a passive receiver. *Phys. Scr.* **2013**, *87*, 025005.
28. Hou, K. Joint remote preparation of four-qubit cluster-type states with multiparty. *Quantum Inf. Process.* **2013**, *12*, 3821–3833.
29. Jiang, M.; Zhou, L.L.; Chen, X.P.; You, S.H. Deterministic joint remote preparation of general multi-qubit states. *Opt. Commun.* **2013**, *301*, 39–45.

30. Peng, J.Y.; Luo, M.X.; Mo, Z.W. Joint remote state preparation of arbitrary two- particle states via GHZ-type states. *Quantum Inf. Process.* **2013**, *12*, 2325–2342.
31. Liao, Y.M.; Zhou, P.; Qin, X.C.; He Y.H. Efficient joint remote preparation of an arbitrary two-qubit state via cluster and cluster-type states. *Quantum Inf. Process.* **2014**, *13*, 615–627.
32. Chen, X.B.; Su, Y.; Xu, G.; Sun, Y.; Yang, Y.X. Quantum state secure transmission in network communications. *Inf. Sci.* **2014**, *276*, 363–376.
33. Zhang, Z.H.; Shu, L.; Mo, Z.W.; Zheng, J.; Ma, S.Y.; Luo, M.X. Joint remote state preparation between multi-sender and multi-receiver. *Quantum Inf. Process.* **2014**, *13*, 1979–2005.
34. Wang, D.; Ye, L. Multiparty-controlled joint remote state preparation. *Quantum Inf. Process.* **2013**, *12*, 3223–3237.
35. Yu, Y.F.; Feng, J.; Zhan M.S. Preparing remotely two instances of quantum state. *Phys. Lett. A* **2003**, *310*, 329–332.
36. Huang, Y.X.; Zhan, M.S. Remote preparation of multipartite pure state. *Phys. Lett. A* **2004**, *327*, 404–408.
37. Liu, J.M.; Wang, Y.Z. Remote preparation of a two-particle entangled state. *Phys. Lett. A* **2003**, *316*, 159–167.
38. Liu, J.M.; Feng, X.L.; Oh, C.H. Remote preparation of arbitrary two- and three-qubit states. *EPL* **2009**, *87*, 30006.
39. Liu, J.M.; Feng, X.L.; Oh, C.H. Remote preparation of a three-particle state via positive operator-valued measurement. *J. Phys. B* **2009**, *42*, 055508.
40. Wang, D.; Liu, Y.M.; Zhang, Z.J. Remote preparation of a class of three-qubit states. *Opt. Commun.* **2008**, *281*, 871–875.
41. Dai, H.Y.; Chen, P.X.; Liang, L.M.; Li, C.Z. Classical communication cost and remote preparation of the four- particle GHZ class state. *Phys. Lett. A* **2006**, *355*, 285–288.
42. Dai, H.Y.; Chen, P.X.; Zhang, M.; Li, C.Z. Remote preparation of an entangled two-qubit state with three parties. *Chin. Phys. B* **2008**, *17*, 27–33.
43. Yan, F.L.; Zhang, G.H. Remote preparation of the two-particle state. *Int. J. Quantum Inf.* **2008**, *6*, 485–491.
44. Paris, M.G.A.; Cola, M.; Bonifacio, R. Remote state preparation and teleportation in phase space. *J. Opt. B* **2003**, *5*, S360.
45. Kurucz, Z.; Adam, P.; Kis, Z.; Janszky, J. Continuous variable remote state preparation. *Phys. Rev. A* **2005**, *72*, 052315.
46. Peng, X.H.; Zhu, X.W.; Fang, X.M.; Feng, M.; Liu, M.L.; Gao, K.L. Experimental implementation of remote state preparation by nuclear magnetic resonance. *Phys. Lett. A* **2003**, *306*, 271–276.
47. Xiang, G.Y.; Li, J.; Yu, B.; Guo, G.C. Remote preparation of mixed states via noisy entanglement. *Phys. Rev. A* **2005**, *72*, 012315.
48. Peters, N.A.; Barreiro, J.T.; Goggin, M.E.; Wei, T.C.; Kwiat, P.G. Remote State Preparation: Arbitrary Remote Control of Photon Polarization. *Phys. Rev. Lett.* **2005**, *94*, 150502.
49. Mikami, H.; Kobayashi, T. Remote preparation of qutrit states with biphotons. *Phys. Rev. A* **2007**, *75*, 022325.

50. Jeffrey, E.; Peters, N.A.; Kwiat, P.G. Towards a periodic deterministic source of arbitrary single-photon states. *New J. Phys.* **2004**, *6*, doi:10.1088/1367-2630/6/1/100.
51. Liu, W.T.; Wu, W.; Ou, B.Q.; Chen, P.X.; Li, C.Z.; Yuan, J.M. Experimental remote preparation of arbitrary photon polarization states. *Phys. Rev. A* **2007**, *76*, 022308.
52. Wu, W.; Liu, W.T.; Ou, B.Q.; Chen, P.X.; Li, C.Z. Remote state preparation with classically correlated state. *Opt. Commun.* **2008**, *281*, 1751–1754.
53. Barreiro, J.T.; Wei, T.C.; Kwiat, P.G. Remote Preparation of Single-Photon "Hybrid" Entangled and Vector-Polarization States. *Phys. Rev. Lett.* **2010**, *105*, 030407.
54. Rådmark, M.; Wieśniak, M.; Zukowski, M.; Bourennane, M. Experimental multilocation remote state preparation. *Phys. Rev. A* **2013**, *88*, 032304.
55. Liu, J.M.; Feng, X.L.; Oh, C.H. Remote preparation of arbitrary two- and three-qubit states. *EPL* **2009**, *87*, 30006.
56. Chen, X.B.; Ma, S.Y.; Su, Y.; Zhang, R.; Yang, Y.X. Controlled remote state preparation of arbitrary two and three qubit states via the Brown state. *Quantum Inf. Process.* **2012**, *11*, 1653–1667.
57. Ma, S.Y.; Luo, M.X. Efficient remote preparation of arbitrary two- and three-qubit states via the chi state. *Chin. Phys. B* **2014**, *23*, 090308.
58. Zhan, Y.B. Deterministic remote preparation of arbitrary two- and three-qubit states. *EPL* **2012**, *98*, 40005.
59. Cabello, A. Quantum Key Distribution in the Holevo Limit. *Phys. Rev. Lett.* **2000**, *85*, 5635.

© 2015 by the authors; licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution license (<http://creativecommons.org/licenses/by/4.0/>).