

Supplementary Materials: New Homoisoflavanes, a New Alkaloid and Spirostane Steroids from the Roots of *Herreria montevidensis* Klotzsch ex Griseb. (Herreriaceae)

María Dutra-Behrens and Guillermo Schmeda-Hirschmann




Figure S1. ^1H -NMR (400 MHz, $\text{CDCl}_3\text{-MeOH-}d_4$) spectrum of compound 1.




Figure S2. ^{13}C -NMR (100 MHz, $\text{CDCl}_3\text{-MeOH-}d_4$) spectrum of compound 1.




Figure S3. HSQC spectrum of compound **1**.




Figure S4. HMBC spectrum of compound **1**.




Figure S5. ¹H-NMR (400 MHz, CDCl₃-MeOH-d₄) spectrum of compound 3.




Figure S6. ¹³C-NMR (100 MHz, CDCl₃-MeOH-d₄) spectrum of compound 3.




Figure S7. HSQC spectrum of compound 3.




Figure S8. HMBC spectrum of compound 3.




Figure S9. ^1H -NMR (400 MHz, $\text{CDCl}_3\text{-MeOH-}d_4$) spectrum of compound 4.




Figure S10. ^{13}C -NMR (100 MHz, $\text{CDCl}_3\text{-MeOH-}d_4$) spectrum of compound 4.




Figure S11. HSQC spectrum of compound 4.




Figure S12. HMBC spectrum of compound 4.




Figure S13. ^1H -NMR (400 MHz, $\text{CDCl}_3\text{-MeOH-}d_4$) spectrum of compound 9.




Figure S14. HMBC spectrum of compound 9.