

Article

Microwave-Assisted Extraction of Cannabinoids in Hemp Nut Using Response Surface Methodology: Optimization and Comparative Study

Chih-Wei Chang¹, Ching-Chi Yen¹, Ming-Tsang Wu², Mei-Chich Hsu^{3,4} and Yu-Tse Wu^{1,4,*}

- ¹ School of Pharmacy, Kaohsiung Medical University, Kaohsiung 80708, Taiwan; wxes9050304@gmail.com (C.-W.C.); date0315@hotmail.com (C.-C.Y.)
- ² Chinese Medicine Department, Ditmanson Medical Foundation, Chiayi Christian Hospital, Chiayi City 60002, Taiwan; cych07093@gmail.com
- ³ Department of Sports Medicine, Kaohsiung Medical University, Kaohsiung 80708, Taiwan; meichich@kmu.edu.tw
- ⁴ Department of Medical Research, Kaohsiung Medical University Hospital, Kaohsiung 80708, Taiwan
- * Correspondence: ytwu@kmu.edu.tw; Tel.: +886-7-3121101 (ext. 2254); Fax: +886-7-3120683

Received: 7 October 2017; Accepted: 2 November 2017; Published: 3 November 2017

Abstract: Hemp nut is commonly incorporated into several food preparations; however, most countries set regulations for hemp products according to their cannabinoid content. In this study, we have developed an efficient microwave-assisted extraction (MAE) method for cannabinoids (i.e., Δ 9-tetrahydrocannabinol, cannabidiol, and cannabinol) in hemp nut. Optimization of the MAE procedure was conducted through single factor experiments and response surface methodology (RSM). A comparative study was also conducted to determine the differences in the extraction yields and morphology of hemp nut between MAE and reference extraction methods, namely heat reflux extraction (HRE), Soxhlet extraction (SE), supercritical fluid extraction (SFE), and ultrasound-assisted extraction (UAE). Among the independent variables in RSM, the temperature was the most significant parameter. The optimal conditions of MAE were as follows: extraction solvent of methanol, microwave power of 375 W, temperature of 109 °C, and extraction time of 30 min. Compared with reference extraction methods, MAE achieved the highest extraction yields of total cannabinoids in hemp nut (6.09 μ g/g for MAE; 4.15 μ g/g for HRE; 5.81 μ g/g for SE; 3.61 μ g/g for SFE; 3.73 μ g/g for UAE) with the least solvent consumption and shortest time. Morphological observations showed that substantial cell rupturing occurred in the microstructure of hemp nut after MAE, indicating enhanced dissolution of the target compounds during the extraction process. The MAE method is thus a rapid, economic, and environmentally friendly extraction method that is both effective and practical for industrial applications.

Keywords: Δ9-tetrahydrocannabinol; cannabidiol; cannabinol; marijuana; cannabis

1. Introduction

Cannabis is one of the oldest domesticated crops used for medical and industrial purposes. Cannabis, which is known as marijuana for medical purposes, typically possesses a high content of cannabinoids. For industrial purposes, cannabis is known as hemp and it is cultivated to prepare foodstuffs, oils, and textiles. Currently, a continually expanding variety of hemp food products is available. Hemp seed or nut (after shell removal), which has an excellent nutritional value and pleasing nutty taste, is commonly incorporated into several food preparations, such as granola, protein powders, waffles, ice cream, tofu, snack bars, bread, yogurts, pizza, and beverages [1]. However, most countries set regulations for hemp products according to their cannabinoid content, and the legal



limits vary from country to country. Although numerous cannabinoids exist in the cannabis plants, Δ 9-tetrahydrocannabinol (THC), cannabidiol (CBD), and cannabinol (CBN) play a dominant role. THC is the major psychoactive cannabinoid; CBD is a non-psychoactive cannabinoid with antiepileptic properties; CBN, a degradation product of THC, is 10% as psychoactive as THC [2].

Prior to qualitative and quantitative analyses, crude plant material must undergo effective extraction. In the literature, a number of approaches have been reported for the extraction of cannabinoids from hemp products, such as Soxhlet extraction (SE) [3], homogenization [4,5], supercritical fluid extraction (SFE) [6], and ultrasound-assisted extraction (UAE) [7,8]. These methods require a long extraction time or large solvent volumes, or exhibit poor performance. Recently, microwave-assisted extraction (MAE) has been considered a sustainable "green technique", which is a more favorable and powerful approach compared with conventional extraction techniques. Using microwaves, extraction procedures can now be completed in shorter time as well as reduced organic solvent, wastewater elimination and energy consumption [9]. With the dual mechanism of ionic conduction and dipole rotation, microwave energy can rapidly heat solvents to extract analytes from the sample matrix into the solvents [10]. Hence, MAE not only increases the efficiency but benefits environmental preservation by preventing pollution and reduces the processing cost.

MAE has been successfully applied in extracting various substances from plant matrices, including oil from green coffee beans (*Coffea arabica* L.) [11], catechins and caffeine from tea (*Camellia sinensis* L.) [12], and flavonoids from lemon (*Citrus limon* L.) [13], to pesticides, organic pollutants, phenols, metals, and polymers [14]. However, no report has described the application of MAE to cannabinoid analysis.

For an efficient MAE technique, it is necessary to optimize the conditions and design strategy. Response surface methodology (RSM) is a statistical and mathematical technique for developing, improving, and optimizing the design process [14] and has been widely utilized in the optimization of extraction processes, such as heat reflux extraction (HRE) [15], SFE [16], and UAE [17,18]. In this study, we developed a simple and reproducible coupled MAE and HPLC-EC method for analyzing cannabinoids in hemp nut. Independent factor optimization of MAE was conducted through single factor experiments and RSM. A comparative study was also conducted to determine the differences in the yield of cannabinoids and the morphology of hemp nut between MAE and reference extraction methods, namely HRE, SE, SFE, and UAE.

2. Results and Discussion

2.1. Screening of Microwave-Assisted Extraction Parameters using Single Factor Experimental Design

A single factor experimental design was applied for selecting the levels of various influencing factors in MAE, including the extraction solvent and the extraction conditions, namely, microwave power, temperature, and extraction time.

2.1.1. Effect of Extraction Solvent on the Yields of Cannabinoids

The choice of an appropriate solvent is a basic factor that affects a microwave (or any other) extraction process. The selected solvent should have a strong ability to absorb microwaves, high efficiency in converting microwaves into heat, a strong ability to dissolve the analytes of interest, high interactivity with the matrix, high selectivity toward the analytes, and low selectivity toward unwanted matrix components [10,14]. In our study, we adjusted the usage of the extraction solvent while the microwave power, temperature, and extraction time were kept at 700 W, 100 °C, and 20 min, respectively. As shown in Figure 1A, water as an extraction solvent produced the lowest yield of cannabinoids, which can be attributed to their poor solubility. Furthermore, because water has the largest dielectric constant (a measure of the efficiency in converting microwave energy into heat), the sample was found to be scorched after high-temperature heating. Methanol as an extraction solvent achieved the highest yield of cannabinoids. Acetonitrile achieved the second highest, 95% ethanol

achieved the third highest, and isopropanol and ethyl acetate achieved the fourth highest yields of cannabinoids.




Figure 1. Effect of (**A**) extraction solvent, (**B**) microwave power, (**C**) temperature, and (**D**) extraction time on the yields of cannabinoids. Different letters (a, b, c, d, e) indicate a significant difference (p < 0.05).

While some studies [19,20] have utilized MeOH/CHCl₃ 9:1 (v/v) as extraction solvent for cannabinoids, Brighenti et al. [21] have revealed that alcohols are more suitable extraction solvents compared with the less polar solvents (i.e., acetone, MeOH/CHCl₃ 9:1 (v/v), and hexane) in dynamic maceration. Our previous study [2] has shown that using 60% isopropanol in UAE might yield slightly more amounts in cannabinoids compared with using methanol. However, another major concern in addition to the polar nature is its, the mixed solvent, uncertainty in response to the microwave. It has been acknowledged that a small change in water percentage of mixed solvent can substantially alter the microwave absorption and electrical conductivity [22]. Taken together, we chose methanol for subsequent MAE processes.

2.1.2. Effect of Microwave Power on the Yields of Cannabinoids

In this single factor experiment, we adjusted the microwave power while the temperature and extraction time were kept at 100 °C and 20 min, respectively. The microwave power can affect the time required to reach the set temperature during extraction. In general, a low or moderate power with longer exposure is selected to avoid a "bumping" phenomenon generating a high power output [10]. However, in our experiment, as shown in Figure 1B, we found that 100 °C could barely be reached at 100 W. The cannabinoid yields were mildly influenced by the microwave power. When the microwave power was 500 W, the concentration of cannabinoids was slightly higher than that at any other power. Thus, a microwave power of 300–1300 W was applied in the RSM process.

2.1.3. Effect of Temperature on the Yields of Cannabinoids

In this single factor experiment, we adjusted the temperature while the microwave power and extraction time were kept at 700 W and 20 min, respectively. The temperature is the most investigated

parameter in MAE. In the closed vessels, the tested temperature exceeded the boiling point of methanol, which is 65 °C, resulting in high extraction efficiency. When temperature rose, the desorption of analytes from the sample to the matrix increased; moreover, increasing the temperature improved sample wetting and matrix penetration by reducing the surface tension and solvent viscosity [10]. As shown in Figure 1C, 40 °C produced the lowest efficiency, whereas 100 °C provided the highest yield. Conversely, setting a much higher temperature degraded the cannabinoids. Thus, a temperature of 80–160 °C was applied in the RSM process.

2.1.4. Effect of Extraction Time on the Yields of Cannabinoids

In this single factor experiment, we adjusted the extraction time while the microwave power and temperature were kept at 700 W and 100 °C, respectively. The extraction times of MAE are extremely short compared with those of conventional methods. A long extraction time is associated with a risk of degradation of thermolabile components. Often 3–10 min is sufficient; however, in our case, the cannabinoid content increased when the extraction time was increased from 10 to 30 min (Figure 1D). By contrast, the yield decreased at 35 min. Thus, an extraction time of 10–30 min was applied in the RSM process.

2.1.5. The Relationship between the Studied and the Other Cannabinoids in Microwave-Assisted Extraction

Apart from the three studied cannabinoids (i.e., THC, CBD, and CBN), non-psychoactive carboxylated forms, Δ9-tetrahydrocannabinolic acid A (THCA-A) and cannabidiolic acid (CBDA), are present in fresh herbal material as well. A previous study has shown that increased extraction yields of cannabinoids could be observed in the boiling water. The yields reaches the peak at 15 min and declines after 30 min, which the finding is in agreement with our study. Although an adequate amount of heat produces a higher yield, it is plausible that heat can also cause degradation by breaking the cannabis terpenes [23]. On the other hand, when exposed to a high temperature (145 °C for 30 min), THCA-A and CBDA progressively decarboxylate to THC and CBD, respectively, and THC is further converted to CBN to a small degree. These changes therefore lead to an increase in the extraction yields of THC, CBD, and CBN. In some circumstances, CBDA can be completely transformed into CBD [23]. In the present study, although the abovementioned changes should be taken into account, we might not be able to precisely calculate all portions of the chemical transformations during heating.

2.2. Optimization of Microwave-Assisted Extraction Conditions using Response Surface Methodology

The input factors and their levels for RSM were selected on the basis of the single factor experiments, a Box–Behnken design (BBD) with three variables and three levels was adopted.

2.2.1. Statistical Analysis and Model Fitting

Seventeen experimental runs were performed to investigate the reactive extraction process. The experimental design, variables, coded and decoded levels, and responses are listed in Table 1. After fitting the results into the second-order polynomial model (1), the Equations (2)–(4) for extraction yields of analytes in coded factors are generated as follows:

$$Y = \beta_0 + \sum_{i=1}^3 \beta_i X_i + \sum_{i=1}^3 \beta_{ii} X_i^2 + \sum_{i=1}^2 \sum_{j=i+1}^3 \beta_{ij} X_i X_j$$
(1)

$$Y_{\text{THC}} = 2.2 - 0.012X_1 - 0.37X_2 + 0.083X_3 - 0.32X_2^2$$
⁽²⁾

$$Y_{\text{CBD}} = 2.41 - 0.049X_1 - 0.1X_2 + 0.057X_3 - 0.52X_2^2$$
(3)

$$Y_{\rm CBN} = 0.97 + 0.002887X_1 - 0.071X_2 - 0.00449X_3 - 0.18X_2^2 \tag{4}$$

where *Y* is the response value (the extraction yields of THC, CBD, and CBN) ; β_0 , β_i , β_{ii} , and β_{ij} are the regression coefficients estimated using the equation for the intercept, linearity, square, and interaction, respectively; and X_i and X_j represent the independent variables (X_1 = microwave power, X_2 = temperature, X_3 = extraction time).

Run	Factor (Coded)			Measured Response			
Run	<i>X</i> ₁ (W)	<i>X</i> ₂ (°C)	<i>X</i> ₃ (min)	THC (µg/g)	CBD (µg/g)	CBN (µg/g)	
1	300 (-1)	80 (-1)	20 (0)	2.18	1.79	0.79	
2	1300 (+1)	80(-1)	20 (0)	2.13	1.78	0.78	
3	300 (-1)	160 (+1)	20 (0)	1.77	2.14	0.82	
4	1300 (+1)	160 (+1)	20 (0)	1.44	1.65	0.85	
5	300 (-1)	120 (0)	10(-1)	2.13	2.19	0.89	
6	1300 (+1)	120 (0)	10(-1)	2.38	2.57	0.98	
7	300 (-1)	120 (0)	30 (+1)	2.19	2.55	1.05	
8	1300 (+1)	120 (0)	30 (+1)	2.23	2.28	0.96	
9	800 (0)	80(-1)	10(-1)	2.05	2.16	0.98	
10	800 (0)	160 (+1)	10(-1)	1.35	1.51	0.65	
11	800 (0)	80 (-1)	30 (+1)	2.65	2.22	0.90	
12	800 (0)	160 (+1)	30 (+1)	1.51	1.83	0.55	
13	800 (0)	120 (0)	20 (0)	2.40	2.17	0.90	
14	800 (0)	120 (0)	20 (0)	2.21	2.57	1.14	
15	800 (0)	120 (0)	20 (0)	1.94	2.40	0.89	
16	800 (0)	120 (0)	20 (0)	2.21	2.33	0.95	
17	800 (0)	120 (0)	20 (0)	2.15	2.61	0.96	

Table 1. Experimental parameters of Box–Behnken design and extraction yields of three cannabinoids.

 X_1 : microwave power, X_2 : temperature, X_3 : extraction time. THC; Δ 9-tetrahydrocannabinol, CBD; cannabidiol, CBN; cannabinol.

The results of analysis of variance (ANOVA) for analyzing the experimental data and examining the statistical significance of the model terms are listed in Table 2.

Source	Sum of Squares	df	Mean Square	F-Value	<i>p</i> -Value	Remarks	
THC							
Model	1.57	4	0.39	11.48	0.0005	Significant	
Residual	0.41	12	0.034			Ū.	
Lack of fit	0.30	8	0.038	1.41	0.3922	Not significant	
Pure error	0.11	4	0.027			0	
Cor total	1.98	16					
СВД							
Model	1.28	4	0.32	6.68	0.0046	Significant	
Residual	0.58	12	0.048			0	
Lack of fit	0.45	8	0.056	1.68	0.3104	Not significant	
Pure error	0.13	4	0.032			0	
Cor total	1.86	16					
CBN							
Model	0.18	4	0.045	3.84	0.0310	Significant	
Residual	0.14	12	0.012			0	
Lack of fit	0.10	8	0.013	1.27	0.4350	Not significant	
Pure error	0.039	4	0.009851			č	
Cor total	0.32	16					

Table 2. Analysis of variance of reduced quadratic model for extraction yields of three cannabinoids.

THC: Δ9-tetrahydrocannabinol, CBD: cannabidiol, CBN: cannabinol, df: degree of freedom.

High model *F* values (of THC, CBD, and CBN) and low values of p (<0.05) for all analytes indicated that the developed models were significant and the variations in the response can be explained by the regression equation. A nonsignificant *F* value for the lack of fit of THC, CBD, and CBN suggested that it is not related to pure error. The *p* values for the lack of fit were not significant for all three analytes (>0.05), which indicated that the models were reliable and adequate for use in predicting the responses.

2.2.2. Effect of Process Factors on the Yields of Cannabinoids

Figures 2 and 3 show the three-dimensional response surface plots and contour plots, which illustrate the main interactive effects produced for each pair of factors. Each figure depicts the influence of two factors on the extraction yields while the third factor was fixed at the zero level, which was 800 W for microwave power (X_1), 120 °C for temperature (X_2), and 20 min for extraction time (X_3).

Regarding the THC extraction yield, the effects of X_1 and X_2 are illustrated in Figures 2A and 3A. X_2 has a more crucial influence than that of X_1 . A higher yield was observed at a lower X_2 ; however, X_1 showed no significant influence on the yield. When X_2 exceeded 120 °C, the yield dramatically decreased. Figures 2B and 3B show the effects of X_1 and X_3 . When X_1 was kept at low or medium levels, the extraction yield was enhanced following the increase of X_3 , and reached a maximum. Figures 2C and 3C display the interaction between X_2 and X_3 . A higher yield was achieved at an X_2 of 90–110 °C with an X_3 of 30 min. We conclude that the maximal THC yield can be obtained at a microwave power of 300 W, a temperature of 96 °C, and an extraction time of 30 min.




Figure 2. Response surface plots showing the interaction effects of microwave power, temperature, and extraction time on the yields of THC (**A**–**C**), CBD (**D**–**F**), and CBN (**G**–**I**).






Figure 3. Contour plots showing the interaction effects of microwave power, temperature, and extraction time on the yields of THC (A–C), CBD (D–F), and CBN (G–I).

Regarding the CBD extraction yield, the effects of X_1 and X_2 are illustrated in Figures 2D and 3D. A half-elliptical contour plot indicated that the peak yield was located on the margin. A lower level of X_1 may produce a higher yield. With an increase of X_2 , the extraction yield gradually increased, reaching the peak value at approximately the medium point of X_2 , and then declined. Figures 2E and 3E display the interaction between X_1 and X_3 . The yield was enhanced with a decrease of X_1 and an increase of X_2 , the refore, the peak yield existed on the corner. Figures 2F and 3F show the effects of X_2 and X_3 . A half-elliptical shape again appeared on the contour plot. Such findings indicate that when X_2 was kept within 100–140 °C, the yield increased as X_3 increased. The maximal yield appeared on the margin of the highest X_3 and at approximately the medium point of X_2 . We conclude that the maximal CBD yield can be obtained at a microwave power of 300 W, a temperature of 116 °C, and an extraction time of 30 min.

Regarding the CBN extraction yield, the effects of X_1 and X_2 are illustrated in Figures 2G and 3G. The CBN response was similar to the THC response. X_2 exhibited a substantial effect on the yield, whereas X_1 showed relatively little influence; however, the maximal yield existed at approximately the medium point of X_2 . Figures 2H and 3H show the interaction between X_1 and X_3 , which exhibited a typically opposite effect on the CBD response. The continual rise of the yield corresponding to an increase of X_1 can be attributed to the fact that the lower X_1 was not sufficient for CBD extraction. When the yield was enhanced with a higher X_1 and a lower X_3 , the peak yield was located on the opposite corner to that of CBD. Figures 2I and 3I display the effects of X_2 and X_3 . Within 100–130 °C, a lower X_2 was associated with a higher yield. We conclude that the maximal CBN yield can be obtained at a microwave power of 1300 W, a temperature of 112 °C, and an extraction time of 10 min.

2.2.3. Confirmation of Optimal Microwave-Assisted Extraction Conditions

The selected factors exhibited different influences on the yields of the three cannabinoids; however, when all cannabinoids were considered simultaneously, the predicted optimal conditions for cannabinoid extraction were as follows: extraction solvent of methanol, microwave power of 375 W, temperature of 109 °C, and extraction time of 30 min. After three parallel experiments were performed, the residuals (%) between the predicted and observed responses were calculated as (observed value – expected value)/expected value × 100%. The responses were in close agreement (2.8–9.3% of residual) under the optimal conditions, as shown in Table 3, indicating the reliability of the established models.

Factor		Optimal Level	
<i>X</i> ₁ (W)		375	
X ₂ (°C)		109	
X_3 (min)		30	
Response	Predicted (µg/g)	Experimental (μ g/g, $n = 3$)	Residual (%)
THC (µg/g)	2.38	2.47 ± 0.28	3.8%
$CBD (\mu g/g)$	2.49	2.56 ± 0.17	2.8%
$CBN (\mu g/g)$	0.97	1.06 ± 0.16	9.3%

Table 3. Observed and predicted levels for optimal extraction conditions.

Residual (%) = (observed value – expected value)/expected value × 100%. X_1 : microwave power, X_2 : temperature, X_3 : extraction time. THC: Δ 9-tetrahydrocannabinol, CBD: cannabidiol, CBN: cannabinol.

2.3. Comparison of Microwave-Assisted Extraction with Reference Extraction Methods

To validate the proposed MAE method, its efficiency in the extracting cannabinoids from hemp nut was compared with those of HRE, SE, SFE, and UAE. Images of crude and treated hemp nut are shown in Figure 4.




Figure 4. Images of (A) crude hemp nut and hemp nut after (B) MAE, (C) HRE, (D) SE, (E) SFE, and (F) UAE.

Crude hemp nut is plump and shiny, indicating high contents of protein, oil, and other constituents (Figure 4A). The presence of numerous oil cells with a complete balloon shape was confirmed using the SEM (Figure 5A); however, they were completely disrupted after MAE.




Figure 5. Scanning electron microscopy images of (**A**) crude hemp nut and hemp nut after (**B**) MAE, (**C**) HRE, (**D**) SE, (**E**) SFE, and (**F**) UAE.

Microwaves can penetrate the plant matrix and generate heat within the cell to facilitate cell rupture, thus enhancing the dissolution of target compounds in the extraction solvent within a short time [24]. After the MAE treatment, the cell walls of the hemp nut were completely broken, resulting in substantial cell shapes, because of the sudden temperature rise (Figure 5B). HRE was used as a distillation technique for transferring the solvent to the sample, and the compounds were extracted through the permeation and solubilization processes [25]. The sample underwent minor destruction after HRE treatment (Figure 5C). For SE, the sample was placed in a fiber thimble and repeatedly percolated with condensed vapors of the solvent. In each cycle, the sample was extracted with a pure solvent, which has a strong capability to dissolve the target compounds. Long-duration repeated

extraction wrinkled the cells of hemp nut considerably (Figure 5D). Regarding SFE, the supercritical fluids dissolved the compounds through diffusion. Diffusion is considerably faster in supercritical fluids than in liquids, because there is no surface tension and the viscosity is much lower than that of liquids [26]. SFE can extract oily constituents under high pressure, and therefore, some marked cracks were found in the microstructure of the sample (Figure 5E). For UAE, ultrasound supplied high frequency oscillation to the solvent, and the solvent flowed rapidly to generate constant pressure [27]. The superficial constituents of the samples were dissolved into the solvent; however, no remarkable disruption of cells was observed (Figure 5F).

In these extraction techniques, MAE extracted the maximal amounts of CBD and CBN (p < 0.05 compared with the others), whereas SE extracted the maximal amount of THC (p < 0.05 compared with the others) (Table 4). Overall, MAE achieved the highest extraction yields for total cannabinoids in hemp nut. It exhibited a shorter extraction time, required a lesser amount of solvent, and entailed a simpler operation process. Moreover, it enabled up to 40 samples to be processed in a single run.

Table 4. Comparison of extraction	yields for different extraction methods.
-----------------------------------	--

Extraction Method	Requirement			Yield (μ g/g, $n = 3$)			
	Sample (g)	Solvent Consumption	Extraction Time (min)	THC	CBD	CBN	Total
MAE	1.0	12 mL of methanol	30	2.47 ± 0.28 $^{\rm a}$	2.56 ± 0.17 a	1.06 ± 0.16 $^{\rm a}$	$6.09\pm0.47~^{a}$
HRE	5.0	100 mL of methanol	240	$2.23\pm0.18~^{a}$	1.32 ± 0.11 ^b	0.61 ± 0.04 ^b	4.15 ± 0.33 ^b
SE	15.0	300 mL of methanol	480	3.19 ± 0.09 ^b	$1.90\pm0.08\ ^{\rm c}$	$0.73\pm0.02~^{\rm b}$	5.81 ± 0.17 $^{\rm a}$
SFE	2.5	225 L of carbon dioxide	120	1.97 ± 0.06 ^ a	1.08 ± 0.11 ^b	0.57 ± 0.04 ^b	3.61 ± 0.14 ^b
UAE	1.0	20 mL of methanol	30	$2.08\pm0.25~^a$	$1.09\pm0.04~^{b}$	$0.70\pm0.20~^{\rm b}$	$3.73\pm0.31~^{b}$

Different letters (a, b, c) indicate a significant difference (p < 0.05) between extraction methods. THC: Δ 9-tetrahydrocannabinol, CBD: cannabidiol, CBN: cannabinol, MAE: microwave-assisted extraction, HRE: heat reflux extraction, SE: Soxhlet extraction, SFE: supercritical fluid extraction, UAE: ultrasound-assisted extraction.

2.4. Possible Industrial Applications for the Developed Microwave-Assisted Extraction

Using microwaves for extracting bioactive compounds from herbal materials has several important merits [28]. On the one hand, MAE adopts electrical power instead of fossil fuel allowing a sustainable source and a safe working condition. On the other hand, microwave is a non-contact heat source, which minimizes thermal gradient and decreases equipment size. While the energy transfer is accelerated, the heating becomes more effective.

Since there are numerous commercial cannabis-derived products, governments have set laws regulating the threshold of cannabinoids content in order to prevent their abuse. For this legal aspect, a rapid, effective and environmentally friendly extraction method coupled with a sensitive quantitative method may be attractive. However, apart from using MAE as one of the techniques for quality control, there are also high demands for cannabinoids for medical purposes. For instance, THC and CBD are particular useful in relieving neuropathic pain [29], anorexia [30], and epilepsy [31]. Our efficient MAE method could be used in a process to treat a complex biomass to obtain valuable compounds. Nonetheless, a specific restriction of industrial MAE methods is that the structure of raw material is a key factor influencing the extractability. Further study regarding the application of MAE method in different matrices is warranted.

3. Material and Methods

3.1. Chemical and Reagents

Chemical standards including THC, CBD, and CBN were purchased from Sigma–Aldrich (St. Louis, MO, USA). Dodecyl 4-hydroxybenzoate was purchased from Tokyo Chemical Industry (Tokyo, Japan). Pure water was prepared through a Milli-Q system (Millipore, Bedford, MA, USA). Methanol was obtained from Duksan (Gyeonggi-do, Korea). Isopropanol and 95% ethanol were obtained from Echo Chemical (Miaoli, Taiwan). Acetonitrile was obtained from Avantor (Center Valley,

PA, USA). Ethyl acetate was obtained from Honeywell (Morris Plains, NJ, USA). A phosphate buffer was obtained from Merck (Darmstadt, Germany).

3.2. Instrumentation

A voltammetric behavior experiment was performed using a 621E electrochemical analyzer (CH Instruments, Austin, TX, USA). The identification and quantification of cannabinoids were conducted using a high performance liquid chromatography and electrochemical detection (HPLC-EC) system consisting of a 5160 pump and a 5260 auto sampler (Hitachi, Tokyo, Japan) coupled with a LC-4C amperometric detector (BAS, West Lafayette, IN, USA). MAE experiments were performed using a MARS 5 microwave system (CEM, Matthews, NC, USA). UAE experiments were performed using a 3210 ultrasonic system (Branson, Danbury, CT, USA). SFE experiments were performed using a *Spe-ed* SFE supercritical fluid system consisting of an SFE oven module, SFE pump module, and SFE control and collection module (Applied Separations, Allentown, PA, USA) coupled with air compressors (JW, Taichung, Taiwan). A D-606 cooling bath (Deng Yng, New Taipei, Taiwan) was applied for HRE, SE, and SFE experiments. Microstructure analysis was performed using a Quanta 200 environmental scanning electron microscope (SEM, FEI, Hillsboro, OR, USA). A 108 Sputter Coater (Cressington, Watford, Hertfordshire, UK) was used for gold coating.

3.3. Analytical Methods

3.3.1. Voltammetric Behavior Experiment

The voltammetric behavior experiment was conducted to obtain the peak potential for THC, CBD, and CBN (Figure 6A). A glassy carbon working electrode, an Ag/AgCl reference electrode, and a Pt counter electrode were used. The electrode was first activated in 15 mL of 0.1 M phosphate buffer (pH 2.5) through cyclic voltammetry (CV) sweeps until a stable response was obtained. An amount of 10 µg of each analyte was separately added to the buffer. After stirring for 3 min, a potential scan was initiated and the CV response was recorded between 0 and +1.5 mV with a scan rate of 100 mV/s. The CV results from the voltammetric behavior experiment are summarized in Figure 6B. When the analytes were separately added to the electrolyte, an anodic peaks for THC, CBD, and CBN were observed at peak potentials of +1.082 V, +1.093 V, and +0.976 V, respectively. Therefore, the working potential for further HPLC-EC analysis was set at +1.1 V.




Figure 6. (**A**) Chemical structures, (**B**) electrochemical characterization, and (**C**) HPLC-EC chromatogram for cannabinoids. *: blank, a: THC, b: CBD, c: CBN, IS: internal standard.

3.3.2. High Performance Liquid Chromatography with Electrochemical Detection Condition

The HPLC-EC method was developed according previous study [3] with slight modification. Cannabinoid separation was conducted on a Kinetex C18 LC column ($100 \times 2.1 \text{ mm}$, i.d.; 2.6 µm, Phenomenex, Torrance, CA, USA) with a C18 guard cartridge ($20 \times 2.1 \text{ mm}$, i.d.; sub-2 µm, Phenomenex). Dodecyl 4-hydroxybenzoate served as an internal standard (IS). The isocratic mobile phase consisted of 10 mM phosphate buffer (pH 2.5)-methanol-acetonitrile (1:1:1, v/v/v) that was delivered at a flow rate of 0.35 mL/min. The injection volume was 20 µL. A glassy carbon working electrode and an Ag/AgCl reference electrode were used for the electrochemical detector. The potential was set at +1.1 V, the filter was set at 0.1 Hz, and the range was set at 20 nA. The concentration of each analyte was corrected and calculated according to the ratio of the peak area of each analyte to that of the corresponding IS.

The HPLC-EC chromatogram for the extracts from hemp nut after MAE is shown in Figure 6C. The retention time for THC, CBD, CBN, and IS was 24.3 min, 9.5 min, 20.2 min, and 60.3 min, respectively. The analytical method was validated for linearity, intra- and interday variations, and recovery. As presented in Table S1, high linearity ($r^2 > 0.9998$) was observed in the range of 3.91–500 ng/mL. The accuracy ranged from 93.1% to 108.3%; the precision, as indicated by the relative standard deviations, ranged from 1.5% to 7.4% (Table S2). The recoveries for THC, CBD, CBN were 76.8 \pm 7.9%, 87.7 \pm 7.9%, and 60.9 \pm 5.0%, respectively (Table S2).

3.4. Extraction Methods

3.4.1. Microwave-Assisted Extraction

Crude hemp nut was purchased from Bama, Guangxi, China (September 2015). The sample (1.0 g) was mixed with 12 mL of methanol in a closed vessel and irradiated with microwave power (375 W) at 109 °C for 30 min. After cooling, the extract was filtered through filter paper (Advantec, Tokyo, Japan) into a 20-mL volumetric flask. The residue was washed with methanol and followed by addition to volume. The final extract was then filtered through a syringe filter (PTFE membrane, $0.2 \mu m$, Phenomenex) and stored at -20 °C for HPLC-EC analysis.

3.4.2. Heat Reflux Extraction

The sample (5.0 g) was mixed with methanol (100 mL) in a round-bottom flask and boiled at 90 $^{\circ}$ C for 4 h. The temperature of the cooling bath used in the condenser was set at 15 $^{\circ}$ C. After cooling, the extract was filtered and quantitatively adjusted to 100 mL. The subsequent processes were the same as those described previously.

3.4.3. Soxhlet Extraction

The sample (15.0 g) was placed in a paper thimble (Advantec) and placed in a Soxhlet apparatus. In a round-bottom flask, 300 mL of methanol was added and used for 8-h extraction at 90 °C. The temperature of the cooling bath used in the condenser was set at 15 °C. After cooling, the extract was filtered and quantitatively adjusted to 300 mL. The subsequent processes were the same as those described previously.

3.4.4. Supercritical Fluid Extraction

The sample (2.5 g) was first transferred to a metal extractor vessel housed in an oven with the temperature set at 50 °C. Supercritical carbon dioxide was used as a solvent for extraction under 5000 psi. The output valve temperature was maintained at 120 °C. The temperature of the cooling bath was set at 4 °C. After 30-min static extraction, 90-min dynamic extraction was conducted with an air flow rate of 2.5 L/min. Afterwards, the extract was collected in a glass vial containing methanol and then filtered and quantitatively adjusted to 50 mL. The subsequent processes were the same as those described previously.

3.4.5. Ultrasound-Assisted Extraction

The sample (1.0 g) was mixed with 20 mL of methanol in a tube and ultrasonicated for 30 min at 47 kHz. The extract was filtered and quantitatively adjusted to 20 mL. The subsequent processes were the same as those described previously.

3.5. Experimental Design

3.5.1. Single Factor Experimental Design

First, the extraction solvent (water, methanol, 95% ethanol, acetonitrile, isopropanol, and ethyl acetate) was studied. The optimal solvent was chosen for further investigation, and the extraction conditions, namely, a microwave power of 100–1300 W, temperature of 40–160 °C, and extraction time of 5–35 min, were determined. The factors were fixed at their median values (700 W, 100 °C, and 20 min) when the other factors were investigated.

3.5.2. Optimization through Response Surface Methodology

A BBD with three variables and three levels was adopted for RSM. According to the results of the single factor experiment, three independent variables, microwave power (X_1), temperature (X_2), and extraction time (X_3) with three levels for each, coded -1, 0, and +1 for low, medium, and high, respectively. As shown in Table 1, a total of 17 experimental runs consisting of five central points were generated. The THC, CBD, and CBN contents were chosen as the response values, and the results were fit to a second-order polynomial model (Equation (1)), where *Y* is the response value (the extraction yields of THC, CBD, and CBN); β_0 , β_i , β_{ii} , and β_{ij} are the regression coefficients estimated using the equation for the intercept, linearity, square, and interaction, respectively; and X_i and X_j represent the independent variables. Three-dimensional response surface plots and contour plots were constructed for interpreting interactions among all independent variables and their corresponding effects. To produce the optimal magnitude of the extraction yield a "biggest-is-best" criterion was applied for each response.

Finally, in the confirmation study, three parallel experiments were conducted by using the optimal extraction conditions with the highest desirability for practically verifying the improvement of the quality characteristic.

3.6. Scanning Electronic Microscopy

The SEM was used to examine the morphologies of the samples after extraction through different methods. After removing the extracted solvent, the sample surfaces were first fixed on an adhesive tape and then sputter coated with a thin layer of gold. All samples were observed using the SEM under a vacuum condition at an accelerating voltage of 20.0 kV and magnification of $3000 \times$.

3.7. Statistical Analysis

The data are expressed as the mean \pm standard deviation. ANOVA for RSM was performed using the Design-Expert 6.0.3 software (StatEase Inc., Minneapolis, MN, USA). The effects of different solvents and extraction methods on the yield of cannabinoids were compared statistically by using ANOVA with Tukey's *post hoc* test through the SPSS 19.0 software (International Business Machines Corporation, Armonk, NY, USA). A value of *p* < 0.05 was considered to indicate statistical significance.

4. Conclusions

In this study, we first developed an MAE method followed by a validated HPLC-EC technique for analyzing cannabinoids in hemp nut. Single factor experiments combined with RSM were employed for MAE process optimization. Among the independent variables in RSM, the temperature was the most significant parameter. The optimal conditions of MAE were as follows: extraction solvent of methanol, microwave power of 375 W, temperature of 109 °C, and extraction time of 30 min. Compared with the reference extraction methods, namely HRE, SE, SFE, and UAE, the proposed MAE method achieved the highest extraction yield of cannabinoids in hemp nut with the least solvent consumption and shortest time. Substantial cell ruptures were also found in the microstructure of hemp nut after MAE in morphological observation. The MAE method is thus a rapid, economic, and environmentally friendly extraction method that is effective and practical for industrial applications.

Supplementary Materials: The supplementary materials are available online.

Acknowledgments: This work was supported by the Ministry of Science and Technology, Taiwan (grant numbers MOST 106-2113-M-037-012).

Author Contributions: C.-W.C., C.-C.Y., M.-T.W., M.-C.H. and Y.-T.W. participated in the study design and drafting and revising the manuscript. C.-W.C. and C.-C.Y. conducted the experiments. C.-W.C. and Y.-T.W. contributed to the analysis and interpretation of data. All authors read and approved the final manuscript.

Conflicts of Interest: The authors have declared that no conflict of interests exist.

References

- Yan, X.; Tang, J.; dos Santos Passos, C.; Nurisso, A.; Simões-Pires, C.A.; Ji, M.; Lou, H.; Fan, P. Characterization of lignanamides from hemp (*Cannabis sativa* L.) seed and their antioxidant and acetylcholinesterase inhibitory activities. J. Agric. Food Chem. 2015, 63, 10611–10619. [CrossRef] [PubMed]
- Chang, C.W.; Tung, C.W.; Tsai, C.C.; Wu, Y.T.; Hsu, M.C. Determination of cannabinoids in hemp nuts products in Taiwan by HPLC-MS/MS coupled with chemometric analysis: Quality evaluation and a pilot human study. *Drug Test. Anal.* 2017, *9*, 888–897. [CrossRef] [PubMed]
- 3. Nakahara, Y.; Sekine, H. Studies on confirmation of cannabis use. I. Determination of the cannabinoid contents in marijuana cigarette, tar, and ash using high performance liquid chromatography with electrochemical detection. *J. Anal. Toxicol.* **1985**, *9*, 121–124. [CrossRef] [PubMed]
- 4. Giese, M.W.; Lewis, M.A.; Giese, L.; Smith, K.M. Method for the analysis of cannabinoids and terpenes in cannabis. *J. AOAC Int.* **2015**, *98*, 1503–1522. [CrossRef] [PubMed]
- 5. Ross, S.A.; Mehmedic, Z.; Murphy, T.P.; Elsohly, M.A. GC-MS analysis of the total δ9-THC content of both drug-and fiber-type cannabis seeds. *J. Anal. Toxicol.* **2000**, *24*, 715–717. [CrossRef] [PubMed]
- 6. Aizpurua-Olaizola, O.; Omar, J.; Navarro, P.; Olivares, M.; Etxebarria, N.; Usobiaga, A. Identification and quantification of cannabinoids in *Cannabis sativa* L. Plants by high performance liquid chromatography-mass spectrometry. *Anal. Bioanal. Chem.* **2014**, *406*, 7549–7560. [CrossRef] [PubMed]
- 7. Petrović, M.; Debeljak, Ž.; Kezić, N.; Džidara, P. Relationship between cannabinoids content and composition of fatty acids in hempseed oils. *Food Chem.* **2015**, *170*, 218–225. [CrossRef] [PubMed]
- 8. De Cássia Mariotti, K.; Marcelo, M.C.A.; Ortiz, R.S.; Borille, B.T.; dos Reis, M.; Fett, M.S.; Ferrão, M.F.; Limberger, R.P. Seized cannabis seeds cultivated in greenhouse: A chemical study by gas chromatography-mass spectrometry and chemometric analysis. *Sci. Justice* **2016**, *56*, 35–41. [CrossRef] [PubMed]
- 9. Chemat, F.; Rombaut, N.; Meullemiestre, A.; Turk, M.; Perino, S.; Fabiano-Tixier, A.S.; Abert-Vian, M. Review of green food processing techniques. Preservation, transformation, and extraction. *Innov. Food Sci. Emerg. Technol.* **2017**, *41*, 357–377. [CrossRef]
- 10. Eskilsson, C.S.; Björklund, E. Analytical-scale microwave-assisted extraction. *J. Chromatogr. A* **2000**, 902, 227–250. [CrossRef]
- Tsukui, A.; Santos Junior, H.M.; Oigman, S.S.; de Souza, R.O.; Bizzo, H.R.; Rezende, C.M. Microwave-assisted extraction of green coffee oil and quantification of diterpenes by HPLC. *Food Chem.* 2014, 164, 266–271. [CrossRef] [PubMed]
- Rahim, A.A.; Nofrizal, S.; Saad, B. Rapid tea catechins and caffeine determination by HPLC using microwave-assisted extraction and silica monolithic column. *Food Chem.* 2014, 147, 262–268. [CrossRef] [PubMed]
- 13. Ledesma-Escobar, C.A.; Priego-Capote, F.; Luque de Castro, M.D. Comparative study of the effect of sample pretreatment and extraction on the determination of flavonoids from lemon (*Citrus limon*). *PLoS ONE* **2016**, *11*, e0148056. [CrossRef] [PubMed]

- 14. Tatke, P.; Jaiswal, Y. An overview of microwave assisted extraction and its applications in herbal drug research. *Res. J. Med. Plant* **2011**, *5*, 21–31. [CrossRef]
- 15. Bae, I.K.; Ham, H.M.; Jeong, M.H.; Kim, D.H.; Kim, H.J. Simultaneous determination of 15 phenolic compounds and caffeine in teas and mate using RP-HPLC/UV detection: Method development and optimization of extraction process. *Food Chem.* **2015**, *172*, 469–475. [CrossRef] [PubMed]
- 16. Bagheri, H.; Manap, M.Y.B.A.; Solati, Z. Antioxidant activity of *Piper nigrum* L. Essential oil extracted by supercritical CO₂ extraction and hydro-distillation. *Talanta* **2014**, *121*, *220–228*. [CrossRef] [PubMed]
- 17. Altemimi, A.; Watson, D.G.; Choudhary, R.; Dasari, M.R.; Lightfoot, D.A. Ultrasound assisted extraction of phenolic compounds from peaches and pumpkins. *PLoS ONE* **2016**, *11*, e0148758. [CrossRef] [PubMed]
- Ma, C.; Yang, L.; Li, W.; Yue, J.; Li, J.; Zu, Y. Ultrasound-assisted extraction of arabinogalactan and dihydroquercetin simultaneously from *Larix gmelinii* as a pretreatment for pulping and papermaking. *PLoS ONE* 2014, 9, e114105. [CrossRef] [PubMed]
- De Backer, B.; Debrus, B.; Lebrun, P.; Theunis, L.; Dubois, N.; Decock, L.; Verstraete, A.; Hubert, P.; Charlier, C. Innovative development and validation of an HPLC/DAD method for the qualitative and quantitative determination ofmajor cannabinoids in cannabis plant material. *J. Chromatogr. B* 2009, *877*, 4115–4124. [CrossRef] [PubMed]
- Gul, W.; Gul, S.W.; Radwan, M.M.; Wanas, A.S.; Mehmedic, Z.; Khan, I.I.; Sharaf, M.H.M.; Elsohly, M.A. Determination of 11 cannabinoids in biomass andextracts of different varieties of cannabis using high-performance liquidchromatography. *J. AOAC Int.* 2015, *98*, 1523–1528. [CrossRef] [PubMed]
- 21. Brighenti, V.; Pellati, F.; Steinbach, M.; Maran, D.; Benvenut, S. Development of a new extraction technique and HPLC method for theanalysis of non-psychoactive cannabinoids in fibre-type *Cannabis sativa* L. (hemp). *J. Pharm. Biomed. Anal.* **2017**, *143*, 228–236. [CrossRef] [PubMed]
- 22. Artemkina, Y.M.; Shcherbakov, V.V.; Korotkova, E.N. High-frequency conductivity of mixtures of water with methanol, ethanol, and propanol. *Russ. J. Electrochem.* **2015**, *51*, 180–184. [CrossRef]
- 23. Pacifici, R.; Marchei, E.; Salvatore, F.; Guandalini, L.; Busardò, F.P.; Pichini, S. Evaluation of cannabinoids concentration and stability in standardized preparations of cannabis tea and cannabis oil by ultra-high performance liquid chromatography tandem mass spectrometry. *Clin. Chem. Lab. Med.* **2017**, *55*, 1555–1563. [CrossRef] [PubMed]
- 24. Xie, D.-T.; Wang, Y.-Q.; Kang, Y.; Hu, Q.-F.; Su, N.-Y.; Huang, J.-M.; Che, C.-T.; Guo, J.-X. Microwave-assisted extraction of bioactive alkaloids from *Stephania sinica*. *Sep. Purif. Technol.* **2014**, 130, 173–181. [CrossRef]
- 25. Zhang, Q.; Zhao, S.H.; Chen, J.; Zhang, L.W. Application of ionic liquid-based microwave-assisted extraction of flavonoids from *Scutellaria baicalensis* Georgi. *J. Chromatogr. B* **2015**, 1002, 411–417. [CrossRef] [PubMed]
- 26. Skoog, D.A.; West, D.M. *Principles of Instrumental Analysis*; Saunders College Publishing: Philadelphia, PA, USA, 1980; Volume 158.
- Ren, Y.; Chen, Y.; Hu, B.; Wu, H.; Lai, F.; Li, X. Microwave-assisted extraction and a new determination method for total steroid saponins from *Dioscorea zingiberensis* C.H. Wright. *Steroids* 2015, 104, 145–152. [CrossRef] [PubMed]
- Vinatoru, M.; Mason, T.J.; Calinescu, I. Ultrasonically assisted extraction (UAE) and microwave assisted extraction (MAE) of functional compounds from plant materials. *Trends Analyt. Chem.* 2017, 97, 145–152. [CrossRef]
- 29. Kogan, N.M.; Mechoulam, R. Cannabinoids in health and disease. Dialogues Clin. Neurosci. 2007, 9, 159–178.
- 30. Abrams, D.I.; Guzman, M. Cannabis in cancer care. *Clin. Pharmacol. Ther.* **2015**, *97*, 575–586. [CrossRef] [PubMed]
- Wong, S.S.; Wilens, T.E. Medical Cannabinoids in Children and Adolescents: A Systematic Review. *Pediatrics* 2017, e20171818. [CrossRef] [PubMed]

Sample Availability: Samples of the compounds are not available from the authors.



© 2017 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (http://creativecommons.org/licenses/by/4.0/).