Supplementary Materials


Constituents of the Fruits of *Citrus medica* L. var. *sarcodactylis* and the Effect of 6,7-Dimethoxycoumarin on Superoxide Anion Formation and Elastase Release

Yu-Yi Chan 1, Tsong-Long Hwang $^{2,3,4},$ Ping-Chung Kuo 5, Hsin-Yi Hung 5 and Tian-Shung Wu 5,6,*

- Department of Biotechnology, Southern Taiwan University of Science and Technology, Tainan 71005, Taiwan
- ² Graduate Institute of Natural Products, College of Medicine, Chang Gung University, Taoyuan 333, Taiwan
- Research Center for Chinese Herbal Medicine, Research Center for Food and Cosmetic Safety, and Graduate Institute of Health Industry Technology, College of Human Ecology, Chang Gung University of Science and Technology, Taoyuan 333, Taiwan
- ⁴ Department of Anesthesiology, Chang Gung Memorial Hospital, Taoyuan 333, Taiwan
- ⁵ School of Pharmacy, College of Medicine, National Cheng Kung University, Tainan 701, Taiwan
- ⁶ Department of Pharmacy, College of Pharmacy and Health Care, Tajen University, Pingtung 907, Taiwan

Contents

- Fig. S1. ¹H NMR spectrum of **1**
- Fig. S2. ¹³C NMR spectrum of **1**
- Fig. S3. COSY spectrum of 1
- Fig. S4. NOESY spectrum of 1
- Fig. S5. HMQC spectrum of 1
- Fig. S6. HMBC spectrum of 1






Fig. S2




Fig. S3




Fig. S4

Fig. S5




Fig. S6