

Supporting Information

New alkaloid and aromatic glucoside from the flowers of *Cymbidium Lunagrad* Etrnal Green

Li-Yan Song, Fang Huang, Yan Wang, Zu-Jian Wu and Ming-An Ouyang*


State Key Laboratory of Ecological Pest Control for Fujian and Taiwan Crops, Institute of Plant Virology, Fujian Agriculture and Forestry University, Fuzhou, Fujian, China

minganouyang@163.com

Table of Content


¹H NMR spectrum (500 MHz) of Lunagrad A (1) in CD₃OD.	S-2
¹³C NMR spectrum (125 MHz) of Lunagrad A (1) in CD₃OD.	S-3
DEPT of Lunagrad A (1) in CD₃OD.	S-4
¹H-¹H COSY of Lunagrad A (1) in CD₃OD.	S-6
HSQC of Lunagrad A (1) in CD₃OD.	S-7
HMBC of Lunagrad (1) A in CD₃OD.	S-8
ROESY of Lunagrad (1) A in CD₃OD.	S-10
¹H NMR spectrum (500 MHz) of Lunagrad B (2) in CD₃OD.	S-11
¹³C NMR spectrum (125 MHz) of Lunagrad B (2) in CD₃OD.	S-12
DEPT of Lunagrad B (2) in CD₃OD.	S-13
¹H-¹H COSY of Lunagrad B (2) in CD₃OD.	S-14
HSQC of Lunagrad B (2) in CD₃OD.	S-15
HMBC of Lunagrad B (2) in CD₃OD.	S-16
ROESY of Lunagrad B (2) in CD₃OD.	S-17

¹H NMR spectrum (500 MHz) of Lunagrad A (1) in CD₃OD.









S-2






¹³C NMR spectrum (125 MHz) of Lunagrad A (1**) in CD₃OD.**




S-3

DEPT of Lunagrad A (1) in CD₃OD.







¹H-¹H COSY of Lunagrad A (1) in CD₃OD.






HSQC of Lunagrad A (1) in CD₃OD.




S-7

HMBC of Lunagrad A (1) in CD₃OD.





ROESY of Lunagrad A (1) in CD₃OD.



Current Data Parameters
 NAME: dwy6
 EXPNO: 2B
 PROGNO: 1

F2 - Acquisition Parameters


Date: 20130107
 Time: 20.05
 INSTRUM: spect
 PROBHD: 5 mm BBI 1H-EBL
 PULPROG: presat1D
 TD: 1024
 SOLVENT: MeOD
 NS: 4
 DS: 4
 SWB: 3501.401 Hz
 FIDRES: 3.419337 Hz
 AQ: 0.1462272 sec
 RG: 28
 DW: 142.800 usec
 DE: 6.00 usec
 TE: 0.0 sec
 d0: 0.00013110 sec
 D1: 1.0000000 sec
 d12: 0.00002000 sec
 d13: 0.00000400 sec
 TIN: 0.00028564 sec
 MCREST: 0 sec
 MCWRK: 0.5000000 sec
 STIMCNT: 0

----- CHANNEL f1 -----
 NUC1: 1H
 P1: 9.20 usec
 P15: 1200000.00 usec
 PL1: -1.00 dB
 PL11: 22.00 dB
 SFC1: 500.1323506 MHz


F1 - Acquisition parameters
 TD: 160
 SFC1: 500.1323506 MHz
 FIDRES: 43.761761 Hz
 SW: 7.000 ppm
 PRMODE: States-TPPI

F2 - Processing parameters
 SI: 1024
 SF: 500.13000468 MHz
 WDW: QSINE
 SSB: 2
 LB: 0 Hz
 GB: 0
 PC: 1.00


F1 - Processing parameters
 SI: 1024
 MC2: States-TPPI
 SF: 500.1296572 MHz
 WDW: QSINE
 SSB: 2
 LB: 0 Hz
 GB: 0



¹H NMR spectrum (500 MHz) of Lunagrad B (2) in CD₃OD.




¹³C NMR spectrum (125 MHz) of Lunagrad B (2) in CD₃OD.




S-12


DEPT of Lunagrad B (2) in CD₃OD.




13
C NMR




DEPT 90




DEPT 135



13
C NMR





DEPT 90




DEPT 135


¹H-¹H COSY of Lunagrad B (2) in CD₃OD.



HSQC of Lunagrad B (2) in CD₃OD.



HMBC of Lunagrad B (2) in CD₃OD.



ROESY of Lunagrad B (2) in CD₃OD.

