Prenylated Diphenyl Ethers from the Marine Algal-Derived Endophytic Fungus *Aspergillus tennesseensis*

Zhao-Xia Li ^{1,†}, Xiu-Fang Wang ^{2,†}, Guang-Wei Ren ², Xiao-Long Yuan ², Ning Deng ², Gui-Xia Ji ²,Wei Li ^{1,*}, and Peng Zhang ^{2,*}

- ¹ College of Marine Life Sciences, Ocean University of China, Qingdao, Shandong 266003, China; 770470311@qq.com (Z.-X. L.)
- ² Tobacco Research Institute, Chinese Academy of Agricultural Sciences, Qingdao, Shandong 266101, China; wangxiufang02@caas.cn (X.-F. W.); renguangwei@caas.cn (G.-W. R.); rayrock@126.com (X.-L. Y.); 297207121@qq.com (N. D.); 871721831@qq.com (G.-X. J.)
- † These authors contributed equally to this work
- * Correspondence: liwei01@ouc.edu.cn (W. L.); zhangpeng@caas.cn (P. Z.); Tel: +86-532-66715079

Table of Contents

Figure S1. HRESIMS spectrum of compound 1;

- Figure S2. ¹H NMR (500 MHz, DMSO-*d*₆) spectrum of compound 1;
- Figure S3. ¹³C NMR (125 MHz, DMSO-*d*₆) and DEPT spectra of compound 1;
- Figure S4. COSY spectrum of compound 1;
- Figure S5. HSQC spectrum of compound 1;
- Figure S6. HMBC spectrum of compound 1;
- Figure S7. HRESIMS spectrum of compound 2;
- Figure S8. ¹H NMR (500 MHz, DMSO-*d*₆) spectrum of compound 2;
- Figure S9. ¹³C NMR (125 MHz, DMSO- d_6) and DEPT spectra of compound 2;
- Figure S10. COSY spectrum of compound 2;
- Figure S11. HSQC spectrum of compound 2;
- Figure S12. HMBC spectrum of compound 2.



Figure S2. ¹H NMR (500 MHz, DMSO-*d*₆) spectrum of compound 1



Figure S3. ¹³C NMR (125 MHz, DMSO-*d*₆) and DEPT spectra of compound 1



Figure S4. COSY spectrum of compound 1



Figure S5. HSQC spectrum of compound 1



Figure S6. HMBC spectrum of compound 1



Figure S8. ¹H NMR (500 MHz, DMSO-*d*₆) spectrum of compound 2







Figure S12. HMBC spectrum of compound 2