Supplementary Material Synthesis and Antifungal Potential of Some Novel Benzimidazole-1,3,4-Oxadiazole Compounds

Ahmet Çağrı Karaburun ¹, Betül Kaya Çavuşoğlu ¹, Ulviye Acar Çevik ^{1,2}, Derya Osmaniye ^{1,2}, Begüm Nurpelin Sağlık ^{1,2}, Serkan Levent ^{1,2}, Yusuf Özkay ^{1,2}, Özlem Atlı ³, Ali Savaş Koparal ⁴ and Zafer Asım Kaplancıklı ^{1,*}

- ¹ Department of Pharmaceutical Chemistry, Faculty of Pharmacy, Anadolu University, Eskişehir 26470, Turkey; ackarabu@anadolu.edu.tr (A.Ç.K.); betulkaya@anadolu.edu.tr (B.K.Ç.); uacar@anadolu.edu.tr (U.A.Ç.); dosmaniye@anadolu.edu.tr (D.O.); bnsaglik@anadolu.edu.tr (B.N.S.); serkanlevent@anadolu.edu.tr (S.L.); yozkay@anadolu.edu.tr (Y.Ö.)
- ² Doping and Narcotic Compounds Analysis Laboratory, Faculty of Pharmacy, Anadolu University, Eskişehir 26470, Turkey
- ³ Department of Pharmaceutical Toxicology, Faculty of Pharmacy, Anadolu University, Eskişehir 26470, Turkey; oatli@anadolu.edu.tr
- ⁴ Open Education Faculty, Anadolu University, Eskişehir 26470, Turkey; askopara@anadolu.edu.tr
- * Correspondence: zakaplan@anadolu.edu.tr; Tel.: +90-222-335-0580/3775

Academic Editor: Fawaz Aldabbagh

Received: 5 December 2018; Accepted: 30 December 2018; Published: date



Figure S1. ¹H-NMR spectrum of compound 4a



Figure S2. ¹H-NMR spectrum of compound 4b



Figure S3. 1H-NMR spectrum of compound 4c



Figure S4. 1H-NMR spectrum of compound 4d



Figure S5. 1H-NMR spectrum of compound 4e



Figure S6. 1H-NMR spectrum of compound 4f



Figure S7. 1H-NMR spectrum of compound 4g



Figure S8. 1H-NMR spectrum of compound 4h



Figure S9. 1H-NMR spectrum of compound 4i



Figure S10. 1H-NMR spectrum of compound 4j



Figure S11. 1H-NMR spectrum of compound 4k



Figure S12. 1H-NMR spectrum of compound 41



Figure S13. 1H-NMR spectrum of compound 4m



Figure S14. 1H-NMR spectrum of compound 4n



Figure S15. 1H-NMR spectrum of compound 40



Figure S16. 1H-NMR spectrum of compound 4p