





- 1 Article
- 2 Protective effects induced by two polyphenolic liquid
- 3 complexes from olive (Olea europaea, mainly Cultivar
- 4 *Coratina*) pressing juice in rat isolated tissues
- 5 challenged with LPS
- 6 Lucia Recinella^{1,+}, Annalisa Chiavaroli^{1,+}, Giustino Orlando¹, Luigi Menghini¹, Claudio Ferrante¹,
- 7 Lorenzo Di Cesare Mannelli², Carla Ghelardini², Luigi Brunetti^{1,*} and Sheila Leone¹.
- 8 ¹ Department of Pharmacy, "G. d'Annunzio" University, 66013 Chieti, Italy
- 9 ² Department of Neuroscience, Psychology, Drug Research and Child Health NEUROFARBA -
- 10 Pharmacology and Toxicology Section, University of Florence, 50139 Florence, Italy
- 11 * Correspondence: luigi.brunetti@unich.it; Tel.: +39 0871 3554758
- 12 **+** The two authors contributed equally to the work.



13

- 14 Figure S1. Effects of MOMAST^(®) HY100 (10, 50, and 100 µg/mL) and MOMAST^(®) HP30 (22, 110,
- 15 and 220 μg/mL) on HypoE22 cell line viability.



16

- 17 Figure S2. Effects of MOMAST^(®) HY100 (10, 50, and 100 μg/mL) and MOMAST^(®) HP30 (22, 110,
- 18 and 220 µg/mL) on C2C12 cell line viability.