

Supplementary Materials

Cytotoxicity against HL60 Cells of Ficifolidione Derivatives with Methyl, *n*-Pentyl, and *n*-Heptyl Groups

Hisashi Nishiwaki ^{1,*}, Megumi Ikari ¹, Satomi Fujiwara ¹, Kosuke Nishi ¹, Takuya Sugahara ¹, Koichi Akiyama ² and Satoshi Yamauchi ¹

¹Graduate School of Agriculture, Ehime University, 3-5-7 Tarumi, Matsuyama, 790-8566 Ehime, Japan;

²ADRES Tarumi station, Ehime University, 3-5-7 Tarumi, Matsuyama, 790-8566 Ehime, Japan

*Correspondence: nishiwaki.hisashi.mg@ehime-u.ac.jp; Tel.: +81-89-946-9973

Figures S1-S6 *S*-4-Methyl-ficifolidione (**5**)

H-NMR (S1), C-NMR (S2), DEPT (S3), DEPT (expanded) (S4), HMQC (S5), HMBC (S6)

Figures S7-S12 *R*-4-Methyl-ficifolidione (**6**)

H-NMR (S7), C-NMR (S8), DEPT (S9), DEPT (expanded) (S10), HMQC (S11), HMBC (S12)

Figures S13-18 *S*-4-Pentyl-ficifolidione (**7**)

H-NMR (S13), C-NMR (S14), DEPT (S15), DEPT (expanded) (S16), HMQC (S17), HMBC (S18)

Figures S19-S24 *R*-4-Pentyl-ficifolidione (**8**)

H-NMR (S19), C-NMR (S20), DEPT (S21), DEPT (expanded) (S22), HMQC (S23), HMBC (S24)

Figures S25-30 *S*-4-Heptyl-ficifolidione (**9**)

H-NMR (S25), C-NMR (S26), DEPT (S27), DEPT (expanded) (S28), HMQC (S29), HMBC (S30)

Figures S31-S36 *R*-4-Heptyl-ficifolidione (**10**)

H-NMR (S31), C-NMR (S32), DEPT (S33), DEPT (expanded) (S34), HMQC (S35), HMBC (S36)

Figure S1

S-4-Me-Ficifolidione (**5**) H-NMR




Figure S2

S-4-Me-Ficifolidione (**5**) C-NMR




Figure S3

S-4-Me-Ficifolidione (**5**) DEPT




Figure S4

S-4-Me-Ficifolidione (**5**) DEPT expanded




Figure S5

S-4-Me-Ficifolidione (**5**) HMQC




Figure S6

S-4-Me-Ficifolidione (**5**) HMBC




Figure S7

R-4-Me-Ficifolidione (**6**) H-NMR




Figure S8

R-4-Me-Ficifolidione (**6**) C-NMR




Figure S9

R-4-Me-Ficifolidione (**6**) DEPT




Figure S10

R-4-Me-Ficifolidione (**6**) DEPT expanded




Figure S11

R-4-Me-Ficifolidione (**6**) HMQC




Figure S12

R-4-Me-Ficifolidione (**6**) HMBC




Figure S13

S-4-Pentyl-Ficifolidione (**7**) H-NMR




Figure S14

S-4-Pentyl-Ficifolidione (**7**) C-NMR




Figure S15

S-4-Pentyl-Ficifolidione (**7**) DEPT




Figure S16

S-4-Pentyl-Ficifolidione (**7**) DEPT expanded




Figure S17

S-4-Pentyl-Ficifolidione (**7**) HMQC




Figure S18

S-4-Pentyl-Ficifolidione (**7**) HMBC




Figure S19

R-4-Pentyl-Ficifolidione (**8**) H-NMR




Figure S20

R-4-Pentyl-Ficifolidione (**8**) C-NMR




Figure S21

R-4-Pentyl-Ficifolidione (**8**) DEPT




Figure S22

R-4-Pentyl-Ficifolidione (**8**) DEPT expanded




Figure S23

R-4-Pentyl-Ficifolidione (**8**) HMQC




Figure S24

R-4-Pentyl-Ficifolidione (**8**) HMBC




Figure S25

S-4-Heptyl-Ficifolidione (**9**) H-NMR




Figure S26

S-4-Heptyl-Ficifolidione (**9**) C-NMR




Figure S27

S-4-Heptyl-Ficifolidione (9) DEPT




Figure S28

S-4-Heptyl-Ficifolidione (**9**) DEPT expanded




Figure S29

S-4-Heptyl-Ficifolidione (9) HMQC




Figure S30

S-4-Heptyl-Ficifolidione (**9**) HMBC




Figure S31

R-4-Heptyl-Ficifolidione (**10**) H-NMR




Figure S32

R-4-Heptyl-Ficifolidione (**10**) C-NMR




Figure S33

R-4-Heptyl-Ficifolidione (**10**) DEPT




Figure S34

R-4-Heptyl-Ficifolidione (**10**) DEPT expanded




Figure S35

R-4-Heptyl-Ficifolidione (**10**) HMQC




Figure S36

R-4-Heptyl-Ficifolidione (**10**) HMBC

