

Supporting material

Preparation and characterization of TiO₂-PVDF/PMMA blend membranes using an alternative non-toxic solvent for UF/MF and photocatalytic application

Ouassila Benhabiles ^{1,4}, **Francesco Galiano** ^{2*}, **Tiziana Marino** ², **Hacene Mahmoudi** ³, **Hakim Lounici** ^{4,5}, **Alberto Figoli** ^{2*}

¹ Unité de Développement des Equipements Solaires, UDES /Centre de Développement des Energies Renouvelables, CDER, 42004, Tipaza, Algeria.

² Institute on Membrane Technology (ITM-CNR), Via P. Bucci 17c, 87036 Rende (CS), Italy


³ Faculty of Technology, University Hassiba Benbouali of Chlef, Chlef, Algeria,

⁴ Département génie de l'Environnement, Ecole Nationale Polytechnique, Alger, Algérie,


⁵ Faculty of Science, University of Bouira, Algeria

* Correspondence: f.galiano@itm.cnr.it; a.figoli@itm.cnr.it;

M1



M2



M3






Figure S1. SEM magnification cross-sections of M1, M2 and M3 membranes

M4



M2



M5




Figure S2. SEM magnification cross-sections of M4, M2 and M5 membranes




Figure S3. SEM magnification cross-sections of M0 and M2 and M5 membranes




Figure S4. PWP of M8 membrane before and after UV irradiation