

Design, Synthesis and Preliminary Evaluation of the Cytotoxicity and Antibacterial Activity of Novel Triphenylphosphonium Derivatives of Betulin

Mirosława Grymel^{1,2,3*}, Anna Lalik^{3,4}, Alicja Kazek-Kęsik⁵, Marietta Szewczyk¹, Patrycja Grabiec¹, and Karol Erfurt²

¹ Department of Organic Chemistry, Bioorganic Chemistry and Biotechnology, Silesian University of Technology, B. Krzywoustego 4, 44-100 Gliwice, Poland

² Department of Chemical Organic Technology and Petrochemistry, Silesian University of Technology, B. Krzywoustego 4, 44-100 Gliwice, Poland

³ Biotechnology Center, Silesian University of Technology, B. Krzywoustego 8, 44-100 Gliwice, Poland

⁴ Department of Systems Biology and Engineering, Silesian University of Technology, Akademicka 16, 44-100 Gliwice, Poland


⁵ Department of Inorganic, Analytical Chemistry and Electrochemistry, Faculty of Chemistry, Silesian University of Technology, Krzywoustego 6, 44-100 Gliwice, Poland


* Correspondence: mirosława.grymel@polsl.pl; Tel.: +48 032-237-1873 (M.G.)


Received: date; Accepted: date; Published: date

TABLE OF CONTENTS


¹ H, ¹³ C NMR spectra of betulin and analogues 2-5	S2-S10
¹ H, ¹³ C NMR spectra of bromides of betulin 6a-6f	S11-S23
¹ H, ¹³ C, ³¹ P NMR spectra of triphenylphosphonium derivatives of betulin 7a-7f	S24-S42
¹ H, ¹³ C NMR spectra of bromides of betulin 8a-8c	S43-S48
¹ H, ¹³ C, ³¹ P NMR spectra of <i>bistriphenylphosphonium</i> derivatives of betulin 9a-9c	S49-S57
FT-IR spectra for selected compounds.....	S58-S72









¹H NMR spectrum of 3-O-acetyl-28-O-(3'-carboxypropanoyl)betulin (**4a**); 600 MHz/CDCl₃/TMS; δ (ppm).




¹³C NMR spectrum of 3-O-acetyl-28- O-(3'-carboxypropanoyl)betulin (**4a**); 150 MHz/CDCl₃/TMS; δ (ppm).




¹H NMR spectrum of 3-O-acetyl-28-O-(3',3'-dimethyl-3'-carboxypropanoyl)betulin (**4b**); 600 MHz/CDCl₃/TMS; δ (ppm).




¹³C NMR spectrum of 3- *O*-acetyl-28- *O*-(3',3'-dimethyl-3'-carboxypropanoyl)betulin (**4b**); 150 MHz/CDCl₃/TMS; δ (ppm).








¹H NMR spectrum of 3,28-O,O'-bis(3'-carboxypropanoyl)betulin (5); 600 MHz/CDCl₃/TMS; δ (ppm).





^{13}C NMR spectrum of 3,28-*O,O'*-bis(3'-carboxypropanoyl)betulin (5); 150 MHz/ CDCl_3 /TMS; δ (ppm).















¹H NMR spectrum of analogue **6c**; 600 MHz/CDCl₃/TMS; δ (ppm).








¹H NMR spectrum of analogue **6d**; 400 MHz/CDCl₃/TMS; δ (ppm).















¹H NMR spectrum of analogue **6f**; 600 MHz/CDCl₃/TMS; δ (ppm).







¹H NMR spectrum of analogue **7a**; 600 MHz/CDCl₃/TMS; δ (ppm).






¹H NMR spectrum of analogue **7b**; 600 MHz/CDCl₃/TMS; δ (ppm).









^{31}P NMR spectrum of analogue **7b**; 161.9 MHz/ CDCl_3 /TMS; δ (ppm).




¹H NMR spectrum of analogue **7c**; 600 MHz/CDCl₃/TMS; δ (ppm).










¹H NMR spectrum of analogue **7d**; 600 MHz/CDCl₃/TMS; δ (ppm).







^{31}P NMR spectrum of analogue **7d**; 161.9 MHz/ CDCl_3 /TMS; δ (ppm).












^{31}P NMR spectrum of analogue **7e**; 161.9 MHz/ CDCl_3 /TMS; δ (ppm).




¹H NMR spectrum of analogue **7f**; 400 MHz/CDCl₃/TMS; δ (ppm).







^{31}P NMR spectrum of analogue 7f; 161.9 MHz/ CDCl_3 /TMS; δ (ppm).




¹H NMR spectrum of analogue **8a**; 600 MHz/CDCl₃/TMS; δ (ppm).




¹³C NMR spectrum of analogue **8a**; 150 MHz/CDCl₃/TMS; δ (ppm).




¹H NMR spectrum of analogue **8b**; 600 MHz/CDCl₃/TMS; δ (ppm).




¹³C NMR spectrum of analogue **8b**; 150 MHz/CDCl₃/TMS; δ (ppm).




¹H NMR spectrum of analogue **8c**; 600 MHz/CDCl₃/TMS; δ (ppm).




¹³C NMR spectrum of analogue **8c**; 150 MHz/CDCl₃/TMS; δ (ppm).




^{31}P NMR spectrum of analogue **9a**; 161.9 MHz/ CDCl_3 /TMS; δ (ppm).




¹H NMR spectrum of analogue **9b**; 600 MHz/CDCl₃/TMS; δ (ppm).




^{13}C NMR spectrum of analogue **9b**; 100 MHz/ CDCl_3 /TMS; δ (ppm).




— 24.51





¹H NMR spectrum of analogue **9c**; 400 MHz/CDCl₃/TMS; δ (ppm).






IR spectrum of product **6a**; ATR (cm⁻¹).







IR spectrum of product 6c; ATR (cm⁻¹).




IR spectrum of product **6d**; ATR (cm^{-1}).







IR spectrum of product **7b**; ATR (cm^{-1}).




IR spectrum of product **7c**; ATR (cm⁻¹).




IR spectrum of product **7d**; ATR (cm⁻¹).




IR spectrum of product **7e**; ATR (cm⁻¹).




IR spectrum of product **7f**; ATR (cm⁻¹).




IR spectrum of product **8a**; ATR (cm⁻¹).




IR spectrum of product **8b**; ATR (cm⁻¹).



IR spectrum of product **8c**; ATR (cm⁻¹).



IR spectrum of product **9b**; ATR (cm⁻¹).



IR spectrum of product 9c; ATR (cm⁻¹).