



Supplementary Materials

The characterizations of the molecules were done by mass spectrometry and NMR on the following instruments: 3100 series Waters mass spectrometer (Waters, Ma, USA) and a Bruker NMR AV300 instrument. The crude data are presented as figures in which the spectrum of the given compound is shown. All the mass spectra fitted the molecular masses expected for the compounds, and all the NMR spectra fitted the expected structures.





Supplementary Figure 1

Supplementary Figure 1: ¹H (top) and ¹³C (bottom) NMR spectra of DIV4288




Supplementary Figure 2

Supplementary Figure 2: Mass spectrometry spectrum of DIV4288




Supplementary Figure 3

Supplementary Figure 3: ^1H (top) and ^{13}C (bottom) NMR spectra of DIV6518




Supplementary Figure 4

Supplementary Figure 4: Mass spectrometry spectrum of DIV6518





Supplementary Figure 5

Supplementary Figure 5: ¹H NMR spectra of DIV0879




Supplementary Figure 6

Supplementary Figure 6: Mass spectrometry spectrum of DIV0879





Supplementary Figure 7

Supplementary Figure 7: ^1H (top) and ^{13}C (bottom) NMR spectra of DIV0880




Supplementary Figure 8

Supplementary Figure 8: Mass spectrometry spectrum of DIV0880



Supplementary Figure 9


Supplementary Figure 9: ¹H (top) and ¹³C (bottom) NMR spectra of DIV6519




Supplementary Figure 10

Supplementary Figure 10: Mass spectrometry spectrum of DIV6519

210-178-C3PC



210-178-C3PC



Supplementary Figure 11

Supplementary Figure 11: ^1H (top) and ^{13}C (bottom) NMR spectra of DIV6520