

A Novel Indole Derivative with Superior Photophysical Performance for Fluorescent Probe, pH-Sensing, and Logic Gates

Hai-Ling Liu^{1,2}, Kan Zhan^{3,*}, Kai-Liang Zhong^{1,*}, Xing-Liang Chen¹, Xing-Hua Xia²

¹School of Chemistry and Chemical Engineering, Shaoxing University, Shaoxing 312000, China

²State Key Laboratory of Analytical Chemistry for Life Science, School of Chemistry and Chemical Engineering; Nanjing University, Nanjing 210023, China

³College of Biotechnology and Bioengineering, Zhejiang University of Technology, Hangzhou 310014, China

Table of Contents

1. Crystallographic Data for **PI**.
2. Crystallographic Data for **NI**.
3. Crystallographic Data for **TI**.
4. Crystallographic Data for **FI**.
5. NMR Spectra

Table S1 Crystallographic Data for **PI**.

Formula sum	C ₁₉ H ₂₁ N ₁ O ₁
Space-group	Cc
Cell parameters	a=13.659 Å b=15.138Å c=8.158 Å α=90° β=111.075(2)° γ=90°

CCDC deposition number: 1842009

Table S2 Crystallographic Data for **NI**.

Formula sum	C ₁₉ H ₂₂ N ₂
Space-group	Cc
Cell parameters	a=13.634 Å b=15.386 Å c=8.332 Å α=90° β=117.504(4)° γ=90°

CCDC deposition number: 1842008

Table S3 Crystallographic Data for **TI**.

Formula sum	C ₂₉ H ₂₆ N ₂
Space-group	P21/c
Cell parameters	a=11.26 Å b=14.997 Å c=13.15 Å α=90° β=92.035(3)° γ=90°

CCDC deposition number: 1842010

Table S4 Crystallographic Data for **FI**.

Formula sum	C ₁₈ H ₁₆ F ₃ N ₁
Space-group	C2/c
Cell parameters	a=30.843 Å b=6.528 Å c=17.909 Å α=90° β=122.058(3)° γ=90°

CCDC deposition number: 1842007




Figure S1. The ^1H NMR spectrum of PI.




Figure S2. The ^{13}C NMR spectrum of PI.




Figure S3 The ^1H NMR spectrum of NI.




Figure S4. The ^{13}C NMR spectrum of NI.




Figure S5. The ^1H NMR spectrum of **TI**.




Figure S6. The ^{13}C NMR spectrum of **TI**.




Figure S7. The ^1H NMR spectrum of FI.




Figure S8. The ^{13}C NMR spectrum of FI.