

**Table S3. Primers used for subcellular localization**

| Gene              | Sequence  |
|-------------------|---|
| <i>CsDGAT1F</i>   | cagtCGTCTCacaacatggcgatttcagattcgcc                     |
| <i>CsDGAT1R</i>   | cagtCGTCTCatacattcatttgcccttttcggt                      |
| <i>CsDGAT2F</i>   | cagtCGTCTCacaacatggctgctggataatcagaa                    |
| <i>CsDGAT2R</i>   | cagtCGTCTCatacaaaggactttcaactcaaggt                     |
| <i>CsDGAT3F</i>   | cagtCGTCTCacaacatggaggtttccgggttccttc                   |
| <i>CsDGAT3R</i>   | cagtCGTCTCatacaaactgatgcagccaaccccaatcattg              |
| <i>CsWSD1.1F</i>  | cagtGGTCTCacaacatgagtgggggcggcgatg                      |
| <i>CsWSD1.1R</i>  | cagtGGTCTCatacagacaatttccttggtcctcctctgctcaagaatag      |
| <i>CsWSD1.4F</i>  | cagtCGTCTCacaacatggaacctgaagaaggtagtggtcgac             |
| <i>CsDWSD1.4R</i> | cagtCGTCTCatacattccataacagtagttttgactgatatttctcaactacag |