

Co-Loading of Black Phosphorus Nanoflakes and Doxorubicin in Lysolipid Temperature-Sensitive Liposomes for Combination Therapy in Prostate Cancer

Chandrima Das ¹, Cristina Martín ², Sebastian Habermann ³, Harriet Rose Walker ¹, Javed Iqbal ¹, Jacobo Elies ¹, Huw Simon Jones ¹, Giacomo Reina ^{3,*} and Amalia Ruiz ^{1,*}

¹ Institute of Cancer Therapeutics, School of Pharmacy and Medical Sciences, Faculty of Life Sciences, University of Bradford, Bradford BD7 1DP, UK; c.daschandrima@gmail.com (C.D.); h.r.walker@bradford.ac.uk (H.R.W.); javediqbal.georgian@gmail.com (J.I.); j.eliesgomez@bradford.ac.uk (J.E.); h.s.jones@bradford.ac.uk (H.S.J.)

² Department of Bioengineering, Universidad Carlos III de Madrid, 28911 Leganés, Spain; cristima@ing.uc3m.es

³ Empa Swiss Federal Laboratories for Materials Science and Technology, Lerchenfeldstrasse 5, 9014 St. Gallen, Switzerland; sebastian.habermann@empa.ch

* Correspondence: giacomio.reina@empa.ch (G.R.); g.ruizestrada@bradford.ac.uk (A.R.)




Figure S1. TEM micrograph of LTSL-BPNF, primary flakes loaded in the liposomes are below 20 nm. Scale bar 50 nm.




Figure S2. Colloidal properties of the eluted fractions of LTSL-BPNF after purification using a PD10 column.