

Supplementary Material (Literature Reviewed)

1. Abdo, A.-S.S.; Rawi, C.S.M.; Ahmad, A.H.; Madrus, M.R. Biodiversity of stream insects in the Malaysian Peninsula: Spatial patterns and environmental constraints. *Ecol. Entomol.* **2013**, *38*, 238–249.
2. Acs, E.; Kiss, K. Effects of the Water Discharge on Periphyton Abundance and Diversity in a Large River (river Danube, Hungary). *Hydrobiologia* **1993**, *249*, 125–133.
3. Acuna, V.; Munoz, I.; Giorgi, A.; Omella, M.; Sabater, F.; Sabater, S. Drought and postdrought recovery cycles in an intermittent Mediterranean stream: Structural and functional aspects. *J. N. Am. Benthol. Soc.* **2005**, *24*, 919–933.
4. Adams, S.M.; Ryon, M.G.; Smith, J.G. Recovery in diversity of fish and invertebrate communities following remediation of a polluted stream: Investigating causal relationships. *Hydrobiologia* **2005**, *542*, 77–93.
5. Allan, J.D.; Flecker, A.S.; Segnini, S.; Taphorn, D.C.; Sokol, E.; Kling, G.W. Limnology of Andean piedmont rivers of Venezuela. *J. N. Am. Benthol. Soc.* **2006**, *25*, 66–81.
6. Allen, D.C.; Vaughn, C.C.; Kelly, J.F.; Cooper, J.T.; Engel, M.H. Bottom-up biodiversity effects increase resource subsidy flux between ecosystems. *Ecology* **2012**, *93*, 2165–2174.
7. Al-Shami, S.A.; Heino, J.; Che Salmah, M.R.; Abu Hassan, A.; Suhaila, A.H.; Madrus, M.R. Drivers of beta diversity of macroinvertebrate communities in tropical forest streams: *The drivers of macroinvertebrate beta diversity*. *Freshw. Biol.* **2013**, *58*, 1126–1137.
8. Anderson, C.B.; Rosemond, A.D. Ecosystem engineering by invasive exotic beavers reduces in-stream diversity and enhances ecosystem function in Cape Horn, Chile. *Oecologia* **2007**, *154*, 141–153.
9. Angermeier, P.L.; Winston, M.R. Local vs. regional influences on local diversity in stream fish communities of Virginia. *Ecology* **1998**, *79*, 911–927.
10. Angradi, T.R. Fine sediment and macroinvertebrate assemblages in Appalachian streams: A field experiment with biomonitoring applications. *J. N. Am. Benthol. Soc.* **1999**, *18*, 49–66.
11. Aoyagui, A.S. M.; Bonecker, C.C. Rotifers in different environments of the Upper Parana River floodplain (Brazil): Richness, abundance and the relationship with connectivity. *Hydrobiologia* **2004**, *522*, 281–290.
12. Arrington, D.A.; Winemiller, K.O.; Layman, C.A. Community assembly at the patch scale in a species rich tropical river. *Oecologia* **2005**, *144*, 157–167.
13. Arscott, D.B.; Tockner, K.; Ward, J.V. Spatio-temporal patterns of benthic invertebrates along the continuum of a braided Alpine river. *Archiv. für Hydrobiol.* **2003**, *158*, 431–460.
14. Arscott, D.B.; Larned, S.; Scarsbrook, M.R.; Lambert, P. Aquatic invertebrate community structure along an intermittence gradient: Selwyn River, New Zealand. *J. N. Am. Benthol. Soc.* **2010**, *29*, 530–545.
15. Arscott, D.B.; Tockner, K.; Ward, J.V. Lateral organization of aquatic invertebrates along the corridor of a braided floodplain river. *J. N. Am. Benthol. Soc.* **2005**, *24*, 934–954.
16. Astorga, A.; Heino, J.; Luoto, M.; Muotka, T. Freshwater biodiversity at regional extent: Determinants of macroinvertebrate taxonomic richness in headwater streams. *Ecography* **2011**, *34*, 705–713.

17. Baattrup-Pedersen, A.; Larsen, S.E.; Riis, T. Composition and richness of macrophyte communities in small Danish streams-influence of environmental factors and weed cutting. *Hydrobiologia* **2003**, *495*, 171–179.
18. BÄRLOCHER, F.; Graca, M.A. Exotic riparian vegetation lowers fungal diversity but not leaf decomposition in Portuguese streams. *Freshw. Biol.* **2002**, *47*, 1123–1135.
19. Barquín, J.; Death, R.G. Patterns of invertebrate diversity in streams and freshwater springs in Northern Spain. *Archiv. für Hydrobiol.* **2004**, *161*, 329–349.
20. Barquin, J.; Death, R.G. Spatial patterns of macroinvertebrate diversity in New Zealand springbrooks and rhithral streams. *J. N. Am. Benthol. Soc.* **2006**, *25*, 768–786.
21. Beche, L.A.; Connors, P.G.; Resh, V.H.; Merenlender, A.M. Resilience of fishes and invertebrates to prolonged drought in two California streams. *Ecography* **2009**, *32*, 778–788.
22. Beketov, M.A.; Kefford, B.J.; Schaefer, R.B.; Liess, M. Pesticides reduce regional biodiversity of stream invertebrates. *Proc. Natl. Acad. Sci. USA* **2013**, *110*, 11039–11043.
23. Bernez, I.; Ferreira, M.T.; Albuquerque, A.; Aguiar, F. Relations between river plant richness in the Portuguese floodplains and the widespread water knotgrass (*Paspalum paspalodes*). *Hydrobiologia* **2005**, *551*, 121–130.
24. Biggs, B.J. F.; Smith, R.A. Taxonomic richness of stream benthic algae: Effects of flood disturbance and nutrients. *Limnol. Oceanogr.* **2002**, *47*, 1175–1186.
25. Bini, L.M.; Landeiro, V.L.; Padial, A.A.; Siqueira, T.; Heino, J. Nutrient enrichment is related to two facets of beta diversity for stream invertebrates across the United States. *Ecology* **2014**, *95*, 1569–1578.
26. Biro, P.; Specziar, A.; Keresztessy, K. Diversity of fish species assemblages distributed in the drainage area of Lake Balaton (Hungary). *Hydrobiologia* **2003**, *506*, 459–464.
27. Bixby, R.J.; Benstead, J.P.; Douglas, M.M.; Pringle, C.M. Relationships of stream algal community structure to catchment deforestation in eastern Madagascar. *J. N. Am. Benthol. Soc.* **2009**, *28*, 466–479.
28. Blanchet, S.; Helmus, M.R.; Brosse, S.; Grenouillet, G. Regional vs. local drivers of phylogenetic and species diversity in stream fish communities. *Freshw. Biol.* **2014**, *59*, 450–462.
29. Blum, M.J.; Bagley, M.J.; Walters, D.M.; Jackson, S.A.; Daniel, F.B.; Chaloud, D.J.; Cade, B.S. Genetic diversity and species diversity of stream fishes covary across a land-use gradient. *Oecologia* **2012**, *168*, 83–95.
30. Bogan, M.T.; Boersma, K.S.; Lytle, D.A. Flow intermittency alters longitudinal patterns of invertebrate diversity and assemblage composition in an arid-land stream network: *Intermittent flow alters longitudinal patterns*. *Freshw. Biol.* **2013**, *58*, 1016–1028.
31. Bogan, M.T.; Boersma, K.S. Aerial dispersal of aquatic invertebrates along and away from arid-land streams. *Freshw. Sci.* **2012**, *31*, 1131–1144.
32. Bojsen, B.H.; Jacobsen, D. Effects of deforestation on macroinvertebrate diversity and assemblage structure in Ecuadorian Amazon streams. *Archiv. für Hydrobiol.* **2003**, *158*, 317–342.
33. Bonada, N.; Rieradevall, M.; Prat, N.; Resh, V.H. Benthic macroinvertebrate assemblages and macrohabitat connectivity in Mediterranean-climate streams of northern California. *J. N. Am. Benthol. Soc.* **2006**, *25*, 32–43.

34. Bonada, N.; Rieradevall, M.; Dallas, H.; Davis, J.; Day, J.; Figueroa, R.; Resh, V.H.; Prat, N. Multi-scale assessment of macroinvertebrate richness and composition in Mediterranean-climate rivers. *Freshw. Biol.* **2008**, *53*, 772–788.
35. Bonecker, C.C.; Da Costa, C.L.; Velho, L.F. M.; Lansac-Toha, F.A. Diversity and abundance of the planktonic rotifers in different environments of the Upper Parana River floodplain (Parana State-Mato Grosso do Sul State, Brazil). *Hydrobiologia* **2005**, *546*, 405–414.
36. Boyero, L.; Pearson, R.G.; Dudgeon, D.; Graca, M.A.S.; Gessner, M.O.; Albarino, R.J.; Ferreira, V.; Yule, C.M.; Boulton, A.J.; Arunachalam, M.; *et al.* Global distribution of a key trophic guild contrasts with common latitudinal diversity patterns. *Ecology* **2011**, *92*, 1839–1848.
37. Breitenmoserwursten, C.; Sartori, M. Distribution, Diversity, Life-Cycle and Growth of a Mayfly Community in a Prealpine Stream System (Insecta, Ephemeroptera). *Hydrobiologia* **1995**, *308*, 85–101.
38. Brosse, S.; Beauchard, O.; Blanchet, S.; Durr, H.H.; Grenouillet, G.; Hugueny, B.; Lauzeral, C.; Leprieur, F.; Tedesco, P.A.; Villeger, S.; *et al.* Fish-SPRICH: A database of freshwater fish species richness throughout the World. *Hydrobiologia* **2012**, *700*, 343–349.
39. Burcher, C.L.; Benfield, E.F. Physical and biological responses of streams to suburbanization of historically agricultural watersheds. *J. N. Am. Benthol. Soc.* **2006**, *25*, 356–369.
40. Capderrey, C.; Datry, T.; Foulquier, A.; Claret, C.; Malard, F. Invertebrate distribution across nested geomorphic features in braided-river landscapes. *Freshw. Sci.* **2013**, *32*, 1188–1204.
41. Cardinale, B.J.; Hillebrand, H.; Charles, D.F. Geographic patterns of diversity in streams are predicted by a multivariate model of disturbance and productivity. *J. Ecol.* **2006**, *94*, 609–618.
42. Cardinale, B.J.; Bennett, D.M.; Nelson, C.E.; Gross, K. Does productivity drive diversity or vice versa? A test of the multivariate productivity-diversity hypothesis in streams. *Ecology* **2009**, *90*, 1227–1241.
43. Carlisle, D.M.; Hawkins, C.P.; Meador, M.R.; Potapova, M.; Falcone, J. Biological assessments of Appalachian streams based on predictive models for fish, macroinvertebrate, and diatom assemblages. *J. N. Am. Benthol. Soc.* **2008**, *27*, 16–37.
44. Carrara, F.; Rinaldo, A.; Giometto, A.; Altermatt, F. Complex Interaction of Dendritic Connectivity and Hierarchical Patch Size on Biodiversity in River-Like Landscapes. *Am. Nat.* **2014**, *183*, 13–25.
45. Carroll, T.M.; Thorp, J.H. Ecotonal shifts in diversity and functional traits in zoobenthic communities of karst springs. *Hydrobiologia* **2014**, *738*, 1–20.
46. Carter, J.L.; Purcell, A.H.; Fend, S.V.; Resh, V.H. Development of a local-scale urban stream assessment method using benthic macroinvertebrates: An example from the Santa Clara Basin, California. *J. N. Am. Benthol. Soc.* **2009**, *28*, 1007–1021.
47. Casas, J.J.; Langton, P.H. Chironomid species richness of a permanent and a temporary Mediterranean stream: A long-term comparative study. *J. N. Am. Benthol. Soc.* **2008**, *27*, 746–759.
48. Casatti, L.; Ferreira, C. de P.; Carvalho, F.R. Grass-dominated stream sites exhibit low fish species diversity and dominance by guppies: An assessment of two tropical pasture river basins. *Hydrobiologia* **2009**, *632*, 273–283.

49. Castella, E.; Adalsteinsson, H.; Brittain, J.E.; Gislason, G.M.; Lehmann, A.; Lencioni, V.; Lods-Crozet, B.; Maiolini, B.; Milner, A.M.; Olafsson, J.S.; *et al.* Macrobenthic invertebrate richness and composition along a latitudinal gradient of European glacier-fed streams. *Freshw. Biol.* **2001**, *46*, 1811–1831.
50. Cattaneo, F. Does hydrology constrain the structure of fish assemblages in French streams? Local scale analysis. *Archiv. für Hydrobiol.* **2005**, *164*, 345–365.
51. Cattaneo, F. Does hydrology constrain the structure of fish assemblages in French streams? Regional scale analysis. *Archiv. für Hydrobiol.* **2005**, *164*, 367–385.
52. Chaffin, J.L.; Valett, H.M.; Webster, J.R.; Schreiber, M.E. Influence of elevated As on leaf breakdown in an Appalachian headwater stream. *J. N. Am. Benthol. Soc.* **2005**, *24*, 553–568.
53. Chaves, M.L.; Chainho, P.M.; Costa, J.L.; Prat, N.; Costa, M.J. Regional and local environmental factors structuring undisturbed benthic macroinvertebrate communities in the Mondego River basin, Portugal. *Archiv. für Hydrobiol.* **2005**, *163*, 497–523.
54. Chessman, B.C.; Royal, M.J. Bioassessment without reference sites: Use of environmental filters to predict natural assemblages of river macroinvertebrates. *J. N. Am. Benthol. Soc.* **2004**, *23*, 599–615.
55. Chinnayakanahalli, K.J.; Hawkins, C.P.; Tarboton, D.G.; Hill, R.A. Natural flow regime, temperature and the composition and richness of invertebrate assemblages in streams of the western United States: Macroinvertebrates and stream flow regimes. *Freshw. Biol.* **2011**, *56*, 1248–1265.
56. Clarke, A.; Mac Nally, R.; Bond, N.; Lake, P.S. Flow permanence affects aquatic macroinvertebrate diversity and community structure in three headwater streams in a forested catchment. *Can. J. Fish. Aquat. Sci.* **2010**, *67*, 1649–1657.
57. Clements, W. Benthic Invertebrate Community Responses to Heavy-Metals in the Upper Arkansas River Basin, Colorado. *J. N. Am. Benthol. Soc.* **1994**, *13*, 30–44.
58. Cogérino, L.; Cellot, B.; Bournaud, M. Microhabitat Diversity and Associated Macroinvertebrates in Aquatic Banks of a Large European River. *Hydrobiologia* **1995**, *304*, 103–115.
59. Colon-Gaud, C.; Whiles, M.R.; Lips, K.R.; Pringle, C.M.; Kilham, S.S.; Connelly, S.; Brenes, R.; Peterson, S.D. Stream invertebrate responses to a catastrophic decline in consumer diversity. *J. N. Am. Benthol. Soc.* **2010**, *29*, 1185–1198.
60. Cook, R.R.; Angermeier, P.L.; Finn, D.S.; Poff, N.L.; Krueger, K.L. Geographic variation in patterns of nestedness among local stream fish assemblages in Virginia. *Oecologia* **2004**, *140*, 639–649.
61. Costa, S.S.; Sanches Melo, A. Beta diversity in stream macroinvertebrate assemblages: Among-site and among-microhabitat components. *Hydrobiologia* **2008**, *598*, 131–138.
62. Crump, B.C.; Peterson, B.J.; Raymond, P.A.; Amon, R.M. W.; Rinehart, A.; McClelland, J.W.; Holmes, R.M. Circumpolar synchrony in big river bacterioplankton. *Proc. Natl. Acad. Sci. USA* **2009**, *106*, 21208–21212.
63. Datry, T.; Larned, S.T.; Fritz, K.M.; Bogan, M.T.; Wood, P.J.; Meyer, E.I.; Santos, A.N. Broad-scale patterns of invertebrate richness and community composition in temporary rivers: Effects of flow intermittence. *Ecography* **2013**, *37*, 94–104.

64. Daufresne, M.; Bady, P.; Fruget, J.-F. Impacts of global changes and extreme hydroclimatic events on macroinvertebrate community structures in the French Rhone River. *Oecologia* **2007**, *151*, 544–559.
65. De Jesus-Crespo, R.; Ramirez, A. Effects of urbanization on stream physicochemistry and macroinvertebrate assemblages in a tropical urban watershed in Puerto Rico. *J. N. Am. Benthol. Soc.* **2011**, *30*, 739–750.
66. De Merona, B.; Vigouroux, R.; Tejerina-Garro, F.L. Alteration of fish diversity downstream from Petit-Saut Dam in French Guiana. Implication of ecological strategies of fish species. *Hydrobiologia* **2005**, *551*, 33–47.
67. De Nadaï-Monoury, E.; Gilbert, F.; Lecerf, A. Forest canopy cover determines invertebrate diversity and ecosystem process rates in depositional zones of headwater streams. *Freshw. Biol.* **2014**, *59*, 1532–1545.
68. Death, R.G.; Winterbourn, M.J. Diversity Patterns in Stream Benthic Invertebrate Communities-the Influence of Habitat Stability. *Ecology* **1995**, *76*, 1446–1460.
69. Death, R.G.; Zimmermann, E.M. Interaction between disturbance and primary productivity in determining stream invertebrate diversity. *Oikos* **2005**, *111*, 392–402.
70. Death, R.G. The effect of patch disturbance on stream invertebrate community structure: The influence of disturbance history. *Oecologia* **1996**, *108*, 567–576.
71. Death, R.G. Predicting invertebrate diversity from disturbance regimes in forest streams. *Oikos* **2002**, *97*, 18–30.
72. Del Rosario, R.B.; Betts, E.A.; Resh, V.H. Cow manure in headwater streams: Tracing aquatic insect responses to organic enrichment. *J. N. Am. Benthol. Soc.* **2002**, *21*, 278–289.
73. Descy, J. Ecology of the Phytoplankton of the River Moselle-Effects of Disturbances on Community Structure and Diversity. *Hydrobiologia* **1993**, *249*, 111–116.
74. Devin, S.; Beisel, J.N.; Usseglio-Polatera, P.; Moreteau, J.C. Changes in functional biodiversity in an invaded freshwater ecosystem: The Moselle River. *Hydrobiologia* **2005**, *542*, 113–120.
75. Dewson, Z.S.; James, A.B. W.; Death, R.G. Invertebrate community responses to experimentally reduced discharge in small streams of different water quality. *J. N. Am. Benthol. Soc.* **2007**, *26*, 754–766.
76. Dias, M.S.; Cornu, J.-F.; Oberdorff, T.; Lasso, C.A.; Tedesco, P.A. Natural fragmentation in river networks as a driver of speciation for freshwater fishes. *Ecography* **2012**, *36*, 683–689.
77. Dobson, M. Microhabitat as a determinant of diversity: Stream invertebrates colonizing leaf packs. *Freshw. Biol.* **1994**, *32*, 565–572.
78. Doisy, K.E.; Rabeni, C.F. Flow conditions, benthic food resources, and invertebrate community composition in a low-gradient stream in Missouri. *J. N. Am. Benthol. Soc.* **2001**, *20*, 17–32.
79. Downes, B.; Jordan, J. Effects of Stone Topography on Abundance of Net-Building Caddisfly Larvae and Arthropod Diversity in an Upland Stream. *Hydrobiologia* **1993**, *252*, 163–174.
80. Downes, B.J.; Lake, P.S.; Schreiber, E.S. G.; Glaister, A. Habitat structure and regulation of local species diversity in a stony, upland stream. *Ecol. Monogr.* **1998**, *68*, 237–257.
81. Downes, B.J.; Lake, P.S.; Schreiber, E.S. G.; Glaister, A. Habitat structure, resources and diversity: The separate effects of surface roughness and macroalgae on stream invertebrates. *Oecologia* **2000**, *123*, 569–581.

82. Dunn, R.R.; Colwell, R.K.; Nilsson, C. The river domain: Why are there more species halfway up the river? *Ecography* **2006**, *29*, 251–259.
83. Englund, G. Effects of Disturbance on Stream Moss and Invertebrate Community Structure. *J. N. Am. Benthol. Soc.* **1991**, *10*, 143–153.
84. Erős, T.; Grossman, G.D. Fish biodiversity in two Hungarian streams: A landscape-based approach. *Archiv. für Hydrobiol.* **2005**, *162*, 53–71.
85. Esselman, P.C.; Freeman, M.C.; Pringle, C.M. Fish-assemblage variation between geologically defined regions and across a longitudinal gradient in the Monkey River Basin, Belize. *J. N. Am. Benthol. Soc.* **2006**, *25*, 142–156.
86. Evans-White, M.A.; Dodds, W.K.; Huggins, D.G.; Baker, D.S. Thresholds in macroinvertebrate biodiversity and stoichiometry across water-quality gradients in Central Plains (USA) streams. *J. N. Am. Benthol. Soc.* **2009**, *28*, 855–868.
87. Falasco, E.; Ector, L.; Ciaccio, E.; Hoffmann, L.; Bona, F. Alpine freshwater ecosystems in a protected area: A source of diatom diversity. *Hydrobiologia* **2012**, *695*, 233–251.
88. Faruk, A.; Belabut, D.; Ahmad, N.; Knell, R.J.; Garner, T.W. J. Effects of Oil-Palm Plantations on Diversity of Tropical Anurans. *Conserv. Biol.* **2013**, *27*, 615–624.
89. Feio, M.J.; Vieira-Lanero, R.; Ferreira, V.; Graça, M.A. S. The role of the environment in the distribution and composition of Trichoptera assemblages in streams. *Archiv. für Hydrobiol.* **2005**, *164*, 493–512.
90. Feio, M.J.; Coimbra, C.N.; Graca, M.A. S.; Nichols, S.J.; Norris, R.H. The influence of extreme climatic events and human disturbance on macroinvertebrate community patterns of a Mediterranean stream over 15 y. *J. N. Am. Benthol. Soc.* **2010**, *29*, 1397–1409.
91. Feld, C.K.; de Bello, F.; Dolédec, S. Biodiversity of traits and species both show weak responses to hydromorphological alteration in lowland river macroinvertebrates. *Freshw. Biol.* **2014**, *59*, 233–248.
92. Feminella, J.W. Comparison of benthic macroinvertebrate assemblages in small streams along a gradient of flow permanence. *J. N. Am. Benthol. Soc.* **1996**, *15*, 651–669.
93. Feminella, J.W. Correspondence between stream macroinvertebrate assemblages and 4 ecoregions of the southeastern USA. *J. N. Am. Benthol. Soc.* **2000**, *19*, 442–461.
94. Fernandes, C.C.; Podos, J.; Lundberg, J.G. Amazonian ecology: Tributaries enhance the diversity of electric fishes. *Science* **2004**, *305*, 1960–1962.
95. Ferrari, I.; Farabegoli, A.; Mazzoni, R. Abundance and Diversity of Planktonic Rotifers in the Po River. *Hydrobiologia* **1989**, *186*, 201–208.
96. Ferreira, W.R.; Ligeiro, R.; Macedo, D.R.; Hughes, R.M.; Kaufmann, P.R.; Oliveira, L.G.; Callisto, M. Importance of environmental factors for the richness and distribution of benthic macroinvertebrates in tropical headwater streams. *Freshw. Sci.* **2014**, *33*, 860–871.
97. Fesl, C. Biodiversity and resource use of larval chironomids in relation to environmental factors in a large river. *Freshw. Biol.* **2002**, *47*, 1065–1087.
98. Finn, D.S.; Bonada, N.; Murria, C.; Hughes, J.M. Small but mighty: Headwaters are vital to stream network biodiversity at two levels of organization. *J. N. Am. Benthol. Soc.* **2011**, *30*, 963–980.
99. Flecker, A.S.; Taylor, B.W. Tropical fishes as biological bulldozers: Density effects on resource heterogeneity and species diversity. *Ecology* **2004**, *85*, 2267–2278.

100. Flinn, M.B.; Whiles, M.R.; Adams, S.R.; Garvey, J.E. Macroinvertebrate and zooplankton responses to emergent plant production in upper Mississippi River floodplain wetlands. *Archiv. für Hydrobiol.* **2005**, *162*, 187–210.
101. Flowers, R. Diversity of Stream-Living Insects in Northwestern Panama. *J. N. Am. Benthol. Soc.* **1991**, *10*, 322–334.
102. Franquet, E. Chironomid assemblage of a Lower-Rhone dike field: Relationships between substratum and biodiversity. *Hydrobiologia* **1999**, *397*, 121–131.
103. Fuller, R.L.; Griego, C.; Muehlbauer, J.D.; Dennison, J.; Doyle, M.W. Response of stream macroinvertebrates in flow refugia and high-scour areas to a series of floods: A reciprocal replacement study. *J. N. Am. Benthol. Soc.* **2010**, *29*, 750–760.
104. Gafner, K.; Robinson, C.T. Nutrient enrichment influences the responses of stream macroinvertebrates to disturbance. *J. N. Am. Benthol. Soc.* **2007**, *26*, 92–102.
105. Gangloff, M.M.; Hartfield, E.E.; Werneke, D.C.; Feminella, J.W. Associations between small dams and mollusk assemblages in Alabama streams. *J. N. Am. Benthol. Soc.* **2011**, *30*, 1107–1116.
106. Gido, K.B.; Dodds, W.K.; Eberle, M.E. Retrospective analysis of fish community change during a half-century of landuse and streamflow changes. *J. N. Am. Benthol. Soc.* **2010**, *29*, 970–987.
107. Gill, B.A.; Harrington, R.A.; Kondratieff, B.C.; Zamudio, K.R.; Poff, N.L.; Funk, W.C. Morphological taxonomy, DNA barcoding, and species diversity in southern Rocky Mountain headwater streams. *Freshw. Sci.* **2014**, *33*, 288–301.
108. Gillette, D.P.; Fortner, A.M.; Franssen, N.R.; Cartwright, S.; Tobler, C.M.; Wesner, J.S.; Reneau, P.C.; Reneau, F.H.; Schlupp, I.; Marsh-Matthews, E.C.; *et al.* Patterns of change over time in darter (Teleostei: Percidae) assemblages of the Arkansas River basin, northeastern Oklahoma, USA. *Ecography* **2012**, *35*, 855–864.
109. Gönczöl, J.; Csontos, P.; Révay, Á. Catchment scale patterns of aquatic hyphomycetes. The role of physicochemical variables and substrate composition in structuring conidial communities. *Archiv. für Hydrobiol.* **2003**, *157*, 249–266.
110. Gozlan, R.E.; Mastroiello, S.; Copp, G.H.; Lek, S. Predicting the structure and diversity of young-of-the-year fish assemblages in large rivers. *Freshw. Biol.* **1999**, *41*, 809–820.
111. Gray, D.; Harding, J.S. Braided river benthic diversity at multiple spatial scales: A hierarchical analysis of beta diversity in complex floodplain systems. *J. N. Am. Benthol. Soc.* **2009**, *28*, 537–551.
112. Grenouillet, G.; Pont, D.; Herisse, C. Within-basin fish assemblage structure: The relative influence of habitat vs. stream spatial position on local species richness. *Can. J. Fish. Aquat. Sci.* **2004**, *61*, 93–102.
113. Grenouillet, G.; Pont, D.; Seip, K.L. Abundance and species richness as a function of food resources and vegetation structure: Juvenile fish assemblages in rivers. *Ecography* **2002**, *25*, 641–650.
114. Grinberga, L. Environmental factors influencing the species diversity of macrophytes in middle-sized streams in Latvia. *Hydrobiologia* **2010**, *656*, 233–241.
115. Gronroos, M.; Heino, J. Species richness at the guild level: Effects of species pool and local environmental conditions on stream macroinvertebrate communities. *J. Anim. Ecol.* **2012**, *81*, 679–691.

116. Grossman, G.D.; Ratajczak, R.E.; Crawford, M.; Freeman, M.C. Assemblage organization in stream fishes: Effects of environmental variation and interspecific interactions. *Ecol. Monogr.* **1998**, *68*, 395–420.
117. Growns, I.; Davis, J. Longitudinal Changes in Near-Bed Flows and Macroinvertebrate Communities. *J. N. Am. Benthol. Soc.* **1994**, *13*, 417–438.
118. Gupta, A.; Michael, R.G. Diversity, distribution, and seasonal abundance of Ephemeroptera in streams of Meghalaya State, India. *Hydrobiologia* **1991**, *228*, 131–139.
119. Hamada, N.; McCreddie, J.W.; Adler, P.H. Species richness and spatial distribution of blackflies (Diptera: Simuliidae) in streams of Central Amazonia, Brazil. *Freshw. Biol.* **2002**, *47*, 31–40.
120. Harding, J.S.; Benfield, E.F.; Bolstad, P.V.; Helfman, G.S.; Jones, E.B. D. Stream biodiversity: The ghost of land use past. *Proc. Natl. Acad. Sci. USA* **1998**, *95*, 14843–14847.
121. Hearnden, M.; Pearson, R. Habitat Partitioning Among the Mayfly Species (ephemeroptera) of Yuccabine Creek, a Tropical Australian Stream. *Oecologia* **1991**, *87*, 91–101.
122. Heino, J.; Muotka, T.; Paavola, R.; Hamalainen, H.; Koskenniemi, E. Correspondence between regional delineations and spatial patterns in macroinvertebrate assemblages of boreal headwater streams. *J. N. Am. Benthol. Soc.* **2002**, *21*, 397–413.
123. Heino, J.; Muotka, T.; Paavola, R. Determinants of macroinvertebrate diversity in headwater streams: Regional and local influences. *J. Anim. Ecol.* **2003**, *72*, 425–434.
124. Heino, J.; Gronroos, M.; Ilmonen, J.; Karhu, T.; Niva, M.; Paasivirta, L. Environmental heterogeneity and beta diversity of stream macroinvertebrate communities at intermediate spatial scales. *Freshw. Sci.* **2012**, *32*, 142–154.
125. Heino, J.; Paasivirta, L. Unravelling the determinants of stream midge biodiversity in a boreal drainage basin. *Freshw. Biol.* **2008**, *53*, 884–896.
126. Heino, J. Functional biodiversity of macroinvertebrate assemblages along major ecological gradients of boreal headwater streams. *Freshw. Biol.* **2005**, *50*, 1578–1587.
127. Helms, B.S.; Schoonover, J.E.; Feminella, J.W. Seasonal variability of landuse impacts on macroinvertebrate assemblages in streams of western Georgia, USA. *J. N. Am. Benthol. Soc.* **2009**, *28*, 991–1006.
128. Helms, B.S.; Werneke, D.C.; Gangloff, M.M.; Hartfield, E.E.; Feminella, J.W. The influence of low-head dams on fish assemblages in streams across Alabama. *J. N. Am. Benthol. Soc.* **2011**, *30*, 1095–1106.
129. Herbst, D.B.; Cooper, S.D. Before and after the deluge: Rain-on-snow flooding effects on aquatic invertebrate communities of small streams in the Sierra Nevada, California. *J. N. Am. Benthol. Soc.* **2010**, *29*, 1354–1366.
130. Hermoso, V.; Clavero, M.; Blanco-Garrido, F.; Prenda, J. Invasive species and habitat degradation in Iberian streams: An analysis of their role in freshwater fish diversity loss. *Ecol. Appl.* **2011**, *21*, 175–188.
131. Higgins, C.L. Patterns of functional and taxonomic organization of stream fishes: Inferences based on alpha, beta, and gamma diversities. *Ecography* **2010**, *33*, 678–687.
132. Hille, S.; Kristensen, E.A.; Graeber, D.; Riis, T.; Jorgensen, N.K.; Baattrup-Pedersen, A. Fast reaction of macroinvertebrate communities to stagnation and drought in streams with contrasting nutrient availability. *Freshw. Sci.* **2014**, *33*, 847–859.

133. Hitt, N.P.; Angermeier, P.L. Evidence for fish dispersal from spatial analysis of stream network topology. *J. N. Am. Benthol. Soc.* **2008**, *27*, 304–320.
134. Hitt, N.P.; Angermeier, P.L. Fish community and bioassessment responses to stream network position. *J. N. Am. Benthol. Soc.* **2011**, *30*, 296–309.
135. Hoffsten, P.-O. Effects of an extraordinarily harsh winter on macroinvertebrates and fish in boreal streams. *Archiv. für Hydrobiol.* **2003**, *157*, 505–523.
136. Hoorn, C.; Wesselingh, F.P.; ter Steege, H.; Bermudez, M.A.; Mora, A.; Sevink, J.; Sanmartin, I.; Sanchez-Meseguer, A.; Anderson, C.L.; Figueiredo, J.P.; *et al.* Amazonia Through Time: Andean Uplift, Climate Change, Landscape Evolution, and Biodiversity. *Science* **2010**, *330*, 927–931.
137. Hugueny, B. West-African Rivers as Biogeographic Islands-Species Richness of Fish Communities. *Oecologia* **1989**, *79*, 236–243.
138. Hunt, G.W.; Stanley, E.H. Environmental factors influencing the composition and distribution of the hyporheic fauna in Oklahoma streams: Variation across ecoregions. *Archiv. für Hydrobiol.* **2003**, *158*, 1–23.
139. Huryn, A.D.; Slavik, K.A.; Lowe, R.L.; Parker, S.M.; Anderson, D.S.; Peterson, B.J. Landscape heterogeneity and the biodiversity of Arctic stream communities: A habitat template analysis. *Can. J. Fish. Aquat. Sci.* **2005**, *62*, 1905–1919.
140. Iwasaki, Y.; Ryo, M.; Sui, P.; Yoshimura, C. Evaluating the relationship between basin-scale fish species richness and ecologically relevant flow characteristics in rivers worldwide: Flow regime and fish species richness. *Freshw. Biol.* **2012**, *57*, 2173–2180.
141. Jacobsen, D.; Schultz, R.; Encalada, A. Structure and diversity of stream invertebrate assemblages: The influence of temperature with altitude and latitude. *Freshw. Biol.* **1997**, *38*, 247–261.
142. Jacobsen, D. Contrasting patterns in local and zonal family richness of stream invertebrates along an Andean altitudinal gradient. *Freshw. Biol.* **2004**, *49*, 1293–1305.
143. Jacobsen, D. Low oxygen pressure as a driving factor for the altitudinal decline in taxon richness of stream macroinvertebrates. *Oecologia* **2008**, *154*, 795–807.
144. Joly, P.; Morand, A. Theoretical habitat templates, species traits, and species richness: Amphibians in the Upper Rhône River and its floodplain. *Freshw. Biol.* **1994**, *31*, 455–468.
145. Juget, J.; Lafont, M. Theoretical habitat templates, species traits, and species richness: Aquatic oligochaetes in the Upper Rhône River and its floodplain. *Freshw. Biol.* **1994**, *31*, 327–340.
146. Keitzer, S.C.; Goforth, R.R. Salamander diversity alters stream macroinvertebrate community structure. *Freshw. Biol.* **2013**, *58*, 2114–2125.
147. Kelly, D.W.; Dick, J.T.A. Effects of environment and an introduced invertebrate species on the structure of benthic macroinvertebrate species at the catchment level. *Archiv. für Hydrobiol.* **2005**, *164*, 69–88.
148. Kennedy, T.L.; Turner, T.F. River channelization reduces nutrient flow and macroinvertebrate diversity at the aquatic terrestrial transition zone. *Ecosphere* **2011**, *2*, UNSP 35.
149. Khan, I. Effect of Urban and Industrial-Wastes on Species-Diversity of the Diatom Community in a Tropical River, Malaysia. *Hydrobiologia* **1991**, *224*, 175–184.
150. Kiffney, P.M.; Greene, C.M.; Hall, J.E.; Davies, J.R. Tributary streams create spatial discontinuities in habitat, biological productivity, and diversity in mainstem rivers. *Can. J. Fish. Aquat. Sci.* **2006**, *63*, 2518–2530.

151. King, R.S.; Walker, C.M.; Whigham, D.F.; Baird, S.J.; Back, J.A. Catchment topography and wetland geomorphology drive macroinvertebrate community structure and juvenile salmonid distributions in south-central Alaska headwater streams. *Freshw. Sci.* **2012**, *31*, 341–364.
152. Kirchhofer, A. Morphological Variability in the Ecotone—An Important Factor for the Conservation of Fish Species Richness in Swiss Rivers. *Hydrobiologia* **1995**, *303*, 103–110.
153. Kominoski, J.S.; Pringle, C.M. Resource-consumer diversity: Testing the effects of leaf litter species diversity on stream macroinvertebrate communities. *Freshw. Biol.* **2009**, *54*, 1461–1473.
154. Kouamelan, E.P.; Teugels, G.G.; N'Douba, V.; Bi, G.G.; Kone, T. Fish diversity and its relationships with environmental variables in a West African basin. *Hydrobiologia* **2003**, *505*, 139–146.
155. Kreutzweiser, D.P.; Good, K.P.; Capell, S.S.; Holmes, S.B. Leaf-litter decomposition and macroinvertebrate communities in boreal forest streams linked to upland logging disturbance. *J. N. Am. Benthol. Soc.* **2008**, *27*, 1–15.
156. Kutka, F.J.; Richards, C. Relating diatom assemblage structure to stream habitat quality. *J. N. Am. Benthol. Soc.* **1996**, *15*, 469–480.
157. Laitung, B.; Chauvet, E. Vegetation diversity increases species richness of leaf-decaying fungal communities in woodland streams. *Archiv. für Hydrobiol.* **2005**, *164*, 217–235.
158. Lavoie, I.; Lento, J.; Morin, A. Inadequacy of size distributions of stream benthic diatoms for environmental monitoring. *J. N. Am. Benthol. Soc.* **2010**, *29*, 586–601.
159. Leberfinger, K.; Herrmann, J. Secondary production of invertebrate shredders in open-canopy, intermittent streams on the island of Oland, southeastern Sweden. *J. N. Am. Benthol. Soc.* **2010**, *29*, 934–944.
160. Lecerf, A.; Dobson, M.; Dang, C.K.; Chauvet, E. Riparian plant species loss alters trophic dynamics in detritus-based stream ecosystems. *Oecologia* **2005**, *146*, 432–442.
161. Lecerf, A.; Chauvet, E. Diversity and functions of leaf-decaying fungi in human-altered streams. *Freshw. Biol.* **2008**, *53*, 1658–1672.
162. Ledger, M.E.; Harris, R.M.L.; Armitage, P.D.; Milner, A.M. Disturbance frequency influences patch dynamics in stream benthic algal communities. *Oecologia* **2008**, *155*, 809–819.
163. Ledger, M.E.; Harris, R.M.L.; Milner, A.M.; Armitage, P.D. Disturbance, biological legacies and community development in stream mesocosms. *Oecologia* **2006**, *148*, 682–691.
164. Leigh, C.; Sheldon, F. Hydrological connectivity drives patterns of macroinvertebrate biodiversity in floodplain rivers of the Australian wet /dry tropics. *Freshw. Biol.* **2009**, *54*, 549–571.
165. Lepori, F.; Palm, D.; Brannas, E.; Malmqvist, B. Does restoration of structural heterogeneity in streams enhance fish and macroinvertebrate diversity? *Ecol. Appl.* **2005**, *15*, 2060–2071.
166. Leveque, C.; Hougard, J.M.; Resh, V.; Statzner, B.; Yameogo, L. Freshwater ecology and biodiversity in the tropics: What did we learn from 30 years of onchocerciasis control and the associated biomonitoring of West African rivers? *Hydrobiologia* **2003**, *500*, 23–49.
167. Li, A.O. Y.; Dudgeon, D. Shredders: Species richness, abundance, and role in litter breakdown in tropical Hong Kong streams. *J. N. Am. Benthol. Soc.* **2009**, *28*, 167–180.
168. Li, F.; Kwon, Y.-S.; Bae, M.-J.; Chung, N.; Kwon, T.-S.; Park, Y.-S. Potential Impacts of Global Warming on the Diversity and Distribution of Stream Insects in South Korea. *Conserv. Biol.* **2014**, *28*, 498–508.

169. Liess, A.; le Gros, A.; Wagenhoff, A.; Townsend, C.R.; Matthaei, C.D. Landuse intensity in stream catchments affects the benthic food web: Consequences for nutrient supply, periphyton C:nutrient ratios, and invertebrate richness and abundance. *Freshw. Sci.* **2012**, *31*, 813–824.
170. Liu, L.; Yang, J.; Zhang, Y. Genetic diversity patterns of microbial communities in a subtropical riverine ecosystem (Jiulong River, southeast China). *Hydrobiologia* **2011**, *678*, 113–125.
171. Loayza-Muro, R.A.; de Baat, M.L.; Palomino, E.J.; Kuperus, P.; Kraak, M.H.S.; Admiraal, W.; Breeuwer, J.A.J. Metals and altitude drive genetic diversity of chironomids in Andean streams. *Freshw. Biol.* **2014**, *59*, 56–63.
172. Loayza-Muro, R.A.; Marticorena-Ruiz, J.K.; Palomino, E.J.; Merritt, C.; Breeuwer, J.A.J.; Kuperus, P.; Kraak, M.H.S.; Admiraal, W. Ultraviolet-B-driven pigmentation and genetic diversity of benthic macroinvertebrates from high-altitude Andean streams. *Freshw. Biol.* **2013**, *58*, 1710–1719.
173. Logez, M.; Bady, P.; Melcher, A.; Pont, D. A continental-scale analysis of fish assemblage functional structure in European rivers. *Ecography* **2013**, *36*, 80–91.
174. Lu, G.Q.; Li, S.F.; Bernatchez, L. Mitochondrial DNA diversity, population structure, and conservation genetics of four native carps within the Yangtze River, China. *Can. J. Fish. Aquat. Sci.* **1997**, *54*, 47–58.
175. Mahmoud, H.M.A.; Goulder, R.; Carvalho, G.R. The response of epilithic bacteria to different metals regime in two upland streams: Assessed by conventional microbiological methods and PCR-DGGE. *Archiv. für Hydrobiol.* **2005**, *163*, 405–427.
176. Malison, R.L.; Baxter, C.V. Effects of wildfire of varying severity on benthic stream insect assemblages and emergence. *J. N. Am. Benthol. Soc.* **2010**, *29*, 1324–1338.
177. Malmqvist, B.; Englund, G. Effects of hydropower-induced flow perturbations on mayfly (Ephemeroptera) richness and abundance in north Swedish river rapids. *Hydrobiologia* **1996**, *341*, 145–158.
178. Malmqvist, B.; Maki, M. Benthic Macroinvertebrate Assemblages in North Swedish Streams-Environmental Relationships. *Ecography* **1994**, *17*, 9–16.
179. Malmqvist, B.; Eriksson, Å. Benthic insects in Swedish lake-outlet streams: Patterns in species richness and assemblage structure. *Freshw. Biol.* **1995**, *34*, 285–296.
180. Maloney, K.O.; Feminella, J.W.; Mitchell, R.M.; Miller, S.A.; Mulholland, P.J.; Houser, J.N. Landuse legacies and small streams: Identifying relationships between historical land use and contemporary stream conditions. *J. N. Am. Benthol. Soc.* **2008**, *27*, 280–294.
181. Marano, A.V.; Pires-Zottarelli, C.L.A.; Barrera, M.D.; Steciow, M.M.; Gleason, F.H. Diversity, role in decomposition, and succession of zoosporic fungi and straminipiles on submerged decaying leaves in a woodland stream. *Hydrobiologia* **2011**, *659*, 93–109.
182. Maret, T.R.; Cain, D.J.; MacCoy, D.E.; Short, T.M. Response of benthic invertebrate assemblages to metal exposure and bioaccumulation associated with hard-rock mining in northwestern streams, USA. *J. N. Am. Benthol. Soc.* **2003**, *22*, 598–620.
183. Marmonier, P.; Bodergat, A.; Doledec, S. Theoretical habitat templates, species traits, and species richness: Ostracods (Crustacea) in the Upper Rhône River and its floodplain. *Freshw. Biol.* **1994**, *31*, 341–355.

184. Martin, P.; Haniffa, M.A.; Arunachalam, M. Abundance and diversity of macroinvertebrates and fish in the Tamiraparani river, South India. *Hydrobiologia* **2000**, *430*, 59–75.
185. Masese, F.O.; Kitaka, N.; Kipkemboi, J.; Gettel, G.M.; Irvine, K.; McClain, M.E. Macroinvertebrate functional feeding groups in Kenyan highland streams: Evidence for a diverse shredder guild. *Freshw. Sci.* **2014**, *33*, 435–450.
186. Matthaei, C.D.; Arbuckle, C.J.; Townsend, C.R. Stable surface stones as refugia for invertebrates during disturbance in a New Zealand stream. *J. N. Am. Benthol. Soc.* **2000**, *19*, 82–93.
187. Mcarthur, J.; Leff, L.; Smith, M. Genetic Diversity of Bacteria Along a Stream Continuum. *J. N. Am. Benthol. Soc.* **1992**, *11*, 269–277.
188. McCabe, D.J.; Gotelli, N.J. Effects of disturbance frequency, intensity, and area on assemblages of stream macroinvertebrates. *Oecologia* **2000**, *124*, 270–279.
189. McCormick, F.H.; Peck, D.V.; Larsen, D.P. Comparison of geographic classification schemes for Mid-Atlantic stream fish assemblages. *J. N. Am. Benthol. Soc.* **2000**, *19*, 385–404.
190. Melo, A.S. Effects of taxonomic and numeric resolution on the ability to detect ecological patterns at a local scale using stream macroinvertebrates. *Archiv. für Hydrobiol.* **2005**, *164*, 309–323.
191. Melo, A.S.; Froehlich, C.G. Macroinvertebrates in neotropical streams: Richness patterns along a catchment and assemblage structure between 2 seasons. *J. N. Am. Benthol. Soc.* **2001**, *20*, 1–16.
192. Merriam, E.R.; Petty, J.T.; Merovich, G.T.; Fulton, J.B.; Strager, M.P. Additive effects of mining and residential development on stream conditions in a central Appalachian watershed. *J. N. Am. Benthol. Soc.* **2011**, *30*, 399–418.
193. Merritt, R.W.; Cummins, K.W.; Berg, M.B.; Novak, J.A.; Higgins, M.J.; Wessell, K.J.; Lessard, J.L. Development and application of a macroinvertebrate functional-group approach in the bioassessment of remnant river oxbows in southwest Florida. *J. N. Am. Benthol. Soc.* **2002**, *21*, 290–310.
194. Meyer, C.K.; Whiles, M.R. Macroinvertebrate communities in restored and natural Platte River slough wetlands. *J. N. Am. Benthol. Soc.* **2008**, *27*, 626–639.
195. Minshall, G.W.; Petersen, R.C., Jr.; Nimz, C.F. Species Richness in Streams of Different Size from the Same Drainage Basin. *Am. Nat.* **1985**, *125*, 16–38.
196. Miserendino, M.L. Effects of landscape and desertification on the macroinvertebrate assemblages of rivers in Andean Patagonia. *Archiv. für Hydrobiol.* **2004**, *159*, 185–209.
197. Miyake, Y.; Hiura, T.; Nakano, S. Effects of frequent streambed disturbance on the diversity of stream invertebrates. *Archiv. für Hydrobiol.* **2005**, *162*, 465–480.
198. Miyake, Y.; Nakano, S. Effects of substratum stability on diversity of stream invertebrates during baseflow at two spatial scales. *Freshw. Biol.* **2002**, *47*, 219–230.
199. Moerke, A.H.; Gerard, K.J.; Latimore, J.A.; Hellenthal, R.A.; Lamberti, G.A. Restoration of an Indiana, USA, stream: Bridging the gap between basic and applied lotic ecology. *J. N. Am. Benthol. Soc.* **2004**, *23*, 647–660.
200. Monaghan, K.A.; Miner, A.M. Effect of anadromous salmon redd construction on macroinvertebrate communities in a recently formed stream in coastal Alaska. *J. N. Am. Benthol. Soc.* **2009**, *28*, 153–166.

201. Monaghan, M.T.; Spaak, P.; Robinson, C.T.; Ward, J.V. Population genetic structure of 3 alpine stream insects: Influences of gene flow, demographics, and habitat fragmentation. *J. N. Am. Benthol. Soc.* **2002**, *21*, 114–131.
202. Montana, C.G.; Winemiller, K.O.; Sutton, A. Intercontinental comparison of fish ecomorphology: Null model tests of community assembly at the patch scale in rivers. *Ecol. Monogr.* **2014**, *84*, 91–107.
203. Moore, A.A.; Palmer, M.A. Invertebrate biodiversity in agricultural and urban headwater streams: Implications for conservation and management. *Ecol. Appl.* **2005**, *15*, 1169–1177.
204. Moran-Lopez, R.; Perez-Bote, J.L.; da Silva, E.; Perales Casildo, A.B. Hierarchical large-scale to local-scale influence of abiotic factors in summer-fragmented Mediterranean rivers: Structuring effects on fish distributions, assemblage composition and species richness. *Hydrobiologia* **2012**, *696*, 137–158.
205. Morgan, R.P.; Cushman, S.E. Urbanization effects on stream fish assemblages in Maryland, USA. *J. N. Am. Benthol. Soc.* **2005**, *24*, 643–655.
206. Muehlbauer, J.D.; Doyle, M.W. Knickpoint effects on macroinvertebrates, sediment, and discharge in urban and forested streams: Urbanization outweighs microscale habitat heterogeneity. *Freshw. Sci.* **2012**, *31*, 282–295.
207. Múrria, C.; Bonada, N.; Arnedo, M.A.; Prat, N.; Vogler, A.P. Higher β - and γ -diversity at species and genetic levels in headwaters than in mid-order streams in *Hydropsyche* (Trichoptera). *Freshw. Biol.* **2013**, *58*, 2226–2236.
208. Mykrä, H.; Heino, J.; Oksanen, J.; Muotka, T. The stability-diversity relationship in stream macroinvertebrates: Influences of sampling effects and habitat complexity: Stability and diversity of stream macroinvertebrates. *Freshw. Biol.* **2011**, *56*, 1122–1132.
209. Nabout, J.C.; de Nogueira, I.S.; de Oliveira, L.G.; Morais, R.R. Phytoplankton diversity (alpha, beta, and gamma) from the Araguaia River tropical floodplain lakes (central Brazil). *Hydrobiologia* **2007**, *575*, 455–461.
210. Naymik, J.; Pan, Y.D.; Ford, J. Diatom assemblages as indicators of timber harvest effects in coastal Oregon streams. *J. N. Am. Benthol. Soc.* **2005**, *24*, 569–584.
211. Nilsson, E.; Olsson, K.; Persson, A.; Nystrom, P.; Svensson, G.; Nilsson, U. Effects of stream predator richness on the prey community and ecosystem attributes. *Oecologia* **2008**, *157*, 641–651.
212. Nislow, K.H.; Hudy, M.; Letcher, B.H.; Smith, E.P. Variation in local abundance and species richness of stream fishes in relation to dispersal barriers: Implications for management and conservation: Barriers and stream fishes. *Freshw. Biol.* **2011**, *56*, 2135–2144.
213. Niu, S.Q.; Franczyk, M.P.; Knouft, J.H. Regional species richness, hydrological characteristics and the local species richness of assemblages of North American stream fishes: *Regional and local effects on stream fish assemblages*. *Freshw. Biol.* **2012**, *57*, 2367–2377.
214. Oberdorff, T.; Guegan, J.F.; Hugueny, B. Global scale patterns of fish species richness in rivers. *Ecography* **1995**, *18*, 345–352.
215. Oberdorff, T.; Guilbert, E.; Lucchetta, J. Patterns of Fish Species Richness in the Seine River Basin, France. *Hydrobiologia* **1993**, *259*, 157–167.
216. Oconnor, N. The Effects of Habitat Complexity on the Macroinvertebrates Colonizing Wood Substrates in a Lowland Stream. *Oecologia* **1991**, *85*, 504–512.

217. Olden, J.D.; Poff, N.L.; Bestgen, K.R. Life-history strategies predict fish invasions and extirpations in the Colorado River Basin. *Ecol. Monogr.* **2006**, *76*, 25–40.
218. O'Neill, B.J.; Thorp, J.H. Flow refugia for the zoobenthos of a sand-bed river: The role of physical-habitat complexity. *J. N. Am. Benthol. Soc.* **2011**, *30*, 546–558.
219. Ortiz, J.D.; Martí, E.; Puig, M.A. Influences of a point source on the microhabitat distribution of stream benthic macroinvertebrates. *Archiv. für Hydrobiol.* **2006**, *165*, 469–491.
220. Paillex, A.; Castella, E.; Carron, G. Aquatic macroinvertebrate response along a gradient of lateral connectivity in river floodplain channels. *J. N. Am. Benthol. Soc.* **2007**, *26*, 779–796.
221. Paller, M.H.; Specht, W.L.; Dyer, S.A. Effects of stream size on taxa richness and other commonly used benthic bioassessment metrics. *Hydrobiologia* **2006**, *568*, 309–316.
222. Pan, B.-Z.; Wang, H.-J.; Liang, X.-M.; Wang, H.-Z. Macrozoobenthos in Yangtze floodplain lakes: Patterns of density, biomass, and production in relation to river connectivity. *J. N. Am. Benthol. Soc.* **2011**, *30*, 589–602.
223. Pan, Y.D.; Stevenson, R.J.; Hill, B.H.; Herlihy, A.T. Ecoregions and benthic diatom assemblages in Mid-Atlantic Highlands streams, USA. *J. N. Am. Benthol. Soc.* **2000**, *19*, 518–540.
224. Pascoal, C.; Cássio, F.; Marvanová, L. Anthropogenic stress may affect aquatic hyphomycete diversity more than leaf decomposition in a low-order stream. *Archiv. für Hydrobiol.* **2005**, *162*, 481–496.
225. Passy, S.I. Differential cell size optimization strategies produce distinct diatom richness-body size relationships in stream benthos and plankton. *J. Ecol.* **2007**, *95*, 745–754.
226. Patrick, C.J.; Swan, C.M. Reconstructing the assembly of a stream-insect metacommunity. *J. N. Am. Benthol. Soc.* **2011**, *30*, 259–272.
227. Patrick, R. Importance of Diversity in the Functioning and Structure of Riverine Communities. *Limnol. Oceanogr.* **1988**, *33*, 1304–1307.
228. Pease, A.A.; González-Díaz, A.A.; Rodiles-Hernández, R.; Winemiller, K.O. Functional diversity and trait-environment relationships of stream fish assemblages in a large tropical catchment: Functional diversity of tropical stream fish assemblages. *Freshw. Biol.* **2012**, *57*, 1060–1075.
229. Penczak, T.; Agostinho, A.; Okada, E. Fish Diversity and Community Structure in 2 Small Tributaries of the Parana River, Parana State, Brazil. *Hydrobiologia* **1994**, *294*, 243–251.
230. Perry, S.; Sheldon, A. Effects of Exported Seston on Aquatic Insect Faunal Similarity and Species Richness in Lake Outlet Streams in Montana, Usa. *Hydrobiologia* **1986**, *137*, 65–77.
231. Persat, H.; OLIVIER, J.-M.; Pont, D. Theoretical habitat templates, species traits, and species richness: Fish in the Upper Rhône River and its floodplain. *Freshw. Biol.* **1994**, *31*, 439–454.
232. Peterson, C.; Grimm, N. Temporal Variation in Enrichment Effects During Periphyton Succession in a Nitrogen-Limited Desert Stream Ecosystem. *J. N. Am. Benthol. Soc.* **1992**, *11*, 20–36.
233. Petty, J.T.; Fulton, J.B.; Strager, M.P.; Merovich, G.T.; Stiles, J.M.; Ziemkiewicz, P.F. Landscape indicators and thresholds of stream ecological impairment in an intensively mined Appalachian watershed. *J. N. Am. Benthol. Soc.* **2010**, *29*, 1292–1309.
234. Pieterse, A.; Vanzyl, J. Observations on the Relation Between Phytoplankton Diversity and Environmental-Factors in the Vaal River at Balkfontein, South-Africa. *Hydrobiologia* **1988**, *169*, 199–207.

235. Piscart, C.; Moreteau, J.C.; Beisel, J.N. Biodiversity and structure of macroinvertebrate communities along a small permanent salinity gradient (Meurthe River, France). *Hydrobiologia* **2005**, *551*, 227–236.
236. Piscart, C.; Usseglio-Polatera, P.; Moreteau, J.-C.; Beisel, J.-N. The role of salinity in the selection of biological traits of freshwater invertebrates. *Archiv. für Hydrobiol.* **2006**, *166*, 185–198.
237. Pithart, D.; Pichlova, R.; Bily, M.; Hrbacek, J.; Novotna, K.; Pechar, L. Spatial and temporal diversity of small shallow waters in river Luznice floodplain. *Hydrobiologia* **2007**, *584*, 265–275.
238. Pond, G.J. Biodiversity loss in Appalachian headwater streams (Kentucky, USA): Plecoptera and Trichoptera communities. *Hydrobiologia* **2012**, *679*, 97–117.
239. Pool, T.K.; Olden, J.D.; Whittier, J.B.; Paukert, C.P. Environmental drivers of fish functional diversity and composition in the Lower Colorado River Basin. *Can. J. Fish. Aquat. Sci.* **2010**, *67*, 1791–1807.
240. Poole, K.E.; Downing, J.A. Relationship of declining mussel biodiversity to stream-reach and watershed characteristics in an agricultural landscape. *J. N. Am. Benthol. Soc.* **2004**, *23*, 114–125.
241. Pramual, P.; Kuvangkadilok, C. Agricultural land use and black fly (Diptera, Simuliidae) species richness and species assemblages in tropical streams, Northeastern Thailand. *Hydrobiologia* **2009**, *625*, 173–184.
242. Pringle, C. Nutrient Spatial Heterogeneity-Effects on Community Structure, Physiognomy, and Diversity of Stream Algae. *Ecology* **1990**, *71*, 905–920.
243. Rabeni, C.F.; Wang, N.; Sarver, R.J. Evaluating adequacy of the representative stream reach used in invertebrate monitoring programs. *J. N. Am. Benthol. Soc.* **1999**, *18*, 284–291.
244. Radwell, A.J.; Brown, A.V. Influence of fine sediments on meiofauna colonization densities in artificial stream channels. *Archiv. für Hydrobiol.* **2006**, *165*, 63–75.
245. Rambaud, M.; Combroux, I.; Haury, J.; Moret, J.; Machon, N.; Zavodna, M.; Pavoine, S. Relationships between channelization structures, environmental characteristics, and plant communities in four French streams in the Seine-Normandy catchment. *J. N. Am. Benthol. Soc.* **2009**, *28*, 596–610.
246. Ramirez, A.; Pringle, C.M.; Douglas, M. Temporal and spatial patterns in stream physicochemistry and insect assemblages in tropical lowland streams. *J. N. Am. Benthol. Soc.* **2006**, *25*, 108–125.
247. Rashleigh, B. Nestedness in riverine mussel communities: Patterns across sites and fish hosts. *Ecography* **2008**, *31*, 612–619.
248. Reice, S. Experimental Disturbance and the Maintenance of Species-Diversity in a Stream Community. *Oecologia* **1985**, *67*, 90–97.
249. Reice, S. Effects of Detritus Loading and Fish Predation on Leafpack Breakdown and Benthic Macroinvertebrates in a Woodland Stream. *J. N. Am. Benthol. Soc.* **1991**, *10*, 42–56.
250. Reiss, J.; Schmid-Araya, J.M. Existing in plenty: Abundance, biomass and diversity of ciliates and meiofauna in small streams. *Freshw. Biol.* **2008**, *53*, 652–668.
251. Rempel, L.L.; Richardson, J.S.; Healey, M.C. Flow refugia for benthic macroinvertebrates during flooding of a large river. *J. N. Am. Benthol. Soc.* **1999**, *18*, 34–48.
252. Resh, V.H.; Hildrew, A.G.; Statzner, B.; Townsend, C.R. Theoretical habitat templates, species traits, and species richness: A synthesis of long-term ecological research on the Upper Rhône River in the context of concurrently developed ecological theory. *Freshw. Biol.* **1994**, *31*, 539–554.

253. Reyjol, Y.; Compin, A.; A-Ibarra, A.; Lim, P. Longitudinal diversity patterns in streams: Comparing invertebrates and fish communities. *Archiv. für Hydrobiol.* **2003**, *157*, 525–533.
254. Richoux, P. Theoretical habitat templates, species traits, and species richness: Aquatic Coleoptera in the Upper Rhône River and its floodplain. *Freshw. Biol.* **1994**, *31*, 377–395.
255. Rincon, J.; Santelloco, R. Aquatic fungi associated with decomposing Ficus sp leaf litter in a neotropical stream. *J. N. Am. Benthol. Soc.* **2009**, *28*, 416–425.
256. Robertson, A.L.; Lancaster, J.; Belyea, L.R.; Hildrew, A.G. Hydraulic habitat and the assemblage structure of stream benthic microcrustacea. *J. N. Am. Benthol. Soc.* **1997**, *16*, 562–575.
257. Robinson, C.T.; Tockner, K.; Burgherr, P. Drift benthos relationships in the seasonal colonization dynamics of alpine streams. *Archiv. für Hydrobiol.* **2004**, *160*, 447–470.
258. Robinson, C.T.; Blaser, S.; Jolidon, C.; Shama, L.N.S. Scales of patchiness in the response of lotic macroinvertebrates to disturbance in a regulated river. *J. N. Am. Benthol. Soc.* **2011**, *30*, 374–385.
259. Romanuk, T.N.; Jackson, L.J.; Post, J.R.; McCauley, E.; Martinez, N.D. The structure of food webs along river networks. *Ecography* **2005**, *29*, 3–10.
260. Rosser, Z.; Pearson, R. Responses of Rock Fauna to Physical Disturbance in 2 Australian Tropical Rain-Forest Streams. *J. N. Am. Benthol. Soc.* **1995**, *14*, 183–196.
261. Roy, A.H.; Freeman, M.C.; Freeman, B.J.; Wenger, S.J.; Ensign, W.E.; Meyer, J.L. Investigating hydrologic alteration as a mechanism of fish assemblage shifts in urbanizing streams. *J. N. Am. Benthol. Soc.* **2005**, *24*, 656–678.
262. Roy, A.H.; Rosemond, A.D.; Leigh, D.S.; Paul, M.J.; Wallace, J.B. Habitat-specific responses of stream insects to land cover disturbance: Biological consequences and monitoring implications. *J. N. Am. Benthol. Soc.* **2003**, *22*, 292–307.
263. Rüegg, J.; Robinson, C.T. Comparison of macroinvertebrate assemblages of permanent and temporary streams in an Alpine flood plain, Switzerland. *Archiv. für Hydrobiol.* **2004**, *161*, 489–510.
264. Sakai, M.; Natuhara, Y.; Fukushima, K.; Naito, R.; Miyashita, H.; Kato, M.; Gomi, T. Responses of macroinvertebrate communities to 4 years of deer exclusion in first- and second-order streams. *Freshw. Sci.* **2013**, *32*, 563–575.
265. Sandin, L.; Johnson, R.K. Ecoregions and benthic macroinvertebrate assemblages of Swedish streams. *J. N. Am. Benthol. Soc.* **2000**, *19*, 462–474.
266. Sandin, L. Benthic macroinvertebrates in Swedish streams: Community structure, taxon richness, and environmental relations. *Ecography* **2003**, *26*, 269–282.
267. Santoul, F.; Figuerola, J.; Mastroiello, S.; Cereghino, R. Patterns of rare fish and aquatic insects in a southwestern French river catchment in relation to simple physical variables. *Ecography* **2005**, *28*, 307–314.
268. Schneck, F.; Schwarzbald, A.; Melo, A.S. Substrate roughness affects stream benthic algal diversity, assemblage composition, and nestedness. *J. N. Am. Benthol. Soc.* **2011**, *30*, 1049–1056.
269. Schneider, K.N.; Winemiller, K.O. Structural complexity of woody debris patches influences fish and macroinvertebrate species richness in a temperate floodplain-river system. *Hydrobiologia* **2008**, *610*, 235–244.
270. Schwendel, A.C.; Death, R.G.; Fuller, I.C.; Joy, M.K. Linking disturbance and stream invertebrate communities: How best to measure bed stability. *J. N. Am. Benthol. Soc.* **2011**, *30*, 11–24.

271. Scoggins, M.; McClintock, N.L.; Gosselink, L.; Bryer, P. Occurrence of polycyclic aromatic hydrocarbons below coal-tar-sealed parking lots and effects on stream benthic macroinvertebrate communities. *J. N. Am. Benthol. Soc.* **2007**, *26*, 694–707.
272. Scott, R.W.; Barton, D.R.; Evans, M.S.; Keating, J.J. Latitudinal gradients and local control of aquatic insect richness in a large river system in northern Canada. *J. N. Am. Benthol. Soc.* **2011**, *30*, 621–634.
273. Sheldon, A.L.; Warren, M.L., Jr. Filters and templates: Stonefly (Plecoptera) richness in Ouachita Mountains streams, U.S.A. *Freshw. Biol.* **2009**, *54*, 943–956.
274. Simon, T.N.; Travis, J. The contribution of man-made ditches to the regional stream biodiversity of the new river watershed in the Florida panhandle. *Hydrobiologia* **2011**, *661*, 163–177.
275. Singer, G.; Besemer, K.; Schmitt-Kopplin, P.; Hödl, I.; Battin, T.J. Physical Heterogeneity Increases Biofilm Resource Use and Its Molecular Diversity in Stream Mesocosms. *PLoS One* **2010**, *5*, e9988.
276. Singer, G.A.; Battin, T.J. Anthropogenic subsidies alter stream consumer-resource stoichiometry, biodiversity, and food chains. *Ecol. Appl.* **2006**, *17*, 376–389.
277. Sircom, J.; Walde, S.J. Niches and neutral processes contribute to the resource-diversity relationships of stream detritivores: Resources and the diversity of stream detritivores. *Freshw. Biol.* **2011**, *56*, 877–888.
278. Smith, J.M.; Mather, M.E. Beaver dams maintain fish biodiversity by increasing habitat heterogeneity throughout a low-gradient stream network. *Freshw. Biol.* **2013**, *58*, 1523–1538.
279. Smith, R.F.; Lamp, W.O. Comparison of insect communities between adjacent headwater and main-stem streams in urban and rural watersheds. *J. N. Am. Benthol. Soc.* **2008**, *27*, 161–175.
280. Smucker, N.J.; Vis, M.L. Use of diatoms to assess agricultural and coal mining impacts on streams and a multiassemblage case study. *J. N. Am. Benthol. Soc.* **2009**, *28*, 659–675.
281. Snyder, C.D.; Johnson, Z.B. Macroinvertebrate assemblage recovery following a catastrophic flood and debris flows in an Appalachian mountain stream. *J. N. Am. Benthol. Soc.* **2006**, *25*, 825–840.
282. Soininen, J.; Paavola, R.; Muotka, T. Benthic diatom communities in boreal streams: Community structure in relation to environmental and spatial gradients. *Ecography* **2004**, *27*, 330–342.
283. Sokol, E.R.; Benfield, E.F.; Belden, L.K.; Valett, H.M. The assembly of ecological communities inferred from taxonomic and functional composition. *Am. Nat.* **2011**, *177*, 630–644.
284. Spitale, D.; Lencioni, V.; Cantonati, M. Relative importance of space and time in determining the biotic structure in the upper part of spring-fed streams. *Freshw. Sci.* **2012**, *31*, 586–598.
285. Spooner, D.E.; Vaughn, C.C. A trait-based approach to species' roles in stream ecosystems: Climate change, community structure, and material cycling. *Oecologia* **2008**, *158*, 307–317.
286. Statzner, B.; Resh, V. Multiple-Site and Multiple-Year Analyses of Stream Insect Emergence - a Test of Ecological Theory. *Oecologia* **1993**, *96*, 65–79.
287. Steffen, K.; Becker, T.; Herr, W.; Leuschner, C. Diversity loss in the macrophyte vegetation of northwest German streams and rivers between the 1950s and *Hydrobiologia* **2013**, *713*, 1–17.
288. Stenger-Kovacs, C.; Toth, L.; Toth, F.; Hajnal, E.; Padisak, J. Stream order-dependent diversity metrics of epilithic diatom assemblages. *Hydrobiologia* **2014**, *721*, 67–75.

289. Stevenson, R. Epilithic and Epipelic Diatoms in the Sandusky River, with Emphasis on Species-Diversity and Water-Pollution. *Hydrobiologia* **1984**, *114*, 161–175.
290. Stewart, B.; Strehlow, K.; Davis, J. Impacts of deep open drains on water quality and biodiversity of receiving waterways in the Wheatbelt of Western Australia. *Hydrobiologia* **2009**, *619*, 103–118.
291. Suren, A.M.; Duncan, M.J. Rolling stones and mosses: Effect of substrate stability on bryophyte communities in streams. *J. N. Am. Benthol. Soc.* **1999**, *18*, 457–467.
292. Suvarnaraksha, A.; Lek, S.; Lek-Ang, S.; Jutagate, T. Fish diversity and assemblage patterns along the longitudinal gradient of a tropical river in the Indo-Burma hotspot region (Ping-Wang River Basin, Thailand). *Hydrobiologia* **2012**, *694*, 153–169.
293. Szoszkiewicz, K.; Budka, A.; Kayzer, D.; Pietruczuk, K. Diversity of macrophyte communities and their relationship to water quality in different types of lowland rivers in Poland. *Hydrobiologia* **2014**, *737*, 77–85.
294. Tachet, H.; USSEGLIO-POLATERA, P.; ROUX, C. Theoretical habitat templates, species traits, and species richness: Trichoptera in the Upper Rhône River and its floodplain. *Freshw. Biol.* **1994**, *31*, 397–415.
295. Taylor, B.R.; Mallaley, C.; Cairns, J.F. Limited evidence that mixing leaf litter accelerates decomposition or increases diversity of decomposers in streams of eastern Canada. *Hydrobiologia* **2007**, *592*, 405–422.
296. Taylor, C.M.; Millican, D.S.; Roberts, M.E.; Slack, W.T. Long-term change to fish assemblages and the flow regime in a southeastern US river system after extensive aquatic ecosystem fragmentation. *Ecography* **2008**, *31*, 787–797.
297. Taylor, C.M.; Holder, T.L.; Fiorillo, R.A.; Williams, L.R.; Thomas, R.B.; Warren, M.L. Distribution, abundance, and diversity of stream fishes under variable environmental conditions. *Can. J. Fish. Aquat. Sci.* **2006**, *63*, 43–54.
298. Taylor, C.M. Fish species richness and incidence patterns in isolated and connected stream pools: Effects of pool volume and spatial position. *Oecologia* **1997**, *110*, 560–566.
299. Tessler, M.; Truhn, K.M.; Bliss-Moreau, M.; Wehr, J.D. Diversity and distribution of stream bryophytes: Does pH matter? *Freshw. Sci.* **2014**, *33*, 778–787.
300. Thompson, R.; Townsend, C. A truce with neutral theory: Local deterministic factors, species traits and dispersal limitation together determine patterns of diversity in stream invertebrates. *J. Anim. Ecol.* **2006**, *75*, 476–484.
301. Thomson, J.R.; Hart, D.D.; Charles, D.F.; Nightengale, T.L.; Winter, D.M. Effects of removal of a small dam on downstream macroinvertebrate and algal assemblages in a Pennsylvania stream. *J. N. Am. Benthol. Soc.* **2005**, *24*, 192–207.
302. Tonkin, J.D.; Death, R.G.; Collier, K.J. Do productivity and disturbance interact to modulate macroinvertebrate diversity in streams? *Hydrobiologia* **2013**, *701*, 159–172.
303. Tonkin, J.D.; Death, R.G. Consistent effects of productivity and disturbance on diversity between landscapes. *Ecosphere* **2012**, *3*, UNSP 108.
304. Townsend, C.R.; Scarsbrook, M.R.; Doledec, S. The intermediate disturbance hypothesis, refugia, and biodiversity in streams. *Limnol. Oceanogr.* **1997**, *42*, 938–949.

305. Townsend, C.R.; Scarsbrook, M.R.; Doleddec, S. Quantifying disturbance in streams: Alternative measures of disturbance in relation to macroinvertebrate species traits and species richness. *J. N. Am. Benthol. Soc.* **1997**, *16*, 531–544.
306. Traister, E.M.; McDowell, W.H.; Kram, P.; Fottova, D.; Kolarikova, K. Persistent effects of acidification on stream ecosystem structure and function. *Freshw. Sci.* **2013**, *32*, 586–596.
307. Tsui, C.K. M.; Hyde, K.D.; Hodgkiss, I.J. Longitudinal and temporal distribution of freshwater ascomycetes and dematiaceous hyphomycetes on submerged wood in the Lam Tsuen River, Hong Kong. *J. N. Am. Benthol. Soc.* **2001**, *20*, 533–549.
308. Usseglio-Polatera, P.; Tachet, H. Theoretical Habitat Templates, Species Traits, and Species Richness - Plecoptera and Ephemeroptera in the Upper Rhone River and Its Floodplain. *Freshw. Biol.* **1994**, *31*, 357–375.
309. Usseglio-Polatera, P. Theoretical habitat templates, species traits, and species richness: Aquatic insects in the Upper Rhône River and its floodplain. *Freshw. Biol.* **1994**, *31*, 417–437.
310. Vaughn, C.C. Regional patterns of mussel species distributions in North American rivers. *Ecography* **1997**, *20*, 107–115.
311. Vaz, P.G.; Dias, S.; Pinto, P.; Merten, E.C.; Robinson, C.T.; Warren, D.R.; Rego, F.C. Effects of burn status and conditioning on colonization of wood by stream macroinvertebrates. *Freshw. Sci.* **2014**, *33*, 832–846.
312. Velho, L.F.M.; Bini, L.M.; Lansac-Toha, F.A. Testate amoeba (Rhizopoda) diversity in plankton of the Upper Parana River floodplain, Brazil. *Hydrobiologia* **2004**, *523*, 103–111.
313. Vermonden, K.; Brodersen, K.P.; Jacobsen, D.; van Kleef, H.; van der Velde, G.; Leuven, R.S.E.W. The influence of environmental factors and dredging on chironomid larval diversity in urban drainage systems in polders strongly influenced by seepage from large rivers. *J. N. Am. Benthol. Soc.* **2011**, *30*, 1074–1092.
314. Vinson, M.R.; Hawkins, C.P. Broad-scale geographical patterns in local stream insect genera richness. *Ecography* **2003**, *26*, 751–767.
315. Virtanen, R.; Muotka, T.; Saksa, M. Species richness-standing crop relationship in stream bryophyte communities: Patterns across multiple scales. *J. Ecol.* **2001**, *89*, 14–20.
316. Wagner, R.; Schmidt, H.-H. Yearly discharge patterns determine species abundance and community diversity: Analysis of a 25 year record from the Breitenbach. *Archiv. für Hydrobiol.* **2004**, *161*, 511–540.
317. Wellnitz, T.; Rader, R.B. Mechanisms influencing community composition and succession in mountain stream periphyton: Interactions between scouring history, grazing, and irradiance. *J. N. Am. Benthol. Soc.* **2003**, *22*, 528–541.
318. Wiberg-Larsen, P.; Brodersen, K.P.; Birkholm, S.; Grøn, P.N.; Skriver, J. Species richness and assemblage structure of Trichoptera in Danish streams. *Freshw. Biol.* **2000**, *43*, 633–647.
319. Wood, P.J.; Armitage, P.D. The response of the macroinvertebrate community to low-flow variability and supra-seasonal drought within a groundwater dominated stream. *Archiv. für Hydrobiol.* **2004**, *161*, 1–20.
320. Wood, P.J.; Gunn, J.; Smith, H.; Abas-Kutty, A. Flow permanence and macroinvertebrate community diversity within groundwater dominated headwater streams and springs. *Hydrobiologia* **2005**, *545*, 55–64.

321. Wooster, D.E.; DeBano, S.J. Effect of woody riparian patches in croplands on stream macroinvertebrates. *Archiv. Fur Hydrobiol.* **2006**, *165*, 241–268.
322. Wu, N.; Tang, T.; Zhou, S.; Jia, X.; Li, D.; Liu, R.; Cai, Q. Changes in benthic algal communities following construction of a run-of-river dam. *J. N. Am. Benthol. Soc.* **2009**, *28*, 69–79.
323. Wyzga, B.; Oglecki, P.; Radecki-Pawlik, A.; Skalski, T.; Zawiejska, J. Hydromorphological complexity as a driver of the diversity of benthic invertebrate communities in the Czarny Dunajec River, Polish Carpathians. *Hydrobiologia* **2012**, *696*, 29–46.
324. Yamamuro, A.M.; Lamberti, G.A. Influence of organic matter on invertebrate colonization of sand substrata in a northern Michigan stream. *J. N. Am. Benthol. Soc.* **2007**, *26*, 244–252.
325. Yule, C.M.; Leong, M.Y.; Liew, K.C.; Ratnarajah, L.; Schmidt, K.; Wong, H.M.; Pearson, R.G.; Boyero, L. Shredders in Malaysia: Abundance and richness are higher in cool upland tropical streams. *J. N. Am. Benthol. Soc.* **2009**, *28*, 404–415.
326. Zweig, L.D.; Rabeni, C.F. Biomonitoring for deposited sediment using benthic invertebrates: A test on 4 Missouri streams. *J. N. Am. Benthol. Soc.* **2001**, *20*, 643–657.

© 2015 by the authors; licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution license (<http://creativecommons.org/licenses/by/4.0/>).