

Correction

## Correction: Yoshie, T. et al. Optical Microcavity: Sensing down to Single Molecules and Atoms. Sensors 2011, 11, 1972-1991

## Tomoyuki Yoshie \*, Lingling Tang and Shu-Yu Su

Electrical and Computer Engineering, Fitzpatrick Institute for Photonics, Duke University, Durham, NC 27708, USA; E-Mails: lingling.tang@alumni.duke.edu (L.T.); shuyu.su@duke.edu (S.-Y.S.)

\* Author to whom correspondence should be addressed; E-Mail: yoshie@duke.edu; Tel.: +1-919-660-8448; Fax: +1-919-660-5293.

Received: 21 June 2011 / Published: 22 June 2011

The coefficient of the expression of Equation (6) was not properly written. Equation (6) should be corrected as

$$S \simeq \lambda \frac{\int_{emv} n\varepsilon_0 \left| E_j \right|^2 d\vec{r}}{\int \varepsilon \left| E_j \right|^2 d\vec{r}}$$

in our paper published in Sensors in 2011 [1].

## References

- 1. Yoshie, T.; Tang, L.; Su, S.-Y. Optical Microcavity: Sensing down to Single Molecules and Atoms. *Sensors* **2011**, *11*, 1972-1991.
- © 2011 by the authors; licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution license (http://creativecommons.org/licenses/by/3.0/).