

Supplementary Information

Figure S1. ^1H -NMR of PNG-1 (600 MHz, $\text{C}_5\text{D}_5\text{N}/\text{D}_2\text{O}$, 20/1).	P2
Figure S2. ^{13}C -NMR of PNG-1 (150 MHz, $\text{C}_5\text{D}_5\text{N}/\text{D}_2\text{O}$, 20/1).	P3
Figure S3. ^1H - ^1H COSY of PNG-1 (600 MHz, $\text{C}_5\text{D}_5\text{N}/\text{D}_2\text{O}$, 20/1).	P4
Figure S4. NOESY of PNG-1 (600 MHz, $\text{C}_5\text{D}_5\text{N}/\text{D}_2\text{O}$, 20/1).	P5
Figure S5. HSQC of PNG-1 (600 MHz, $\text{C}_5\text{D}_5\text{N}/\text{D}_2\text{O}$, 20/1).	P6
Figure S6. HMBC of PNG-1 (600 MHz, $\text{C}_5\text{D}_5\text{N}/\text{D}_2\text{O}$, 20/1).	P7
Figure S7. ^1H -NMR of PNG-2A (600 MHz, $\text{C}_5\text{D}_5\text{N}/\text{D}_2\text{O}$, 20/1).	P8
Figure S8. ^1H - ^1H COSY of PNG-2A (600 MHz, $\text{C}_5\text{D}_5\text{N}/\text{D}_2\text{O}$, 20/1).	P9
Figure S9. NOESY of PNG-2A (600 MHz, $\text{C}_5\text{D}_5\text{N}/\text{D}_2\text{O}$, 20/1).	P10
Figure S10. HSQC of PNG-2A (600 MHz, $\text{C}_5\text{D}_5\text{N}/\text{D}_2\text{O}$, 20/1).	P11
Figure S11. ^1H -NMR of PNG-2B (600 MHz, $\text{C}_5\text{D}_5\text{N}/\text{D}_2\text{O}$, 20/1).	P12
Figure S12. ^{13}C -NMR of PNG-2B (150 MHz, $\text{C}_5\text{D}_5\text{N}/\text{D}_2\text{O}$, 20/1).	P13
Figure S13. ^1H - ^1H COSY of PNG-2B (600 MHz, $\text{C}_5\text{D}_5\text{N}/\text{D}_2\text{O}$, 20/1).	P14
Figure S14. NOESY of PNG-2B (600 MHz, $\text{C}_5\text{D}_5\text{N}/\text{D}_2\text{O}$, 20/1).	P15
Figure S15. HSQC of PNG-2B (600 MHz, $\text{C}_5\text{D}_5\text{N}/\text{D}_2\text{O}$, 20/1).	P16
Figure S16. HMBC of PNG-2B (600 MHz, $\text{C}_5\text{D}_5\text{N}/\text{D}_2\text{O}$, 20/1).	P17


Figure S1. ^1H -NMR of PNG-1 (600 MHz, $\text{C}_5\text{D}_5\text{N}/\text{D}_2\text{O}$, 20/1).


Figure S2. ^{13}C -NMR of PNG-1 (150 MHz, C5D5N/D₂O, 20/1).


Figure S3. ^1H - ^1H COSY of PNG-1 (600 MHz, C5D5N/D₂O, 20/1).

Figure S4. NOESY of PNG-1 (600 MHz, C₅D₅N/D₂O, 20/1).





Figure S5. HSQC of PNG-1 (600 MHz, C₅D₅N/D₂O, 20/1).


Figure S6. HMBC of PNG-1 (600 MHz, C₅D₅N/D₂O, 20/1).

Figure S7. ^1H -NMR of PNG-2A (600 MHz, $\text{C}_5\text{D}_5\text{N}/\text{D}_2\text{O}$, 20/1).





Figure S8. COSY of PNG-2A (600 MHz, C₅D₅N/D₂O, 20/1).


Figure S9. NOESY of PNG-1 (600 MHz, C₅D₅N/D₂O, 20/1).


Figure S10. HSQC of PNG-2A (600 MHz, C₅D₅N/D₂O, 20/1).


Figure S11. ^1H -NMR of PNG-2B (600 MHz, $\text{C}_5\text{D}_5\text{N}/\text{D}_2\text{O}$, 20/1).


Figure S12. ^{13}C -NMR of PNG-2B (150 MHz, $\text{C}_5\text{D}_5\text{N}/\text{D}_2\text{O}$, 20/1).

Figure S13. COSY of PNG-2B (600 MHz, C₅D₅N/D₂O, 20/1).





Figure S14. NOESY of PNG-2B (600 MHz, C₅D₅N/D₂O, 20/1).


Figure S15. HSQC of PNG-2B (600 MHz, C₅D₅N/D₂O, 20/1).

Figure S16. HMBC of PNG-2B (600 MHz, C₅D₅N/D₂O, 20/1).