

Supplementary Information

Figure S1. ^1H NMR in CD_3OD for compound **1**.






Figure S2. ^1H NMR-2 in CD_3OD for compound 1.**Figure S3.** ^{13}C NMR in CD_3OD for compound 1.



Figure S4. COSY in CD₃OD for compound 1.**Figure S5.** COSY-2 in CD₃OD for compound 1.



Figure S6. HSQC in CD₃OD for compound **1**.**Figure S7.** HMBC in CD₃OD for compound **1**.



Figure S8. HMBC-2 in CD₃OD for compound **1**.**Figure S9.** NOESY in CD₃OD for compound **1**.



Figure S10. ^1H NMR in CD_3OD for compound **2**.**Figure S11.** ^1H NMR-2 in CD_3OD for compound **2**.



Figure S12. ^{13}C NMR in CD_3OD for compound 2.**Figure S13.** COSY in CD_3OD for compound 2.



Figure S14. COSY-2 in CD₃OD for compound 2.**Figure S15.** HSQC in CD₃OD for compound 2.



Figure S16. HMBC in CD₃OD for compound 2.**Figure S17.** HMBC-2 in CD₃OD for compound 2.



Figure S18. NOESY in CD₃OD for compound 2.**Figure S19.** ¹H NMR in CD₃OD for compound 3.



Figure S20. ^{13}C NMR in CD_3OD for compound 3.**Figure S21.** COSY in CD_3OD for compound 3.



Figure S22. COSY-2 in CD₃OD for compound **3**.**Figure S24.** HSQC in CD₃OD for compound **3**.



Figure S25. HMBC in CD₃OD for compound 3.**Figure S26.** HMBC-2 in CD₃OD for compound 3.



Figure S27. NOESY in CD₃OD for compound 3.Figure S28. ¹H NMR in CD₃OD for compound 4.



Figure S29. ^{13}C NMR in CD_3OD for compound 4.**Figure S30.** COSY in CD_3OD for compound 4.



Figure S31. HSQC in CD₃OD for compound **4**.**Figure S32.** HMBC in CD₃OD for compound **4**.



Figure S33. ^1H NMR in CD_3OD for compound 5.**Figure S34.** ^1H NMR-2 in CD_3OD for compound 5.



Figure S35. ^{13}C NMR in CD_3OD for compound **5**.**Figure S36.** COSY in CD_3OD for compound **5**.



Figure S37. COSY-2 in CD₃OD for compound **5**.**Figure S38.** HSQC in CD₃OD for compound **5**.



Figure S39. HMBC in CD₃OD for compound **5**.**Figure S40.** HMBC-2 in CD₃OD for compound **5**.



Figure S41. NOESY in CD₃OD for compound **5**.**Figure S42.** ¹H NMR in CD₃OD for compound **6**.



Figure S43. ^1H NMR-2 in CD_3OD for compound **6**.**Figure S44.** ^{13}C NMR in CD_3OD for compound **6**.



Figure S45. DEPT in CD₃OD for compound **6**.**Figure S46.** COSY in CD₃OD for compound **6**.



Figure S47. HSQC in CD₃OD for compound **6**.**Figure S48.** HMBC in CD₃OD for compound **6**.



Figure S49. HMBC-2 in CD₃OD for compound 6.**Figure S50.** NOESY in CD₃OD for compound 6.






Figure S51. NOESY-2 in CD₃OD for compound **6**.**Figure S52.** HR-TOF-MS for compound **1**.**Figure S53.** HR-TOF-MS for compound **2**.

Figure S54. HR-TOF-MS for compound 3.**Acquisition Parameter**

Source Type	ESI	Ion Polarity	Positive	Set Nebulizer	0.8 Bar
Focus	Active			Set Dry Heater	200 °C
Scan Begin	50 m/z	Set Capillary	4500 V	Set Dry Gas	5.0 l/min
Scan End	1000 m/z	Set End Plate Offset	-500 V	Set Divert Valve	Waste

**Figure S55. HR-TOF-MS for compound 4.****Acquisition Parameter**

Source Type	ESI	Ion Polarity	Positive	Set Nebulizer	0.8 Bar
Focus	Active			Set Dry Heater	200 °C
Scan Begin	50 m/z	Set Capillary	4500 V	Set Dry Gas	5.0 l/min
Scan End	1000 m/z	Set End Plate Offset	-500 V	Set Divert Valve	Waste

**Figure S56. HR-TOF-MS for compound 5.**

Source Type	ESI	Ion Polarity	Positive	Set Nebulizer	0.8 Bar
Focus	Active			Set Dry Heater	200 °C
Scan Begin	50 m/z	Set Capillary	4500 V	Set Dry Gas	5.0 l/min
Scan End	1000 m/z	Set End Plate Offset	-500 V	Set Divert Valve	Waste





Figure S57. HR-TOF-MS for compound **6**.

© 2014 by the authors; licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution license (<http://creativecommons.org/licenses/by/3.0/>).