

Supplementary Material

Induction of Antibacterial Metabolites by Co-Cultivation of Two Red-Sea-Sponge-Associated Actinomycetes *Micromonospora* sp. UR56 and *Actinokinespora* sp. EG49

Mohamed S. Hifnawy^{1§}, Hossam M. Hassan^{2§}, Rabab Mohammed², Mohamed M. Fouda³, Ahmed M. Sayed³, Ahmed A. Hamed⁴, Sameh F. AbouZid², Mostafa E. Rateb⁵, Hani A. Alhadrami^{6,7*} and Usama Ramadan Abdelmohsen^{8,9*}.

¹Department of Pharmacognosy, Faculty of Pharmacy, Cairo University, Cairo, Egypt 11787,

²Department of Pharmacognosy, Faculty of Pharmacy, Beni-Suef University, Beni-Suef, Egypt 62514,

³Department of Pharmacognosy, Faculty of Pharmacy, Nahda University, Beni-Suef, Egypt 62513,

⁴Microbial Chemistry Department, National Research Center, 33 El-Buhouth Street, 12622, Giza, Egypt,

⁵School of Computing, Engineering & Physical Sciences, University of the West of Scotland, Paisley PA1 2BE, UK,

⁶Department of Medical Laboratory Technology, Faculty of Applied Medical Sciences, King Abdulaziz University, Jeddah, 21589, Saudi Arabia,

⁷King Fahd Medical Research Centre, King Abdulaziz University, Jeddah, 21589, Saudi Arabia

⁸Department of Pharmacognosy, Faculty of Pharmacy, Minia University, 61519 Minia, Egypt,

⁹Department of Pharmacognosy, Faculty of Pharmacy, Deraya University, Universities Zone, P.O. Box 61111 New Minia City, 61519 Minia.

*Correspondence: usama.ramadan@mu.edu.eg (URA) and haniahadrami@kau.edu.sa (HAA).

§Equal contributions: Mohamed S. Hifnawy and Hossam M. Hassan as first authors

Table S1. The dereplication results of the ethyl acetate fraction of micromonospora UR 56.

Table S2. The dereplication results of the ethyl acetate fraction of Actinokinospora EG49.

Table S3. The dereplication results of the ethyl acetate fraction of co-culture.

Figure S1: ^1H -NMR Spectrum of compound 1 (dimethyl phenazine-1,6-dicarboxylate)(CDCl_3).

Figure S2: Expanded ^1H -NMR Spectrum of compound 1 (dimethyl phenazine-1,6-dicarboxylate)(CDCl_3).

Figure S3: ^1H - $^1\text{HCOSY}$ Spectrum of compound 1 (dimethyl phenazine-1,6-dicarboxylate)(CDCl_3).

Figure S4: HSQC Spectrum of compound 1 (dimethyl phenazine-1,6-dicarboxylate)(CDCl_3).

Figure S5: HMBC Spectrum of compound 1 (dimethyl phenazine-1,6-dicarboxylate (CDCl_3))

FigureS6: HRESIMS of compound 1 (dimethyl phenazine-1,6-dicarboxylate).

Figure S7: ^1H -NMR Spectrum of compound 2 (phencomycin)(CDCl_3).

Figure S8: Expanded ^1H -NMR Spectrum of compound 2 (phencomycin)(CDCl_3).

Figure S9: ^{13}C -NMR spectrum of compound 2 (phencomycin)(CDCl_3).

Figure S10: ^1H - $^1\text{HCOSY}$ Spectrum of compound 2 (phencomycin)(CDCl_3).

Figure S11: HSQC Spectrum of compound 2 (phencomycin)(CDCl_3).

FigureS12: HMBC Spectrum of compound 2 (phencomycin)(CDCl_3).

FigureS13: HRESIMS of compound 2 (phencomycin).

Figure S14: ^1H -NMR Spectrum of compound 3 (Phenazine -1-carboxylic acid)(CDCl_3).

Figure S15: Expanded ^1H -NMR Spectrum of compound 3 (Phenazine -1-carboxylic acid(CDCl_3)).

Figure S16: ^{13}C -NMR spectrum of compound 3 (Phenazine -1-carboxylic acid) (CDCl_3).

Figure S17: ^1H - $^1\text{HCOSY}$ Spectrum of compound 3 (Phenazine -1-carboxylic acid) (CDCl_3).

Figure S18: HSQC Spectrum of compound 3 (Phenazine -1-carboxylic acid)(CDCl_3).

FigureS19: HRESIMS of compound 3(Phenazine -1-carboxylic acid).

Figure S20: ^1H -NMR Spectrum of compound 11 (N-(2-hydroxyphenyl)-acetamide)(MeOD).

Figure S21: Expanded ^1H -NMR Spectrum of compound 11 (N-(2-hydroxyphenyl)-acetamide) (MeOD).

Figure S22: Expanded ^1H -NMR Spectrum of compound 11 (N-(2-hydroxyphenyl)-acetamide) (MeOD).

Figure S23: ^{13}C -NMR spectrum of compound 11 (N-(2-hydroxyphenyl)-acetamide)(MeOD).

Figure S24: ^1H - ^1H COSY Spectrum of compound 11 (N-(2-hydroxyphenyl)-acetamide)(MeOD).

Figure S25: HSQC Spectrum of compound 11(N-(2-hydroxyphenyl)-acetamide)(MeOD).

Figure S26: HMBC Spectrum of compound 11(N-(2-hydroxyphenyl)-acetamide)(MeOD).

Figure S27: HRESIMS of compound 11 (N-(2-hydroxyphenyl)-acetamide)(MeOD).

Figure S28: ^1H -NMR Spectrum of compound 12 (P-anisamide)(CDCl₃).

Figure S29: DEPTQ spectrum of compound 12(p-anisamide)(CDCl₃) .

Figure S30: Dereplicated metabolites from metabolomic analysis of *Micromonospora* sp UR 56.

Figure S31: Dereplicated metabolites from metabolomic analysis of *Actinokineospora* sp. EG49.

Figure S32. Dereplicated metabolites from metabolomic analysis of *co-culture Micromonospora* sp. UR 56 and *Actinokineospora* sp. EG49.




Figure S1:¹H-NMR Spectrum of compound 1 (dimethyl phenazine-1,6-dicarboxylate)(CDCl₃).




Figure S2: Expanded ^1H -NMR Spectrum of compound 1 (dimethyl phenazine-1,6-dicarboxylate)(CDCl_3).




Figure S3: ^1H - ^1H COSY Spectrum of compound 1 (dimethyl phenazine-1,6-dicarboxylate)(CDCl_3).




Figure S4: HSQC Spectrum of compound 1 (dimethyl phenazine-1,6-dicarboxylate)(CDCl₃).






Figure S5: HMBC Spectrum of compound 1 (dimethyl phenazine-1,6-dicarboxylate (CDCl_3))

MR758_1A #232-253 RT: 9.64-10.29 AV: 11 NL: 8.50E6
F: FTMS + p ESI Full ms [100.00-2000.00]



FigureS6: HRESIMS of compound 1 (dimethyl phenazine-1,6-dicarboxylate).






Figure S7: ^1H -NMR Spectrum of compound 2 (phencomycin)(CDCl_3).




Figure S8: Expanded ¹H-NMR Spectrum of compound 2 (phencomycin)(CDCl₃).




Figure S9: ^{13}C -NMR spectrum of compound 2 (phencomycin)(CDCl_3).






Figure S10: ^1H - ^1H COSY Spectrum of compound 2
(phencomycin)(CDCl_3).




**Figure S11: HSQC Spectrum of compound 2
(phencomycin)(CDCl₃).**



FigureS12: HMBC Spectrum of compound 2 (phencomycin)

MR759_2A #214-232 RT: 8.94-9.50 AV: 10 NL: 7.80E6
F. FTMS + p ESI Full ms [100.00-2000.00]



FigureS13: HRESIMS of compound 2 (phencomycin)

$\text{C}_{16}\text{H}_{14}\text{N}_2\text{O}_3 (\text{M}+\text{H})$




Figure S14:¹H-NMR Spectrum of compound 3 (Phenazine-1-carboxylic acid) (CDCl₃).




Figure S15: Expanded ^1H -NMR Spectrum of compound 3 (Phenazine -1-carboxylic acid) (CDCl_3).




Figure S16:¹³C-NMR spectrum of compound 3 (Phenazine-1-carboxylic acid) (CDCl_3).




Figure S17: ^1H - ^1H COSY Spectrum of compound 3 (Phenazine -1-carboxylic acid) (CDCl_3).





Figure S18: HSQC Spectrum of compound 3 (Phenazine -1-carboxylic acid) (CDCl_3).



FigureS19: HRESIMS of compound 3(Phenazine -1-carboxylic acid).

$C_{13}H_{19}N_2O_2 (M+H)$




Figure S20:¹H-NMR Spectrum of compound 1 1 (N-(2-hydroxyphenyl)-acetamide) (MeOD).




Figure S21: Expanded ^1H -NMR Spectrum of compound 11 (N-(2-hydroxyphenyl)-acetamide)(MeOD).




Figure S22: Expanded ^1H -NMR Spectrum of compound 11 (N-(2-hydroxyphenyl)-acetamide)(MeOD).




Figure S23:¹³C-NMR spectrum of compound 11 (N-(2-hydroxyphenyl)-acetamide)(MeOD).




Figure S24: ^1H - ^1H COSY Spectrum of compound 11 (N-(2-hydroxyphenyl)-acetamide)(MeOD).




Figure S25: HSQC Spectrum of compound 11(N-(2-hydroxyphenyl)-acetamide)(MeOD).





Figure S26: HMBC Spectrum of compound 11(N-(2-hydroxyphenyl)-acetamide)(MeOD).

MR765_8A #68-133 RT: 3.32-5.43 AV: 33 NL: 1.18E1
F: FTMS + p ESI Full ms [100.00-2000.00]



FigureS27: HRESIMS of compound 11 (N-(2-hydroxyphenyl)-acetamide)(MeOD). C₈H₁₀O₂N(M+H)




Figure S28:¹H-NMR Spectrum of compound 12 (P-anisamide)(CDCl₃).






Figure S29: DEPTQ spectrum of compound 12(p-anisamide)(CDCl₃) .

Table (S1). The dereplication results of the ethyl acetate fraction of micromonospora UR 56.

Polarity	Rt(min)	m/z	Formula	Name	Source	Class	Activity	Reference
[M-H] ⁻	4.48	253.0607	C ₁₄ H ₁₀ N ₂ O ₃	9-Methoxy-1-phenazinecarboxylic acid. (1)	-----	Phenazine	-----	[1]
[M-H] ⁻	4.38	281.0557	C ₁₅ H ₁₀ N ₂ O ₄	Griseoluteic acid (2)	Streptomyces y-9031725	Phenazine	Active against HeLa cells and Ehrlich carcinoma	[2]
[M-H] ⁻	4.44	341.0769	C ₁₇ H ₁₄ N ₂ O ₆	Griseolutein A (3)	Streptomyces griseoluteus	Phenazine	Antibacterial activity against gram +ve and gram -ve bacteria	[3]
[M-H] ⁻	7.44	507.2489	C ₂₉ H ₃₆ N ₂ O ₆	Aestivophoenin C (4)	Streptomyces purpeofuscus	Phenazine	Neuronal cell protecting agent, antioxidant	[4]
[M+H] ⁺	3.16	211.1447	C ₁₁ H ₁₈ N ₂ O ₂	cyclo(D)-Pro-(D)-Leu (5)	Actinobacteria	diketopiperazine	Antifungal and antitumor	[5]
[M-H] ⁻	3.53	223.0600	C ₁₁ H ₁₂ O ₅	Reticulol (6)	Streptomyces mobaraensis	benzopyran	Inhibitor of cyclic nucleotide phosphodiester ase. Calmodulin antagonist	[6]
[M-H] ⁻	4.44	297.0506	C ₁₅ H ₁₀ N ₂ O ₅	SE-212021 Umycin-A; SM-35 Carboxyexfoliazone (7)	Streptomyces sp. Streptomyces sp. DSM 3813	phenoxyazine	Anthelmintic	[7]

[M-H] ⁻	7.29	511.2799	C ₂₉ H ₄₀ N ₂ O ₆	Dihydromaltophilin (8)	Streptomyces sp	Lactam	antifungal, angiogenesis inhibitor and antiulcer	[8]
[M+H] ⁺	11.56	629.4235	C ₃₄ H ₆₀ O ₁₀	X-14889-B; Ferensimycin-A; 5057-A (9)	Streptomyces sp. x-14889 (ATCC31679)	Poly ether	Active against Gram-positive bacteria. Effective in the treatment of coccidiosis of fowl	[9]
[M-H] ⁻	5.82	670.3025	C ₃₉ H ₄₅ NO ₉	Naphthomycin C (10)	Streptomyces collinus Tue 2357	Ansamycin	Antibacterial and antifungal	[10]
[M-H] ⁻	12.91	1042.6429	C ₅₃ H ₉₃ N ₃ O ₁₇	Neocopiamycin A (12)	Streptomyces hygroscopicus var. crystallogenesis ifm 1136 (ATCC 19040)	Lactone	Antifungal	[11]
[M+H] ⁺	11.62	598.1100	C ₃₂ H ₂₂ O ₁₂	Crisamicin A (13)	Micromonospo ra m. purpureochro mogenes celinoensis	Quinone	Active against Gram-positive bacteria. Immunomodula tor	[12]





$\text{C}_{53}\text{H}_{93}\text{N}_3\text{O}_{17}$
Exact mass: 1043.6505
Neocopiamycin A
12

Fig S30. Dereplicated metabolites from metabolomic analysis of *Micromonospora* sp UR 56

Table (S2). The dereplication results of the ethyl acetate fraction of *Actinokinospora EG49*.

Polarity	Rt(min)	m/z	Formula	Name	Source	Activity	Class	Reference
[M+H] ⁺	11.98	611.2127	C ₃₂ H ₃₄ O ₁₂	Actinosporin A (13)	Actinokinospora EG 49	Anti-trypanosomal	Anthraquinone	[13]
[M+H] ⁺	10.60	519.1444	C ₂₅ H ₂₆ O ₁₂	Actinosporin B (14)	Actinokinospora EG 49	-----	Anthraquinone	[13]
[M-H] ⁻	4.80	467.1350	C ₂₅ H ₂₄ O ₉	Atramycin A (15)	Streptomyces atratus	Antitumor	Anthraquinone	[14]
[M-H] ⁻	4.35	451.1386	C ₂₅ H ₂₄ O ₈	Atramycin B (16)	Streptomyces atratus	Antitumor	Anthraquinone	[14]
[M+H] ⁺	3.14	152.0709	C ₈ H ₉ NO ₂	Streptokordin (17)	Actinobacteria Streptomyces sp	Cytotoxic	Methyl pyridine	[15]
[M+H] ⁺	2.43	197.1289	C ₁₀ H ₁₆ N ₂	Cyclo-(prolyl-valyl)(18) O ₂	Actinobacteria	-----	diketopiperazine	
[M-H] ⁻	2.31	463.1708	C ₂₂ H ₂₈ N ₂ O ₉	Antibiotic USF 19A(19)	Streptomyces sp. USF19	Lipoxygenase inhibitor	Quinone	[16]
[M+H] ⁺	12.65	701.481	C ₃₈ H ₆₈ O ₁₁	Inostamycin (20)	Streptomyces sp.	Antibacterial and antimetastatic	polyether	[17]

[M-H] ⁻	6.87	253.049	C ₁₅ H ₁₀ O ₄	Daidzein(21)	Micromonospora halophytica	Antioxidant with anticancer and bone-protectant	isoflavones	[18]
[M-H] ⁻	4.90	341.0657	C ₁₈ H ₁₄ O ₇	Momofulvenone- A(22)	Streptomyces diastatochromogenes (strain Tue 2895)	-----	Quinone	[19]
[M+H] ⁺	12.03	523.3602	C ₂₆ H ₄₆ N ₆ O ₅	Lucentamycin C (23)	Actinobacteria Nocardiopsis lucentensis	cytotoxic	Peptide	[20]





Fig S31. Dereplicated metabolites from metabolomic analysis of *Actinokineospora sp. EG49*.


Table (S3).The dereplication results of the ethyl acetate fraction of co-culture.

Name	Formula	m/z	Source	Class	Activity	Reference
Phenazine-1-carboxylic acid (24) Tubermycin B	C ₁₃ H ₈ N ₂ O ₂	224.0580	Streptomyces antibioticus strain Tue 2706	Phenazine	Antibacterial	[21]
Saphenic acid methyl ether (methyl sphenate)(25)	C ₁₆ H ₁₄ N ₂ O ₃	282.0999	Streptomyces antibioticus strain Tue 2706	Phenazine	----- -	[22]
dimethyl Phenazine 1,6-dicarboxylate (26)	C ₁₆ H ₁₂ N ₂ O ₄	296.0781	Prod. by a Streptomyces sp	phenazine	----- -	[23]
Phenazine -1,6-carboxylic acid mono methyl ester (phencomycin)(27)	C ₁₅ H ₁₀ N ₂ O ₄	282.0648	Prod. by a Streptomyces sp	Phenazine	Antibacterial and antitumor	[23]
Citreamicin e (28)	C ₃₀ H ₂₅ NO ₁₁	575.14275	Actinobacteria Streptomyces caelstis	Quinone	Antibacterial including MRSA	[24]
Antibiotic SF 2446A2(29)	C ₃₄ H ₃₅ NO ₁₅	697.2001	Streptomyces sp. sf2446	Quinone	Active against Gram-positive bacteria and mycoplasmas	[25]
7 - Hydroxybenanomicin-A (30)	C ₃₉ H ₄₁ NO ₂₀	843.2216	Actinomadura sp. mh193-16f4	Quinone	-----	[26]
11-Hydroxycinerubin A (31)	C ₄₂ H ₅₃ NO ₁₇	843.3308	Streptomyces galilaeus	Quinone	----- -	[27]
Tetin B (32)	C ₃₄ H ₅₁ NO ₁₄	697.3304	Streptomyces sp.	Macrolide	Antifungal	[28]
Maridomycin-II (33)	C ₄₂ H ₆₉ NO ₁₆	843.4610	Streptomyces platensis-malvinus	Macrolide	Antibacterial	[29]
Dactylocycline-A(34)	C ₃₁ H ₄₀ ClN ₃ O ₁	697.2244	Dactylospora ngium sp.	Tetracyclin	Antibacterial	[30]


				(ATCC 53693)			
pulicatin A (35)	C ₁₁ H ₁₃ NO ₂ S	223.0667	Actinobacter ia Streptomyce s sp	Thiazole	-----	[31]	
Antibiotic MSD 92 (36)	C ₈ H ₉ N ₅ O ₃	223.0699	Streptomyce s sp. IM2096 Streptomyce s sp. GW7/2495	pyrimidotriazine	Antibacterial	[32]	
MKN-003A (37)	C ₁₃ H ₂₀ O ₃	224.1412	Actinobacter ia Streptomyce s sp	butenolide	Antifouling	[33]	
Cairomycin B (38)	C ₁₀ H ₁₅ N ₃ O ₃	225.1108	Streptomyce s AS-C-19	Cyclic peptide	Antibacterial	[34]	
(E)-4-Phenyl-3-(pyridine-2-yl)but-2-en-1-ol (39)	C ₁₅ H ₁₅ NO	225.1148	Streptomyce s sp.	Pyridine	Antiproliferative agent	[35]	
Lemonomycin (40)	C ₂₇ H ₄₁ N ₃ O ₉	551.2837	Streptomyce s candidus	isoquinoline	Antibacterial and antitumor	[36]	
Sinefungin VA (41)	C ₂₃ H ₃₇ N ₉ O ₇	551.2810	Streptomyce s sp. K05-0178	nucleoside	antitrypanosomal	[37]	
Deacetylanisomycin (42)	C ₁₂ H ₁₇ NO ₃	223.1203	marine Streptomyce s sp. SA3097	Pyrrolidine	----- ---	[38]	
1-Hydroxyanthraquinone (43)	C ₁₄ H ₈ O ₃	224.0468	Synthetic	Quinone	----- ---	[39]	
Pyramidamycin D (44)	C ₁₀ H ₁₂ N ₂ O ₄	224.0791	Streptoverticillium morookaense	Amide	----- ---	[40]	
5-Chloro-6-methoxy-1-methylisatin (45)	C ₁₀ H ₈ ClNO ₃	225.0187	Micromonospora carbonacea	Indole	----- ----	[41]	




$C_{13}H_8N_2O_2$
Exact mass:224.0586
Phenazine-1-carboxylic acid
(24)




$C_{16}H_{14}N_2O_3$
Exact mass:282.1004
Methyl saphenate




$C_{16}H_{12}N_2O_4$
Exact mass:296.0797
Dimethyl phenazine-1,6-dicarboxylate




$C_{15}H_{10}N_2O_4$
Exact mass:282.0641
phencomycin
(27)




$C_{30}H_{25}NO_{11}$
Exact mass:575.1428
Citreamicin epsilon
(28)




$C_{34}H_{35}NO_{15}$
Exact mass:697.2007
SF 2446A2
(29)




$C_{39}H_{41}NO_{20}$
Exact mass:843.2222
7-Hydroxybenanomycin-A
(30)



$C_{34}H_{51}NO_{14}$
Exact mass:697.3310
Tetron B (32)



$C_{42}H_{53}NO_{17}$
Exact mass:843.3313
11-Hydroxycinerubin A
(31)



$C_{42}H_{69}NO_{16}$
Exact mass:843.4616
Maridomycin-II
(33)




Fig S32. Dereplicated metabolites from metabolomic analysis of *co-culture Micromonospora* sp. UR 56 and *Actinokineospora* sp. EG49.

1. Byng, G.S.; Turner, J.M. Phenazine biosynthesis by a pseudomonad 1975.
2. Wang, Y.; Luo, Q.; Zhang, X.; Wang, W. Isolation and purification of a modified phenazine, griseoluteic acid, produced by *Streptomyces griseoluteus* P510. *Res. Microbiol.* **2011**, *162*, 311–319.
3. Challand, S.R.; Herbert, R.B.; Holliman, F.G. A new phenazine synthesis. The synthesis of griseoluteic acid, griseolutein A, and methyl diacetylgriseolutein B. *J. Chem. Soc. D Chem. Commun.* **1970**, 1423–1425.
4. Kunigami, T.; Shin-Ya, K.; Furihata, K.; Furihata, K.; Hayakawa, Y.; Seto, H. A novel neuronal cell protecting substance, aestivophoenin C, produced by *Streptomyces purpeofuscus*. *J. Antibiot. (Tokyo)*. **1998**, *51*, 880–882.
5. Fdhila, F.; Vázquez, V.; Sánchez, J.L.; Riguera, R. dd-Diketopiperazines: Antibiotics Active against *Vibrio anguillarum* Isolated from Marine Bacteria Associated with Cultures of *Pecten maximus*. *J. Nat. Prod.* **2003**, *66*, 1299–1301.
6. Mitscher, L.A.; Andres, W.W.; McCrae, W. Reticulol, a new metabolic isocoumarin. *Experientia* **1964**, *20*, 258–259.
7. Abdelfattah, M.S. A new bioactive aminophenoxyazinone alkaloid from a marine-derived actinomycete. *Nat. Prod. Res.* **2013**, *27*, 2126–2131.
8. Graupner, P.R.; Thornburgh, S.; Mathieson, J.T.; Chapin, E.L.; Kemmitt, G.M.; Brown, J.M.; Snipes, C.E. Dihydromaltophilin; a novel fungicidal tetramic acid containing metabolite from *Streptomyces* sp. *J. Antibiot. (Tokyo)*. **1997**, *50*, 1014–1019.
9. Kusakabe, Y.; Mizuno, T.; Kawabata, S.; Tanji, S.; Seino, A.; Seto, H.; Take, N. Ferensimycins A and B, two polyether antibiotics. *J. Antibiot. (Tokyo)*. **1982**, *35*, 1119–1129.
10. Mochizuki, J.; Kobayashi, E.; Furihata, K.; Kawaguchi, A.; Seto, H.; Take, N. New ansamycin antibiotics, naphthoquinomycins A and B, inhibitors of fatty acid synthesis in *Escherichia coli*. *J. Antibiot. (Tokyo)*. **1986**, *39*, 157–161.
11. Arai, T.; Uno, J.U.N.; Horimi, I.; Fukushima, K. Isolation of neocopiamycin A from *Streptomyces hygroscopicus* var. *crystallogenesis*, the copiamycin source. *J. Antibiot. (Tokyo)*. **1984**, *37*, 103–109.
12. Nelson, R.A.; Pope Jr, J.A.; Luedemann, G.M.; McDaniel, L.E.; Schaffner, C.P. Crisamicin A, A new antibiotic from *micromonospora*. *J. Antibiot. (Tokyo)*. **1986**, *39*, 335–344.
13. Abdelmohsen, U.; Cheng, C.; Viegelmann, C.; Zhang, T.; Grkovic, T.; Ahmed, S.; Quinn, R.; Hentschel, U.; Edrada-Ebel, R. Dereplication strategies for targeted isolation of new antitrypanosomal actinosporins A and B from a marine sponge associated-*Actinokineospora* sp. EG49. *Mar. Drugs* **2014**, *12*, 1220–1244.
14. Fujioka, K.; Furihata, K.; Shimazu, A.; Hayakawa, Y.; Seto, H. Isolation and characterization of atramycin A and atramycin B, new isotetracenone type antitumor antibiotics. *J. Antibiot. (Tokyo)*. **1991**, *44*, 1025–1028.

15. Jeong, S.-Y.; Shin, H.J.; Kim, T.S.; Lee, H.-S.; Park, S.; Kim, H.M. Streptokordin, a new cytotoxic compound of the methylpyridine class from a marine-derived *Streptomyces* sp. KORDI-3238. *J. Antibiot. (Tokyo)*. **2006**, *59*, 234–240.
16. Komoda, T.; Morimitsu, Y.; Hirota, H.; Hirota, A. USF-19A, a new lipoxygenase inhibitor from *Streptomyces* sp. *Biosci. Biotechnol. Biochem.* **1995**, *59*, 924–926.
17. Imoto, M.; Umezawa, K.; Takahashi, Y.; Naganawa, H.; Itaka, Y.; Nakamura, H.; Koizumi, Y.; Sasaki, Y.; Hamada, M.; Sawa, T. Isolation and structure determination of inostamycin, a novel inhibitor of phosphatidylinositol turnover. *J. Nat. Prod.* **1990**, *53*, 825–829.
18. Hirakura, K.; Morita, M.; Nakajima, K.; Sugama, K.; Takagi, K.; Niitsu, K.; Ikeya, Y.; Maruno, M.; Okada, M. Phenolic glucosides from the root of *Pueraria lobata*. *Phytochemistry* **1997**, *46*, 921–928.
19. Volkmann, C.; Rössner, E.; Metzler, M.; Zähner, H.; Zeeck, A. Metabolic products of microorganisms, 271. Momofulvenone A and B, new benzo [b] fluorene quinones from *Streptomyces*. *Liebigs Ann.* **1995**, *1995*, 1169–1172.
20. Cho, J.Y.; Williams, P.G.; Kwon, H.C.; Jensen, P.R.; Fenical, W. Lucentamycins A–D, cytotoxic peptides from the marine-derived actinomycete *Nocardiopsis lucentensis*. *J. Nat. Prod.* **2007**, *70*, 1321–1328.
21. Jayatilake, G.S.; Thornton, M.P.; Leonard, A.C.; Grimwade, J.E.; Baker, B.J. Metabolites from an Antarctic sponge-associated bacterium, *Pseudomonas aeruginosa*. *J. Nat. Prod.* **1996**, *59*, 293–296.
22. Geiger, A.; Keller-Schierlein, W.; Brandl, M.; ZÄHNER, H. Metabolites of microorganisms. 247 phenazines from *Streptomyces antibioticus*, strain Tü 2706. *J. Antibiot. (Tokyo)*. **1988**, *41*, 1542–1551.
23. Chatterjee, S.; Vijayakumar, E.K.S.; Franco, C.M.M.; Maurya, R.; Blumbach, J.; Ganguli, B.N. Phencomycin, a new antibiotic from a *Streptomyces* species HIL Y-9031725. *J. Antibiot. (Tokyo)*. **1995**, *48*, 1353–1354.
24. Hopp, D.C.; Milanowski, D.J.; Rhea, J.; Jacobsen, D.; Rabenstein, J.; Smith, C.; Romari, K.; Clarke, M.; Francis, L.; Irigoyen, M. Citreamicins with potent gram-positive activity. *J. Nat. Prod.* **2008**, *71*, 2032–2035.
25. Takeda, U.; Okada, T.; Takagi, M.; Gomi, S.; Itoh, J.; Sezaki, M.; Ito, M.; MIYADOH, S.; SHOMURA, T. SF2446, NEW BENZO [α] NAPHTHACENE QUINONE ANTIBIOTICS. *J. Antibiot. (Tokyo)*. **1988**, *41*, 417–424.
26. Kondo, S.; Gomi, S.; Uotani, K.; Miyakawa, S.; Inouye, S.; Ikeda, D.; Takeuchi, T. New hydroxybenanomicins produced by *Actinomadura*. *Drugs Exp. Clin. Res.* **1992**, *18*, 217–224.
27. Oki, T.; Yoshimoto, A.; Matsuzawa, Y.; Takeuchi, T.; Umezawa, H. Biosynthesis of anthracycline antibiotics by *Streptomyces galilaeus*. *J. Antibiot. (Tokyo)*. **1980**, *33*, 1331–1340.
28. Rinehart Jr, K.L.; Tucker, W.P.; Pandey, R.C. 1 Polyene antibiotics. III. Structure of tetrin B. *J. Am. Chem. Soc.* **1971**, *93*, 3747–3751.

29. Muroi, M.; IZAWA, M.; ASAI, M.; KISHI, T.; MIZUNO, K. MARIDOMYCIN, A NEW MACROLIDE ANTIBIOTIC. II. *J. Antibiot. (Tokyo)*. **1973**, *26*, 199–205.
30. Tymiak, A.A.; Aklonis, C.; Bolgar, M.S.; Kahle, A.D.; Kirsch, D.R.; O'Sullivan, J.; Porubcan, M.A.; Principe, P.; Trejo, W.H. Dactylocyclines: novel tetracycline glycosides active against tetracycline-resistant bacteria. *J. Org. Chem.* **1993**, *58*, 535–537.
31. Lin, Z.; Antemano, R.R.; Hughen, R.W.; Tianero, M.D.B.; Peraud, O.; Haygood, M.G.; Concepcion, G.P.; Olivera, B.M.; Light, A.; Schmidt, E.W. Pulicatins A–E, neuroactive thiazoline metabolites from cone snail-associated bacteria. *J. Nat. Prod.* **2010**, *73*, 1922–1926.
32. Wang, H.; Lim, K.L.; Yeo, S.L.; Xu, X.; Sim, M.M.; Ting, A.E.; Wang, Y.; Yee, S.; Tan, Y.H.; Pallen, C.J. Isolation of a novel protein tyrosine phosphatase inhibitor, 2-methyl-fervenulone, and its precursors from Streptomyces. *J. Nat. Prod.* **2000**, *63*, 1641–1646.
33. Strand, M.; Carlsson, M.; Uvell, H.; Islam, K.; Edlund, K.; Cullman, I.; Altermark, B.; Mei, Y.-F.; Elofsson, M.; Willassen, N.-P. Isolation and characterization of anti-adenoviral secondary metabolites from marine actinobacteria. *Mar. Drugs* **2014**, *12*, 799–821.
34. Shimi, I.R.; Abedallah, N.; Fathy, S. Cairomycin B, a new antibiotic. *Antimicrob. Agents Chemother.* **1977**, *11*, 373–375.
35. Shin, C.; Lim, H.; Moon, S.; Kim, S.; Yong, Y.; Kim, B.-J.; Lee, C.-H.; Lim, Y. A novel antiproliferative agent, phenylpyridineylbutenol, isolated from Streptomyces sp. *Bioorg. Med. Chem. Lett.* **2006**, *16*, 5643–5645.
36. He, H.; Shen, B.; Carter, G.T. Structural elucidation of lemomycin, a potent antibiotic from Streptomyces candidus. *Tetrahedron Lett.* **2000**, *41*, 2067–2071.
37. Niitsuma, M.; Hashida, J.; Iwatsuki, M.; Mori, M.; Ishiyama, A.; Namatame, M.; Nishihara-Tsukashima, A.; Matsumoto, A.; Takahashi, Y.; Yamada, H. Sinefungin VA and dehydrosinefungin V, new antitrypanosomal antibiotics produced by Streptomyces sp. K05-0178. *J. Antibiot. (Tokyo)*. **2010**, *63*, 673–679.
38. Hosoya, Y.; Kameyama, T.; Naganawa, H.; Okami, Y.; Takeuchi, T. Anisomycin and new congeners active against human tumor cell lines. *J. Antibiot. (Tokyo)*. **1993**, *46*, 1300–1302.
39. Khanapure, S.P.; Reddy, R.T.; Biehl, E.R. The preparation of anthraquinones and anthracyclinones via the reaction of haloarenes and cyanophthalides under aryne-forming conditions. *J. Org. Chem.* **1987**, *52*, 5685–5690.
40. Shaaban, K.A.; Shepherd, M.D.; Ahmed, T.A.; Nybo, S.E.; Leggas, M.; Rohr, J. Pyramidamycins AD and 3-hydroxyquinoline-2-carboxamide; cytotoxic benzamides from Streptomyces sp. DGC1. *J. Antibiot. (Tokyo)*. **2012**, *65*, 615–622.
41. Omote, Y.; Tazawa, H.; Fujinuma, Y.; Sugiyama, N. Synthesis of 5-Chloro-6-Methoxy-N-Methylisatin. *Bull. Chem. Soc. Jpn.* **1969**, *42*, 3016–3017.