



Figure S1. Comparison of the mean scores of DASS-stress, anxiety and depression subscales and the IES-R scores between three surveys.

Table S1. Comparison of physical symptoms related to COVID-19 and health status between the first, second and third-survey respondents (n =2324).

Physical symptoms and health status	The first-survey respondents (N = 1064)	The second-survey respondents (N = 557)	The third- survey respondents (N = 703)	Chi-square statistics (X ²)	p-value
	N (%)	N (%)	N (%)		
Fever					
Yes	40 (3.8)	50 (9)	40 (5.7)	18.862	<0.001***
Cough					
Yes	165 (15.5)	143 (25.7)	128 (18.2)	24.992	<0.001***
Chills					
Yes	32 (3)	39 (7)	43 (6.1)	15.675	<0.001***
Myalgia					
Yes	72 (6.8)	91 (16.3)	118 (16.8)	52.398	<0.001***
Breathing Difficulty					
Yes	36 (3.4)	55 (9.9)	39 (5.5)	29.172	< 0.001***
Coryza					
Yes	266 (25)	163 (29.3)	166 (23.6)	5.584	0.061
Sore throat					
Yes	204 (19.2)	105 (18.9)	129 (18.3)	0.187	0.911
Fatigue					
Yes	301 (28.3)	254 (45.6)	366 (52.1)	110.916	< 0.001***
No complains					
Yes	506 (47.6)	222 (39.9)	264 (37.6)	19.709	< 0.001***
Consultation with a doctor in the clinic in the past 14 days					
Yes	245 (23)	153 (27.5)	207 (29.4)	9.842	0.007**
Recent hospitalization in the past 14 days					
Yes	18 (1.7)	16 (2.9)	10 (1.4)	3.947	0.139
Recent quarantine in the past 14 days					
Yes	6 (0.6)	42 (7.5)	21 (3)	61.769	<0.001***

Recent testing for COVID-19 in the past 14 days					
Yes	244 (23)	46 (8.3)	45 (6.4)	116.491	<0.001***
Current self-rating health status					
Very poor/Poor	11 (1)	30 (5.4)	27 (3.8)	42.087	<0.001
Average	105 (9.9)	72 (12.9)	109 (15.5)		
Good/Very good	948 (89.1)	455 (81.7)	567 (80.7)		
Chronic illness					
Yes	223 (21)	127 (22.8)	146 (20.8)	0.937	0.626
Close contact with an individual with confirmed infection with COVID-19					
Yes	6 (0.6)	130 (23.3)	109 (15.5)	227.415	<0.001***
Indirect contact with an individual with confirmed infection with COVID-19					
Yes	16 (1.5)	127 (22.8)	49 (7)	221.011	<0.001***
Contact with an individual with suspected infection with COVID-19					
Yes	76 (7.1)	182 (32.7)	98 (13.9)	185.209	<0.001***
Contact with infected material					
Yes	165 (15.5)	107 (19.2)	34 (4.8)	65.560	<0.001***
Travel to high-risk countries with COVID-19					
Yes	29 (2.7)	41 (7.4)	11 (1.6)	34.405	<0.001***

* p<0.05, **p<0.01, ***p<0.001.

Table S2. Comparison of knowledge and concerns related to COVID-19 between the first, second and third-survey respondents (n =2324).

Knowledge and concerns related to COVID-19	The first-survey respondents (N = 1064)	The second-survey respondents (N = 557)	The third-survey respondents (N = 703)	Chi-square statistics (X ²)	p-value
	N (%)	N (%)	N (%)		
Route of transmission					
Droplets					
Yes	1055 (99.2)	551 (98.9)	682 (97)	13.797	0.001**
Transmitted through touch with infected person					
Yes	565 (53.1)	257 (46.1)	294 (41.8)	22.619	<0.001***
Contact with contaminated objects					
Yes	903 (84.9)	420 (75.4)	459 (65.3)	91.386	<0.001***
Transmitted through food					
Yes	173 (16.3)	87 (15.6)	121 (17.2)	0.601	0.740
Do not know					
Yes	4 (0.4)	9 (1.6)	25 (3.6)	26.621	<0.001***
Satisfaction with the amount of health information about COVID-19					
Satisfied	468 (44)	123 (22.1)	247 (35.1)	120.122	<0.001***
Not satisfied	204 (19.2)	221 (39.7)	151 (21.5)		
Do not know	392 (36.8)	213 (38.2)	305 (43.4)		
How often do you check information regarding the status of the coronavirus pandemic?					
Several times a day	NA	57 (10.2)	5 (0.7)	183.219	< 0.001***
Once a day		208 (37.3)	113 (16.1)		
Once every few days		192 (34.5)	267 (38)		
Difficult to say		100 (18)	318 (45.2)		
Do you know what to do if you suspect coronavirus infection?					
Yes	980 (92.1)	469 (84.2)	672 (95.6)	52.510	<0.001***
No	15 (1.4)	17 (3.1)	7 (1)		
Difficult to say	69 (6.5)	71 (12.7)	24 (3.4)		
Do you follow the news from other countries regarding the					

development and course of the pandemic?

Yes	657 (61.7)	152 (27.3)	116 (16.5)	503.507	< 0.001***
No	46 (4.3)	126 (22.6)	241 (34.3)		
Occasionally	361 (33.9)	279 (50.1)	346 (49.2)		

Concerns about COVID-19 epidemic**Concerns about lack of healthcare in case of infection with COVID-19**

Yes	627 (58.9)	375 (67.3)	353 (50.2)	37.745	<0.001***
-----	------------	------------	------------	--------	-----------

Concerns about own health status if infected with COVID-19

Yes	437 (41.1)	242 (43.4)	333 (47.4)	6.831	0.033*
-----	------------	------------	------------	-------	--------

Concerns about health status of family members if infected with COVID-19

Yes	899 (84.5)	430 (77.2)	513 (73)	36.064	<0.001***
-----	------------	------------	----------	--------	-----------

Concerns about likelihood of surviving if infected with COVID-19

Yes	345 (32.4)	136 (24.4)	215 (30.6)	11.370	0.003**
-----	------------	------------	------------	--------	---------

Concerns about economic impacts of coronavirus

Yes	530 (49.8)	262 (47)	273 (38.8)	20.984	<0.001***
-----	------------	----------	------------	--------	-----------

Concerns about unemployment

Yes	233 (21.9)	108 (19.4)	112 (15.9)	9.609	0.008**
-----	------------	------------	------------	-------	---------

Concerns about incorrect diagnosis of COVID-19

Yes	729 (68.5)	121 (21.7)	150 (21.3)	520	<0.001***
-----	------------	------------	------------	-----	-----------

Concerns about extended epidemic of COVID-19

Yes	666 (62.6)	247 (44.3)	324 (46.1)	69.541	<0.001***
-----	------------	------------	------------	--------	-----------

Concerns about re-lock-down

Yes	NA	NA	332 (47.2)	NA	NA
-----	----	----	------------	----	----

No concerns

Yes	30 (2.8)	18 (3.2)	44 (6.3)	14.189	<0.001***
-----	----------	----------	----------	--------	-----------

* p<0.05, **p<0.01, ***p<0.001.

Table S3. Comparison of precautionary measures related to COVID-19 between the first, second and third-survey respondents (n =2324).

Precautionary measures	The first-survey respondents (N = 1064)	The second-survey respondents (N = 557)	The third- survey respondents (N = 703)	Chi-square statis- tics (X ²)	p-value
	N (%)	N (%)	N (%)		
Precautionary measures					
Wearing mask and protective gloves					
Yes	303 (28.5)	506 (90.8)	599 (85.2)	851.366	<0.001***
Covering mouth when coughing and sneezing					
Yes	791 (74.3)	418 (75)	573 (81.5)	13.247	0.0014**
Washing hand with soap and water					
Yes	1016 (95.5)	484 (86.9)	618 (87.9)	46.423	<0.001***
Using disinfectants					
Yes	721 (67.8)	411 (73.8)	452 (64.3)	13.043	0.0015**
Self-isolating at home					
Yes	833 (78.3)	198 (35.5)	199 (28.3)	513.267	<0.001***
Eating healthy					
Yes	547 (51.4)	252 (45.2)	342 (48.6)	5.645	0.059
Social distancing					
Yes	817 (76.8)	278 (49.9)	196 (27.9)	419.470	<0.001***
Not applicable					
Yes	16 (1.5)	16 (2.9)	23 (3.3)	6.538	0.038*
Wearing a mask regardless of the presence or absence of symptoms					
Yes	371 (34.9)	519 (93.2)	618 (87.9)	780.035	<0.001***
Are you convinced of the need to wear a mask?					
Yes	NA	393 (70.6)	466 (66.3)	2.611	0.106
How much are you convinced about the effectiveness of the mask as a protective measure					
Fully convinced		159 (28.5)	141 (20.1)	14.242	0.007**
Fairly convinced		152 (27.3)	220 (31.3)		
Somewhat convinced	NA	126 (22.6)	160 (22.8)		
Fairly unconvinced		56 (10.1)	94 (13.4)		
Completely unconvinced		64 (11.5)	88 (12.5)		
Average number of hours staying at home per day to avoid COVID-19					
20-24 hours	695 (65.3)	220 (39.5)	192 (27.3)	278.314	<0.001***
10-19 hours	279 (26.2)	223 (40)	324 (46.1)		
0-9 hours	90 (8.5)	114 (20.5)	187 (26.6)		
I am vaccinated against COVID-19					
Yes	NA	NA	559 (79.5)	NA	NA

* p<0.05, **p<0.01, ***p<0.001.