

Erratum

Erratum: Shibata, S., et al. Reduced-Capacity Inrush Current Suppressor Using a Matrix Converter in a Wind Power Generation System with Squirrel-Cage Induction Machines. *Energies* 2016, 9, 223

Sho Shibata ^{1,†}, Hiroaki Yamada ^{1,*}, Toshihiko Tanaka ^{1,†} and Masayuki Okamoto ^{2,†}

¹ Graduate School of Science and Engineering, Yamaguchi University, 2-16-1 Tokiwadai, Ube, Yamaguchi 755-8611, Japan; v019vk@yamaguchi-u.ac.jp (S.S.); totanaka@yamaguchi-u.ac.jp (T.T.)

² Department of Electrical Engineering, National Institute of Technology, Ube College, 2-14-1 Tokiwadai, Ube, Yamaguchi 755-8555, Japan; mokamoto@ube-k.ac.jp

* Correspondence: hiro-ymd@yamaguchi-u.ac.jp; Tel.: +81-836-85-9471; Fax: +81-836-85-9472

† These authors contributed equally to this work.

Academic Editor: Enrico Sciubba

Received: 12 October 2016; Accepted: 24 October 2016; Published: 23 January 2017

The authors would like to remove the Acknowledgment section in their paper [1].

The manuscript will be updated and the original will remain online on the article webpage. The authors would like to apologize for any inconvenience this may have caused to the readers.

Reference

1. Shibata, S.; Yamada, H.; Tanaka, T.; Okamoto, M. Reduced-Capacity Inrush Current Suppressor Using a Matrix Converter in a Wind Power Generation System with Squirrel-Cage Induction Machines. *Energies* 2016, 9, 223. [[CrossRef](#)]



© 2017 by the authors; licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<http://creativecommons.org/licenses/by/4.0/>).