

T0.- GRUPO									
	N	%							
Total	80	100,0 %							
PEC	40	50,0 %							
POT	40	50,0 %							
T1.- SEXO según GRUPO									
	GRUPO								
	Total		PEC		POT				
	N	%	N	%	N	%			
Total	80	100,0 %	40	100,0 %	40	100,0 %			
Hombre	40	50,0 %	20	50,0 %	20	50,0 %			
Mujer	40	50,0 %	20	50,0 %	20	50,0 %			
T2.- EDAD (años) según GRUPO									
	GRUPO								
	Total	PEC	POT						
N	80	40	40						
Media	50,7	50,8	50,6						
Desviación típica	15,2	15,4	15,2						
Mínimo	19,0	19,0	21,0						
Máximo	81,0	81,0	80,0						
Percentil 25	40,5	41,5	40,0						
Mediana	49,5	49,0	52,0						
Percentil 75	62,5	63,0	60,5						
T3.- DIENTE según GRUPO									
	GRUPO								
	Total		PEC		POT				
	N	%	N	%	N	%			
Total	80	100,0 %	40	100,0 %	40	100,0 %			

12	1	1,3 %	0	0,0 %	1	2,5 %			
14	2	2,5 %	2	5,0 %	0	0,0 %			
15	4	5,0 %	0	0,0 %	4	10,0 %			
16	2	2,5 %	1	2,5 %	1	2,5 %			
17	4	5,0 %	2	5,0 %	2	5,0 %			
18	1	1,3 %	1	2,5 %	0	0,0 %			
24	3	3,8 %	0	0,0 %	3	7,5 %			
25	5	6,3 %	5	12,5 %	0	0,0 %			
26	6	7,5 %	2	5,0 %	4	10,0 %			
27	13	16,3 %	8	20,0 %	5	12,5 %			
33	1	1,3 %	0	0,0 %	1	2,5 %			
34	1	1,3 %	1	2,5 %	0	0,0 %			
35	3	3,8 %	1	2,5 %	2	5,0 %			
36	2	2,5 %	1	2,5 %	1	2,5 %			
37	8	10,0 %	6	15,0 %	2	5,0 %			
38	1	1,3 %	0	0,0 %	1	2,5 %			
44	2	2,5 %	1	2,5 %	1	2,5 %			
45	5	6,3 %	2	5,0 %	3	7,5 %			
46	8	10,0 %	5	12,5 %	3	7,5 %			
47	6	7,5 %	1	2,5 %	5	12,5 %			
48	2	2,5 %	1	2,5 %	1	2,5 %			
T4.- TIPO DIENTE según GRUPO									
	GRUPO								
	Total		PEC		POT				
	N	%	N	%	N	%			
Total	80	100,0 %	40	100,0 %	40	100,0 %			
Incisivos	1	1,3 %	0	0,0 %	1	2,5 %			
Caninos	1	1,3 %	0	0,0 %	1	2,5 %			
Premolares	25	31,3 %	12	30,0 %	13	32,5 %			
Molares	53	66,3 %	28	70,0 %	25	62,5 %			

T5.- ARCADA según GRUPO									
	GRUPO								
	Total		PEC		POT				
	N	%	N	%	N	%			
Total	80	100,0 %	40	100,0 %	40	100,0 %			
Maxilar	41	51,2 %	21	52,5 %	20	50,0 %			
Mandibular	39	48,8 %	19	47,5 %	20	50,0 %			
T6.- CAUSA PULPITIS según GRUPO									
	GRUPO								
	Total		PEC		POT				
	N	%	N	%	N	%			
Total	80	100,0 %	40	100,0 %	40	100,0 %			
Caries	40	50,0 %	19	47,5 %	21	52,5 %			
Obturación	23	28,7 %	13	32,5 %	10	25,0 %			
Periodontal	3	3,8 %	1	2,5 %	2	5,0 %			
Fisura	6	7,5 %	5	12,5 %	1	2,5 %			
Fractura cuspídea	2	2,5 %	1	2,5 %	1	2,5 %			
Desgaste cervical	3	3,8 %	1	2,5 %	2	5,0 %			
TAL	3	3,8 %	0	0,0 %	3	7,5 %			
T7.- PAA según GRUPO									
	GRUPO								
	Total		PEC		POT				
	N	%	N	%	N	%			
Total	80	100,0 %	40	100,0 %	40	100,0 %			
No	47	58,8 %	20	50,0 %	27	67,5 %			
Sí	33	41,3 %	20	50,0 %	13	32,5 %			
T8.- AINES PRE según GRUPO									
	GRUPO								

	Total		PEC		POT				
	N	%	N	%	N	%			
Total	80	100,0 %	40	100,0 %	40	100,0 %			
No	43	53,8 %	23	57,5 %	20	50,0 %			
Sí	37	46,3 %	17	42,5 %	20	50,0 %			
T9.- EXPERIENCIA PREVIA según GRUPO									
	GRUPO								
	Total		PEC		POT				
	N	%	N	%	N	%			
Total	80	100,0 %	40	100,0 %	40	100,0 %			
No	23	28,7 %	14	35,0 %	9	22,5 %			
Sí	50	62,5 %	24	60,0 %	26	65,0 %			
NS	7	8,8 %	2	5,0 %	5	12,5 %			
T10.- PRIMERA VISITA según GRUPO									
	GRUPO								
	Total		PEC		POT				
	N	%	N	%	N	%			
Total	80	100,0 %	40	100,0 %	40	100,0 %			
No	57	71,3 %	31	77,5 %	26	65,0 %			
Sí	23	28,7 %	9	22,5 %	14	35,0 %			
T11.- ANESTESIA según GRUPO									
	GRUPO								
	Total		PEC		POT				
	N	%	N	%	N	%			
Total	80	100,0 %	40	100,0 %	40	100,0 %			
Infiltrativa	45	56,3 %	23	57,5 %	22	55,0 %			
Troncular	35	43,8 %	17	42,5 %	18	45,0 %			

T12.- ANESTESIA COMPLEMENTARIA según GRUPO									
	GRUPO								
	Total		PEC		POT				
	N	%	N	%	N	%			
INTRALIGAMENTOS A	Total	80	100,0 %	40	100,0 %	40	100,0 %		
	No	43	53,8 %	23	57,5 %	20	50,0 %		
	Sí	37	46,3 %	17	42,5 %	20	50,0 %		
INTRAPULPAR	Total	80	100,0 %	40	100,0 %	40	100,0 %		
	No	55	68,8 %	27	67,5 %	28	70,0 %		
	Sí	25	31,3 %	13	32,5 %	12	30,0 %		
ANESTESIA COMPLEMENTARIA	Total	80	100,0 %	40	100,0 %	40	100,0 %		
	No	32	40,0 %	16	40,0 %	16	40,0 %		
	Sólo intraligamentosa	23	28,7 %	11	27,5 %	12	30,0 %		
	Sólo intrapulpar	11	13,8 %	7	17,5 %	4	10,0 %		
	Ambas	14	17,5 %	6	15,0 %	8	20,0 %		
T13.- RX CONDUCTOMETRIA según GRUPO									
	GRUPO								
	Total		PEC		POT				
	N	%	N	%	N	%			
Total	80	100,0 %	40	100,0 %	40	100,0 %			
No	80	100,0 %	40	100,0 %	40	100,0 %			
T14.- SANGRADO PROFUSO según GRUPO									
	GRUPO								
	Total		PEC		POT				
	N	%	N	%	N	%			
Total	80	100,0 %	40	100,0 %	40	100,0 %			
No	51	63,7 %	24	60,0 %	27	67,5 %			
Sí	29	36,3 %	16	40,0 %	13	32,5 %			

T15.- SANGRADO CONDUCTO según GRUPO									
	GRUPO								
	Total		PEC		POT				
	N	%	N	%	N	%			
Total	80	100,0 %	40	100,0 %	40	100,0 %			
No	59	73,8 %	28	70,0 %	31	77,5 %			
Sí	21	26,3 %	12	30,0 %	9	22,5 %			
T15b.- CONDUCTO QUE SANGRA según GRUPO									
	GRUPO								
	Total		PEC		POT				
	N	%	N	%	N	%			
Total	21	100,0 %	12	100,0 %	9	100,0 %			
V	1	4,8 %	0	0,0 %	1	11,1 %			
P	9	42,9 %	7	58,3 %	2	22,2 %			
D	3	14,3 %	2	16,7 %	1	11,1 %			
C	7	33,3 %	2	16,7 %	5	55,6 %			
MV/D	1	4,8 %	1	8,3 %	0	0,0 %			
T16.- CALCIFICACION según GRUPO									
	GRUPO								
	Total		PEC		POT				
	N	%	N	%	N	%			
Total	80	100,0 %	40	100,0 %	40	100,0 %			
No	73	91,3 %	36	90,0 %	37	92,5 %			
Sí	7	8,8 %	4	10,0 %	3	7,5 %			
T17.- RECONSTRUCCIÓN PRE-ENDO según GRUPO									
	GRUPO								
	Total		PEC		POT				

	N	%	N	%	N	%			
Total	80	100,0 %	40	100,0 %	40	100,0 %			
No	49	61,3 %	23	57,5 %	26	65,0 %			
Sí	31	38,8 %	17	42,5 %	14	35,0 %			
T18.- GRADO DOLOR PRE según GRUPO									
	GRUPO								
	Total	PEC	POT						
N	80	40	40						
Media	5,8	6,0	5,6						
Desviación típica	2,8	2,6	3,1						
Mínimo	0,0	0,0	0,0						
Máximo	10,0	10,0	10,0						
Percentil 25	4,0	4,0	4,0						
Mediana	6,5	7,0	6,0						
Percentil 75	8,0	8,0	8,0						
T19.- GRADO NERVIOSISMO PRE según GRUPO									
	GRUPO								
	Total	PEC	POT						
N	80	40	40						
Media	3,2	3,2	3,3						
Desviación típica	3,4	3,2	3,5						
Mínimo	0,0	0,0	0,0						
Máximo	10,0	10,0	10,0						
Percentil 25	0,0	0,0	0,0						
Mediana	2,0	2,0	2,5						
Percentil 75	6,0	5,5	6,0						
T20.- GRADO MOLESTIAS AL MASTICAR PRE según GRUPO									
	GRUPO								

	Total	PEC	POT						
N	80	40	40						
Media	6,5	7,2	5,8						
Desviación típica	3,3	2,7	3,6						
Mínimo	0,0	0,0	0,0						
Máximo	10,0	10,0	10,0						
Percentil 25	4,0	5,0	3,0						
Mediana	7,0	8,0	6,5						
Percentil 75	9,0	9,0	9,5						
T21- TIEMPOS DE INTERVENCIÓN (minutos) según GRUPO									
		GRUPO							
		Total	PEC	POT					
TIEMPO ANESTESIA A APERTURA	N	79	39	40					
	Media	16,6	19,2	14,2					
	Desviación típica	10,6	11,6	9,0					
	Mínimo	3,0	6,0	3,0					
	Máximo	63,0	63,0	50,0					
	Percentil 25	10,0	12,0	8,5					
	Mediana	14,0	15,0	11,5					
	Percentil 75	20,0	22,0	19,0					
TIEMPO APERTURA A FINAL	N	79	39	40					
	Media	10,3	13,4	7,4					
	Desviación típica	5,6	6,1	3,0					
	Mínimo	3,0	6,0	3,0					
	Máximo	30,0	30,0	16,0					
	Percentil 25	6,0	8,0	5,0					
	Mediana	8,0	12,0	7,0					
	Percentil 75	13,0	18,0	8,0					
T22- EVALUACIÓN DURACIÓN TRATAMIENTO (0-muy corto a 10- demasiado largo) según GRUPO									

		GRUPO							
		Total	PEC	POT					
DURACION	N	80	40	40					
	Media	2,6	3,1	2,0					
	Desviación típica	1,8	1,9	1,6					
	Mínimo	0,0	0,0	0,0					
	Máximo	10,0	10,0	5,0					
	Percentil 25	1,0	2,0	0,0					
	Mediana	3,0	3,0	3,0					
	Percentil 75	3,0	3,5	3,0					
T23- EVALUACIÓN INCOMODIDAD TRATAMIENTO (0-ninguna a 10-muy desagradable) según GRUPO									
		GRUPO							
		Total	PEC	POT					
INCOMODIDAD	N	80	40	40					
	Media	1,6	1,5	1,6					
	Desviación típica	1,9	2,0	1,8					
	Mínimo	0,0	0,0	0,0					
	Máximo	7,0	7,0	6,0					
	Percentil 25	0,0	0,0	0,0					
	Mediana	1,0	0,0	1,0					
	Percentil 75	3,0	3,0	3,0					
T24.- DATOS POST-OPERATORIOS según GRUPO									
		GRUPO							
		Total		PEC		POT			
		N	%	N	%	N	%		
AINES	Total	80	100,0 %	40	100,0 %	40	100,0 %		
	No	66	82,5 %	36	90,0 %	30	75,0 %		
	Sí	14	17,5 %	4	10,0 %	10	25,0 %		

ANALGESICOS	Total	80	100,0 %	40	100,0 %	40	100,0 %		
	No	64	80,0 %	30	75,0 %	34	85,0 %		
	Sí	16	20,0 %	10	25,0 %	6	15,0 %		
DOLOR FUNCION	Total	80	100,0 %	40	100,0 %	40	100,0 %		
	No	68	85,0 %	36	90,0 %	32	80,0 %		
	Sí	12	15,0 %	4	10,0 %	8	20,0 %		
DOLOR PREAURICULAR	Total	80	100,0 %	40	100,0 %	40	100,0 %		
	No	79	98,8 %	39	97,5 %	40	100,0 %		
	Sí	1	1,3 %	1	2,5 %	0	0,0 %		
INFLAMACION ENCIA	Total	80	100,0 %	40	100,0 %	40	100,0 %		
	No	76	95,0 %	38	95,0 %	38	95,0 %		
	Sí	4	5,0 %	2	5,0 %	2	5,0 %		
T24b.- MEDICACIÓN DOLOR POST según GRUPO									
	GRUPO								
	Total		PEC		POT				
	N	%	N	%	N	%			
Total	80	100,0 %	40	100,0 %	40	100,0 %			
Ninguna	56	70,0 %	28	70,0 %	28	70,0 %			
Sólo AINES	8	10,0 %	2	5,0 %	6	15,0 %			
Sólo analgésicos	10	12,5 %	8	20,0 %	2	5,0 %			
Ambos	6	7,5 %	2	5,0 %	4	10,0 %			
T25- EVOLUCIÓN DOLOR (VAS) según GRUPO									
	GRUPO								
	Total	PEC	POT						
	N								
DOLOR pre	N	80	40	40					
	Media	5,8	6,0	5,6					
	Desviación típica	2,8	2,6	3,1					
	Mínimo	0,0	0,0	0,0					
	Máximo	10,0	10,0	10,0					
	Percentil 25	4,0	4,0	4,0					

DOLOR 6h	Mediana	6,5	7,0	6,0					
	Percentil 75	8,0	8,0	8,0					
	N	80	40	40					
	Media	2,1	2,2	2,0					
	Desviación típica	2,4	2,6	2,3					
	Mínimo	0,0	0,0	0,0					
	Máximo	9,0	9,0	9,0					
	Percentil 25	0,0	0,0	0,0					
	Mediana	2,0	2,0	1,0					
DOLOR 24h	Percentil 75	3,0	3,5	3,0					
	N	80	40	40					
	Media	1,5	1,8	1,3					
	Desviación típica	2,1	2,3	2,0					
	Mínimo	0,0	0,0	0,0					
	Máximo	9,0	9,0	7,0					
	Percentil 25	0,0	0,0	0,0					
	Mediana	1,0	1,0	0,0					
	Percentil 75	2,0	2,5	1,5					
DOLOR 3d	N	80	40	40					
	Media	1,3	1,3	1,3					
	Desviación típica	2,0	2,1	2,0					
	Mínimo	0,0	0,0	0,0					
	Máximo	10,0	10,0	10,0					
	Percentil 25	0,0	0,0	0,0					
	Mediana	0,0	0,0	0,5					
	Percentil 75	2,0	2,0	2,0					
T25b- REDUCCIÓN DOLOR (VAS) 3d - PRE según GRUPO									
		GRUPO							
		Total	PEC	POT					
	N	80	40	40					
	Media	-4,5	-4,7	-4,3					

DIF.DOLOR.3d_PRE	Desviación típica	3,5	3,2	3,8						
	Mínimo	-9,0	-9,0	-9,0						
	Máximo	6,0	4,0	6,0						
	Percentil 25	-7,0	-7,0	-7,0						
	Mediana	-6,0	-6,0	-5,0						
	Percentil 75	-1,5	-1,5	-1,5						
T25c.- TIEMPO HASTA NO DOLOR / DOLOR LEVE según GRUPO										
		GRUPO								
		Total		PEC		POT				
		N	%	N	%	N	%			
TIEMPO HASTA NO DOLOR DEFINITIVO	Total	80	100,0 %	40	100,0 %	40	100,0 %			
	Pre	2	2,5 %	1	2,5 %	1	2,5 %			
	6h	20	25,0 %	10	25,0 %	10	25,0 %			
	24h	7	8,8 %	2	5,0 %	5	12,5 %			
	3d	12	15,0 %	9	22,5 %	3	7,5 %			
	No se alcanza	39	48,8 %	18	45,0 %	21	52,5 %			
TIEMPO HASTA DOLOR LEVE DEFINITIVO	Total	80	100,0 %	40	100,0 %	40	100,0 %			
	Pre	4	5,0 %	2	5,0 %	2	5,0 %			
	6h	53	66,3 %	24	60,0 %	29	72,5 %			
	24h	7	8,8 %	5	12,5 %	2	5,0 %			
	3d	7	8,8 %	4	10,0 %	3	7,5 %			
	No se alcanza	9	11,3 %	5	12,5 %	4	10,0 %			
T26- EVALUACIÓN SATISFACCIÓN GENERAL TRATAMIENTO (0-nada satisfecho a 10-muy satisfecho) según GRUPO										
		GRUPO								
		Total	PEC	POT						
SATISFACCION	N	80	40	40						
	Media	9,1	9,2	9,1						
	Desviación típica	1,8	1,7	2,0						
	Mínimo	1,0	1,0	1,0						

DOLOR pre	Máximo	10,0	10,0	10,0					
	Percentil 25	9,0	9,0	9,0					
	Mediana	10,0	10,0	10,0					
	Percentil 75	10,0	10,0	10,0					

T27- EVOLUCIÓN DOLOR (VAS) según GRUPO y AINES PRE

		GRUPO							
		Total			PEC			POT	
		AINES PRE			AINES PRE			AINES PRE	
		Total	No	Sí	Total	No	Sí	Total	No
DOLOR pre	N	80	43	37	40	23	17	40	20
	Media	5,8	5,4	6,2	6,0	5,2	7,0	5,6	5,8
	Desviación típica	2,8	2,8	2,8	2,6	2,8	1,8	3,1	2,8
	Mínimo	0,0	0,0	0,0	0,0	0,0	3,0	0,0	0,0
	Máximo	10,0	10,0	10,0	10,0	9,0	10,0	10,0	10,0
	Percentil 25	4,0	4,0	4,0	4,0	3,0	7,0	4,0	4,5
	Mediana	6,5	6,0	7,0	7,0	6,0	7,0	6,0	6,0
	Percentil 75	8,0	7,0	8,0	8,0	7,0	8,0	8,0	7,5
DOLOR 6h	N	80	43	37	40	23	17	40	20
	Media	2,1	1,9	2,4	2,2	1,8	2,8	2,0	2,1
	Desviación típica	2,4	2,4	2,5	2,6	2,4	2,8	2,3	2,5
	Mínimo	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Máximo	9,0	9,0	9,0	9,0	9,0	8,0	9,0	7,0
	Percentil 25	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Mediana	2,0	1,0	2,0	2,0	1,0	3,0	1,0	1,0
	Percentil 75	3,0	3,0	3,0	3,5	3,0	4,0	3,0	3,0
DOLOR 24h	N	80	43	37	40	23	17	40	20
	Media	1,5	1,5	1,5	1,8	1,7	1,8	1,3	1,3
	Desviación típica	2,1	2,1	2,1	2,3	2,3	2,2	2,0	1,9
	Mínimo	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Máximo	9,0	9,0	8,0	9,0	9,0	8,0	7,0	5,0
	Percentil 25	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0

DOLOR 3d	Mediana	1,0	1,0	1,0	1,0	1,0	1,0	0,0	0,0
	Percentil 75	2,0	2,0	2,0	2,5	2,0	3,0	1,5	2,0
	N	80	43	37	40	23	17	40	20
	Media	1,3	1,2	1,4	1,3	1,0	1,5	1,3	1,4
	Desviación típica	2,0	1,9	2,2	2,1	2,3	1,8	2,0	1,5
	Mínimo	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Máximo	10,0	10,0	10,0	10,0	10,0	6,0	10,0	5,0
	Percentil 25	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Mediana	0,0	0,0	0,0	0,0	0,0	1,0	0,5	1,0
	Percentil 75	2,0	2,0	2,0	2,0	2,0	2,0	2,0	2,5

T27b- REDUCCIÓN DOLOR (VAS) 3d - PRE según GRUPO y AINES PRE

		GRUPO							
		Total			PEC			POT	
		AINES PRE			AINES PRE			AINES PRE	
		Total	No	Sí	Total	No	Sí	Total	No
DIF.DOLOR.3d_PRE	N	80	43	37	40	23	17	40	20
	Media	-4,5	-4,3	-4,8	-4,7	-4,1	-5,5	-4,3	-4,4
	Desviación típica	3,5	3,2	3,8	3,2	3,5	2,5	3,8	3,0
	Mínimo	-9,0	-9,0	-9,0	-9,0	-9,0	-9,0	-9,0	-8,0
	Máximo	6,0	4,0	6,0	4,0	4,0	-1,0	6,0	3,0
	Percentil 25	-7,0	-7,0	-8,0	-7,0	-7,0	-8,0	-7,0	-6,5
	Mediana	-6,0	-5,0	-6,0	-6,0	-6,0	-6,0	-5,0	-5,0
	Percentil 75	-1,5	-1,0	-2,0	-1,5	-1,0	-4,0	-1,5	-2,5

T27c.- TIEMPO HASTA NO DOLOR / DOLOR LEVE según GRUPO y AINES PRE

		Total							
		AINES PRE							
		Total		No		Sí		Total	
		N	%	N	%	N	%	N	%

TIEMPO HASTA NO DOLOR DEFINITIVO	Total	80	100,0 %	43	100,0 %	37	100,0 %	40	100,0 %
	Pre	2	2,5 %	1	2,3 %	1	2,7 %	1	2,5 %
	6h	20	25,0 %	12	27,9 %	8	21,6 %	10	25,0 %
	24h	7	8,8 %	3	7,0 %	4	10,8 %	2	5,0 %
	3d	12	15,0 %	6	14,0 %	6	16,2 %	9	22,5 %
	No se alcanza	39	48,8 %	21	48,8 %	18	48,6 %	18	45,0 %
TIEMPO HASTA DOLOR LEVE DEFINITIVO	Total	80	100,0 %	43	100,0 %	37	100,0 %	40	100,0 %
	Pre	4	5,0 %	2	4,7 %	2	5,4 %	2	5,0 %
	6h	53	66,3 %	30	69,8 %	23	62,2 %	24	60,0 %
	24h	7	8,8 %	3	7,0 %	4	10,8 %	5	12,5 %
	3d	7	8,8 %	5	11,6 %	2	5,4 %	4	10,0 %
	No se alcanza	9	11,3 %	3	7,0 %	6	16,2 %	5	12,5 %

T28- EVALUACIÓN SATISFACCIÓN GENERAL TRATAMIENTO (0-nada satisfecho a 10-muy satisfecho) según GRUPO y AINES PRE

		GRUPO							
		Total			PEC			POT	
		AINES PRE			AINES PRE			AINES PRE	
		Total	No	Sí	Total	No	Sí	Total	No
SATISFACCION	N	80	43	37	40	23	17	40	20
	Media	9,1	9,2	9,0	9,2	9,1	9,4	9,1	9,4
	Desviación típica	1,8	1,7	2,0	1,7	2,0	1,3	2,0	1,3
	Mínimo	1,0	1,0	1,0	1,0	1,0	5,0	1,0	6,0
	Máximo	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0
	Percentil 25	9,0	9,0	9,0	9,0	8,0	9,0	9,0	10,0
	Mediana	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0
	Percentil 75	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0

T29- EVOLUCIÓN DOLOR (VAS) según GRUPO y PAA

		GRUPO							
		Total			PEC			POT	
		PAA			PAA			PAA	

		Total	No	Sí	Total	No	Sí	Total	No
DOLOR pre	N	80	47	33	40	20	20	40	27
	Media	5,8	5,2	6,6	6,0	5,1	6,8	5,6	5,3
	Desviación típica	2,8	2,8	2,8	2,6	2,9	2,0	3,1	2,7
	Mínimo	0,0	0,0	0,0	0,0	0,0	3,0	0,0	0,0
	Máximo	10,0	10,0	10,0	10,0	9,0	10,0	10,0	10,0
	Percentil 25	4,0	3,0	6,0	4,0	2,5	6,0	4,0	4,0
	Mediana	6,5	6,0	7,0	7,0	6,0	7,0	6,0	6,0
	Percentil 75	8,0	7,0	8,0	8,0	7,5	8,0	8,0	7,0
DOLOR 6h	N	80	47	33	40	20	20	40	27
	Media	2,1	2,0	2,3	2,2	1,7	2,8	2,0	2,2
	Desviación típica	2,4	2,5	2,4	2,6	2,5	2,6	2,3	2,5
	Mínimo	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Máximo	9,0	9,0	8,0	9,0	9,0	8,0	9,0	9,0
	Percentil 25	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Mediana	2,0	1,0	2,0	2,0	0,0	2,5	1,0	1,0
	Percentil 75	3,0	3,0	4,0	3,5	2,5	4,0	3,0	3,0
DOLOR 24h	N	80	47	33	40	20	20	40	27
	Media	1,5	1,5	1,5	1,8	1,8	1,8	1,3	1,3
	Desviación típica	2,1	2,3	1,9	2,3	2,5	2,1	2,0	2,1
	Mínimo	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Máximo	9,0	9,0	8,0	9,0	9,0	8,0	7,0	7,0
	Percentil 25	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Mediana	1,0	0,0	1,0	1,0	1,0	1,0	0,0	0,0
	Percentil 75	2,0	2,0	2,0	2,5	2,0	3,0	1,5	2,0
DOLOR 3d	N	80	47	33	40	20	20	40	27
	Media	1,3	1,4	1,2	1,3	1,2	1,3	1,3	1,5
	Desviación típica	2,0	2,3	1,6	2,1	2,4	1,8	2,0	2,2
	Mínimo	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Máximo	10,0	10,0	6,0	10,0	10,0	6,0	10,0	10,0
	Percentil 25	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Mediana	0,0	0,0	0,0	0,0	0,0	0,5	0,5	1,0

Percentil 75	2,0	2,0	2,0	2,0	2,0	2,0	2,0	2,0	3,0

T29b- REDUCCIÓN DOLOR (VAS) 3d - PRE según GRUPO y PAA

		GRUPO							
		Total			PEC			POT	
		PAA			PAA			PAA	
		Total	No	Sí	Total	No	Sí	Total	No
DIF.DOLOR.3d_PRE	N	80	47	33	40	20	20	40	27
	Media	-4,5	-3,9	-5,4	-4,7	-3,9	-5,5	-4,3	-3,9
	Desviación típica	3,5	3,6	3,2	3,2	3,6	2,5	3,8	3,6
	Mínimo	-9,0	-8,0	-9,0	-9,0	-8,0	-9,0	-9,0	-8,0
	Máximo	6,0	6,0	4,0	4,0	4,0	-1,0	6,0	6,0
	Percentil 25	-7,0	-6,0	-8,0	-7,0	-6,5	-8,0	-7,0	-6,0
	Mediana	-6,0	-5,0	-6,0	-6,0	-6,0	-6,0	-5,0	-5,0
	Percentil 75	-1,5	-1,0	-3,0	-1,5	-1,0	-3,5	-1,5	-1,0

T29c.- TIEMPO HASTA NO DOLOR / DOLOR LEVE según GRUPO y PAA

		Total							
		PAA							
		Total		No		Sí		Total	
		N	%	N	%	N	%	N	%
TIEMPO HASTA NO DOLOR DEFINITIVO	Total	80	100,0 %	47	100,0 %	33	100,0 %	40	100,0 %
	Pre	2	2,5 %	1	2,1 %	1	3,0 %	1	2,5 %
	6h	20	25,0 %	14	29,8 %	6	18,2 %	10	25,0 %
	24h	7	8,8 %	4	8,5 %	3	9,1 %	2	5,0 %
	3d	12	15,0 %	5	10,6 %	7	21,2 %	9	22,5 %
	No se alcanza	39	48,8 %	23	48,9 %	16	48,5 %	18	45,0 %
TIEMPO HASTA DOLOR LEVE	Total	80	100,0 %	47	100,0 %	33	100,0 %	40	100,0 %
	Pre	4	5,0 %	2	4,3 %	2	6,1 %	2	5,0 %
	6h	53	66,3 %	33	70,2 %	20	60,6 %	24	60,0 %

DOLOR LEVEL DEFINITIVO	24h	7	8,8 %	3	6,4 %	4	12,1 %	5	12,5 %
	3d	7	8,8 %	4	8,5 %	3	9,1 %	4	10,0 %
	No se alcanza	9	11,3 %	5	10,6 %	4	12,1 %	5	12,5 %

T30- EVALUACIÓN SATISFACCIÓN GENERAL TRATAMIENTO (0-nada satisfecho a 10-muy satisfecho) según GRUPO y PAA

		GRUPO							
		Total			PEC			POT	
		PAA			PAA			PAA	
		Total	No	Sí	Total	No	Sí	Total	No
SATISFACCION	N	80	47	33	40	20	20	40	27
	Media	9,1	9,1	9,2	9,2	9,2	9,3	9,1	9,1
	Desviación típica	1,8	2,1	1,3	1,7	2,1	1,3	2,0	2,3
	Mínimo	1,0	1,0	5,0	1,0	1,0	5,0	1,0	1,0
	Máximo	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0
	Percentil 25	9,0	9,0	9,0	9,0	9,0	9,0	9,0	10,0
	Mediana	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0
	Percentil 75	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0

T31.- DOLOR AL MASTICAR POST-OPERATORIO según GRUPO y PAA

		GRUPO							
		Total			PEC			POT	
		PAA			PAA			PAA	
		Total	No	Sí	Total	No	Sí	Total	No
		N	%	N	%	N	%	N	%
Total		80	100,0 %	47	100,0 %	33	100,0 %	40	100,0 %
No		68	85,0 %	40	85,1 %	28	84,8 %	36	90,0 %
Sí		12	15,0 %	7	14,9 %	5	15,2 %	4	10,0 %

T31b.- GRADO MOLESTIAS AL MASTICAR PRE según PAA y toma AINES PRE

		AINES PRE		
		Total	No	Sí

	PAA			PAA			PAA		
	Total	No	Sí	Total	No	Sí	Total	No	Sí
N	80	47	33	43	33	10	37	14	23
Media	6,5	5,3	8,2	6,0	5,5	7,7	7,1	4,7	8,5
Desviación típica	3,3	3,4	2,0	3,3	3,3	2,8	3,2	3,6	1,7
Mínimo	0,0	0,0	2,0	0,0	0,0	2,0	0,0	0,0	4,0
Máximo	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0
Percentil 25	4,0	3,0	7,0	4,0	3,0	7,0	5,0	1,0	7,0
Mediana	7,0	5,0	9,0	6,0	5,0	9,0	8,0	4,5	9,0
Percentil 75	9,0	8,0	10,0	9,0	9,0	10,0	10,0	8,0	10,0

T31c.- MEDICACIÓN DOLOR POST según GRUPO y PAA

	GRUPO						PAA		
	Total						PE		
	PAA						PA		
	Total		No		Sí		Total		N
	N	%	N	%	N	%	N	%	N
Total	80	100,0 %	47	100,0 %	33	100,0 %	40	100,0 %	20
Ninguna	56	70,0 %	36	76,6 %	20	60,6 %	28	70,0 %	17
Sólo AINES	8	10,0 %	4	8,5 %	4	12,1 %	2	5,0 %	1
Sólo analgésicos	10	12,5 %	4	8,5 %	6	18,2 %	8	20,0 %	2
Ambos	6	7,5 %	3	6,4 %	3	9,1 %	2	5,0 %	0

T32- EVOLUCIÓN DOLOR (VAS) según GRUPO y MOLESTIA MASTICAR pre

		GRUPO							
		Total			PEC			POT	
		MOLESTIA MASTICAR PRE			MOLESTIA MASTICAR PRE			MOLESTIA MASTICAR PE	
		Total	Hasta moderada	Intensa	Total	Hasta moderada	Intensa	Total	Hasta moderada
N	80	34	46	40	14	26	40	20	
Media	5,8	4,6	6,7	6,0	4,6	6,7	5,6	4,5	
Desviación típica	2,8	2,7	2,6	2,6	2,8	2,2	3,1	2,8	

DOLOR pre	Mínimo	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Máximo	10,0	10,0	10,0	10,0	10,0	9,0	10,0	8,0
	Percentil 25	4,0	2,0	6,0	4,0	3,0	6,0	4,0	2,0
	Mediana	6,5	5,0	7,0	7,0	5,0	7,0	6,0	5,0
	Percentil 75	8,0	6,0	8,0	8,0	6,0	8,0	8,0	6,5
DOLOR 6h	N	80	34	46	40	14	26	40	20
	Media	2,1	2,0	2,2	2,2	1,7	2,5	2,0	2,2
	Desviación típica	2,4	2,7	2,2	2,6	2,6	2,6	2,3	2,8
	Mínimo	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Máximo	9,0	9,0	8,0	9,0	9,0	8,0	9,0	9,0
	Percentil 25	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Mediana	2,0	1,0	2,0	2,0	0,0	2,0	1,0	1,0
DOLOR 24h	Percentil 75	3,0	3,0	3,0	3,5	3,0	4,0	3,0	3,5
	N	80	34	46	40	14	26	40	20
	Media	1,5	1,6	1,4	1,8	2,1	1,6	1,3	1,3
	Desviación típica	2,1	2,5	1,8	2,3	2,8	1,9	2,0	2,3
	Mínimo	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Máximo	9,0	9,0	8,0	9,0	9,0	8,0	7,0	7,0
	Percentil 25	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
DOLOR 3d	Mediana	1,0	0,0	1,0	1,0	1,0	1,0	0,0	0,0
	Percentil 75	2,0	2,0	2,0	2,5	3,0	2,0	1,5	1,5
	N	80	34	46	40	14	26	40	20
	Media	1,3	1,1	1,4	1,3	0,8	1,5	1,3	1,3
	Desviación típica	2,0	2,0	2,1	2,1	1,3	2,4	2,0	2,4
	Mínimo	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Máximo	10,0	10,0	10,0	10,0	4,0	10,0	10,0	10,0
	Percentil 25	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Mediana	0,0	0,0	0,5	0,0	0,0	0,0	0,5	0,0
	Percentil 75	2,0	1,0	2,0	2,0	1,0	2,0	2,0	1,5

T32b- REDUCCIÓN DOLOR (VAS) 3d - PRE según GRUPO y MOLESTIA MASTICAR pre

GRUPO

		Total			PEC			POT	
		MOLESTIA MASTICAR PRE			MOLESTIA MASTICAR PRE			MOLESTIA MASTICAR PRE	
		Total	Hasta moderada	Intensa	Total	Hasta moderada	Intensa	Total	Hasta moderada
DIF.DOLOR.3d_PRE	N	80	34	46	40	14	26	40	20
	Media	-4,5	-3,5	-5,3	-4,7	-3,9	-5,2	-4,3	-3,2
	Desviación típica	3,5	3,7	3,1	3,2	3,1	3,2	3,8	4,1
	Mínimo	-9,0	-9,0	-9,0	-9,0	-9,0	-9,0	-9,0	-8,0
	Máximo	6,0	6,0	4,0	4,0	1,0	4,0	6,0	6,0
	Percentil 25	-7,0	-6,0	-8,0	-7,0	-6,0	-8,0	-7,0	-6,0
	Mediana	-6,0	-5,0	-6,0	-6,0	-4,5	-6,0	-5,0	-5,0
	Percentil 75	-1,5	-1,0	-4,0	-1,5	-1,0	-4,0	-1,5	-0,5

T32c.- TIEMPO HASTA NO DOLOR / DOLOR LEVE según GRUPO y MOLESTIA MASTICAR pre

		Total							
		MOLESTIA MASTICAR PRE							
		Total		Hasta moderada		Intensa		Total	
		N	%	N	%	N	%	N	%
TIEMPO HASTA NO DOLOR DEFINITIVO	Total	80	100,0 %	34	100,0 %	46	100,0 %	40	100,0 %
	Pre	2	2,5 %	0	0,0 %	2	4,3 %	1	2,5 %
	6h	20	25,0 %	11	32,4 %	9	19,6 %	10	25,0 %
	24h	7	8,8 %	3	8,8 %	4	8,7 %	2	5,0 %
	3d	12	15,0 %	5	14,7 %	7	15,2 %	9	22,5 %
	No se alcanza	39	48,8 %	15	44,1 %	24	52,2 %	18	45,0 %
TIEMPO HASTA DOLOR LEVE DEFINITIVO	Total	80	100,0 %	34	100,0 %	46	100,0 %	40	100,0 %
	Pre	4	5,0 %	0	0,0 %	4	8,7 %	2	5,0 %
	6h	53	66,3 %	24	70,6 %	29	63,0 %	24	60,0 %
	24h	7	8,8 %	3	8,8 %	4	8,7 %	5	12,5 %
	3d	7	8,8 %	4	11,8 %	3	6,5 %	4	10,0 %
	No se alcanza	9	11,3 %	3	8,8 %	6	13,0 %	5	12,5 %

T33- EVALUACIÓN SATISFACCIÓN GENERAL TRATAMIENTO (0-nada satisfecho a 10-muy satisfecho) según GRUPO y MOLESTIA MASTICAR pre

		GRUPO							
		Total			PEC			POT	
		MOLESTIA MASTICAR PRE			MOLESTIA MASTICAR PRE			MOLESTIA MASTICAR PRE	
		Total	Hasta moderada	Intensa	Total	Hasta moderada	Intensa	Total	Hasta moderada
SATISFACCION	N	80	34	46	40	14	26	40	20
	Media	9,1	9,6	8,7	9,2	9,6	9,0	9,1	9,7
	Desviación típica	1,8	0,8	2,2	1,7	0,7	2,0	2,0	0,9
	Mínimo	1,0	7,0	1,0	1,0	8,0	1,0	1,0	7,0
	Máximo	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0
	Percentil 25	9,0	10,0	8,0	9,0	10,0	9,0	9,0	10,0
	Mediana	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0
	Percentil 75	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0

T34.- DOLOR AL MASTICAR POST-OPERATORIO según GRUPO y MOLESTIA MASTICAR pre

		GRUPO							
		Total			PEC			POT	
		MOLESTIA MASTICAR PRE			MOLESTIA MASTICAR PRE			MOLESTIA MASTICAR PRE	
		Total	Hasta moderada	Intensa	Total	Hasta moderada	Intensa	Total	Hasta moderada
		N	%	N	%	N	%	N	%
Total		80	100,0 %	34	100,0 %	46	100,0 %	40	100,0 %
No		68	85,0 %	27	79,4 %	41	89,1 %	36	90,0 %
Sí		12	15,0 %	7	20,6 %	5	10,9 %	4	10,0 %

T35.- GRADO MOLESTIAS AL MASTICAR PRE según GRUPO y PAA

		GRUPO							
		Total			PEC			POT	
		PAA			PAA			PAA	
		Total	No	Sí	Total	No	Sí	Total	Sí
N		80	47	33	40	20	20	40	13

Media	6,5	5,3	8,2	7,2	6,2	8,2	5,8	4,6	8,4
Desviación típica	3,3	3,4	2,0	2,7	2,8	2,2	3,6	3,7	1,8
Mínimo	0,0	0,0	2,0	0,0	0,0	2,0	0,0	0,0	4,0
Máximo	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0
Percentil 25	4,0	3,0	7,0	5,0	4,0	7,0	3,0	1,0	7,0
Mediana	7,0	5,0	9,0	8,0	6,5	9,0	6,5	4,0	9,0
Percentil 75	9,0	8,0	10,0	9,0	8,5	10,0	9,5	8,0	10,0

T36.- GRADO NERVIOSISMO PRE según GRUPO y EXPERIENCIA PREVIA

	GRUPO								
	Total				PEC				
	EXPERIENCIA				EXPERIENCIA				
	Total	No	Sí	NS	Total	No	Sí	NS	Total
N	80	23	50	7	40	14	24	2	40
Media	3,2	2,7	3,3	4,7	3,2	2,9	3,4	2,5	3,3
Desviación típica	3,4	2,9	3,6	3,5	3,2	2,8	3,6	3,5	3,5
Mínimo	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
Máximo	10,0	7,0	10,0	9,0	10,0	7,0	10,0	5,0	10,0
Percentil 25	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
Mediana	2,0	2,0	1,5	5,0	2,0	3,0	2,0	2,5	2,5
Percentil 75	6,0	6,0	6,0	8,0	5,5	5,0	6,0	5,0	6,0

T37- EVALUACIÓN INCOMODIDAD TRATAMIENTO (0-ninguna a 10-muy desagradable) según GRUPO y EXPERIENCIA PREVIA

	GRUPO							
	Total				PEC			
	EXPERIENCIA				EXPERIENCIA			
	Total	No	Sí	NS	Total	No	Sí	NS
N	80	23	50	7	40	14	24	2
Media	1,6	1,7	1,5	1,3	1,5	1,5	1,4	3,0
Desviación típica	1,9	2,3	1,8	1,3	2,0	2,3	1,9	0,0
Mínimo	0,0	0,0	0,0	0,0	0,0	0,0	0,0	3,0

INCOMODIDAD

Máximo	7,0	7,0	5,0	3,0	7,0	7,0	5,0	3,0
Percentil 25	0,0	0,0	0,0	0,0	0,0	0,0	0,0	3,0
Mediana	1,0	1,0	1,0	1,0	0,0	0,5	0,0	3,0
Percentil 75	3,0	3,0	3,0	3,0	3,0	2,0	2,5	3,0

T38- EVALUACIÓN SATISFACCIÓN GENERAL TRATAMIENTO (0-nada satisfecho a 10-muy satisfecho) según GRUPO y EXPERIENCIA PREVIA

		GRUPO							
		Total				PEC			
		EXPERIENCIA				EXPERIENCIA			
		Total	No	Sí	NS	Total	No	Sí	NS
SATISFACCION	N	80	23	50	7	40	14	24	2
	Media	9,1	9,1	9,0	10,0	9,2	9,1	9,2	10,0
	Desviación típica	1,8	2,1	1,8	0,0	1,7	1,4	1,9	0,0
	Mínimo	1,0	1,0	1,0	10,0	1,0	5,0	1,0	10,0
	Máximo	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0
	Percentil 25	9,0	9,0	8,0	10,0	9,0	9,0	9,0	10,0
	Mediana	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0
	Percentil 75	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0

T39- TIEMPO ANESTESIA A APERTURA (minutos) según GRUPO y TIPO ANESTESIA

		GRUPO								
		Total			PEC			POT		
		ANESTESIA			ANESTESIA			ANESTESIA		
		Total	Infiltrativa	Troncular	Total	Infiltrativa	Troncular	Total	Infiltrativa	Troncular
N	79	44	35	39	22	17	40	22	18	
Media	16,6	15,4	18,1	19,2	18,2	20,4	14,2	12,7	16,0	
Desviación típica	10,6	10,6	10,6	11,6	12,9	10,0	9,0	6,9	11,0	
Mínimo	3,0	5,0	3,0	6,0	6,0	8,0	3,0	5,0	3,0	
Máximo	63,0	63,0	50,0	63,0	63,0	47,0	50,0	30,0	50,0	
Percentil 25	10,0	9,5	12,0	12,0	12,0	15,0	8,5	8,0	9,0	
Mediana	14,0	12,0	15,0	15,0	13,0	18,0	11,5	10,5	14,5	

Percentil 75	20,0	17,0	20,0	22,0	20,0	23,0	19,0	14,0	20,0

T40- EVOLUCIÓN DOLOR (VAS) según GRUPO y TIEMPO ANESTESIA-APERTURA

		GRUPO							
		Total			PEC			POT	
		TIEMPO ANESTESIA-APERTURA			TIEMPO ANESTESIA-APERTURA			TIEMPO ANESTESIA-APERTURA	
		Total	<15 m	>=15 m	Total	<15 m	>=15 m	Total	<15 m
DOLOR pre	N	79	42	37	39	16	23	40	26
	Media	5,8	5,4	6,3	5,9	5,3	6,4	5,6	5,4
	Desviación típica	2,8	3,1	2,4	2,6	3,0	2,3	3,1	3,2
	Mínimo	0,0	0,0	0,0	0,0	0,0	1,0	0,0	0,0
	Máximo	10,0	10,0	10,0	10,0	9,0	10,0	10,0	10,0
	Percentil 25	4,0	4,0	6,0	4,0	3,5	6,0	4,0	4,0
	Mediana	7,0	6,0	7,0	7,0	6,0	7,0	6,0	5,5
	Percentil 75	8,0	8,0	8,0	8,0	8,0	8,0	8,0	8,0
DOLOR 6h	N	79	42	37	39	16	23	40	26
	Media	2,1	1,9	2,4	2,2	1,8	2,6	2,0	2,0
	Desviación típica	2,4	2,4	2,5	2,6	2,7	2,6	2,3	2,3
	Mínimo	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Máximo	9,0	8,0	9,0	9,0	8,0	9,0	9,0	7,0
	Percentil 25	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Mediana	2,0	1,0	2,0	2,0	0,0	2,0	1,0	1,0
	Percentil 75	3,0	3,0	4,0	4,0	2,5	4,0	3,0	3,0
DOLOR 24h	N	79	42	37	39	16	23	40	26
	Media	1,5	1,1	2,0	1,7	0,8	2,4	1,3	1,2
	Desviación típica	2,1	1,7	2,5	2,3	1,2	2,6	2,0	1,9
	Mínimo	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Máximo	9,0	5,0	9,0	9,0	4,0	9,0	7,0	5,0
	Percentil 25	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Mediana	1,0	0,0	1,0	1,0	0,0	2,0	0,0	0,0
	Percentil 75	2,0	1,0	3,0	3,0	1,0	4,0	1,5	2,0
	N	79	42	37	39	16	23	40	26

DOLOR 3d	Media	1,3	1,5	1,1	1,3	1,3	1,3	1,3	1,7
	Desviación típica	2,0	2,4	1,6	2,1	2,6	1,7	2,0	2,2
	Mínimo	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Máximo	10,0	10,0	6,0	10,0	10,0	6,0	10,0	10,0
	Percentil 25	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Mediana	0,0	0,0	0,0	0,0	0,0	1,0	0,5	1,0
	Percentil 75	2,0	3,0	2,0	2,0	2,0	2,0	2,0	3,0

T40b- REDUCCIÓN DOLOR (VAS) 3d - PRE según GRUPO y TIEMPO ANESTESIA-APERTURA

		GRUPO							
		Total			PEC			POT	
		TIEMPO ANESTESIA-APERTURA			TIEMPO ANESTESIA-APERTURA			TIEMPO ANESTESIA-APERTURA	
		Total	<15 m	>=15 m	Total	<15 m	>=15 m	Total	<15 m
DIF.DOLOR.3d_PRE	N	79	42	37	39	16	23	40	26
	Media	-4,5	-3,9	-5,2	-4,7	-4,0	-5,1	-4,3	-3,8
	Desviación típica	3,5	3,9	2,9	3,2	3,8	2,7	3,8	4,0
	Mínimo	-9,0	-9,0	-9,0	-9,0	-8,0	-9,0	-9,0	-9,0
	Máximo	6,0	6,0	1,0	4,0	4,0	1,0	6,0	6,0
	Percentil 25	-7,0	-7,0	-7,0	-7,0	-7,5	-7,0	-7,0	-7,0
	Mediana	-6,0	-5,0	-6,0	-6,0	-5,0	-6,0	-5,0	-5,0
	Percentil 75	-1,0	-1,0	-4,0	-1,0	-1,0	-3,0	-1,5	-1,0

T40c.- TIEMPO HASTA NO DOLOR / DOLOR LEVE según GRUPO y TIEMPO ANESTESIA-APERTURA

		Total							
		TIEMPO ANESTESIA-APERTURA							
		Total		<15 m		>=15 m		Total	
		N	%	N	%	N	%	N	%
TIEMPO HASTA NO	Total	79	100,0 %	42	100,0 %	37	100,0 %	39	100,0 %
	Pre	2	2,5 %	2	4,8 %	0	0,0 %	1	2,6 %
	6h	20	25,3 %	14	33,3 %	6	16,2 %	10	25,6 %

DOLOR DEFINITIVO	24h	7	8,9 %	2	4,8 %	5	13,5 %	2	5,1 %
	3d	11	13,9 %	3	7,1 %	8	21,6 %	8	20,5 %
	No se alcanza	39	49,4 %	21	50,0 %	18	48,6 %	18	46,2 %
TIEMPO HASTA DOLOR LEVE DEFINITIVO	Total	79	100,0 %	42	100,0 %	37	100,0 %	39	100,0 %
	Pre	4	5,1 %	2	4,8 %	2	5,4 %	2	5,1 %
	6h	52	65,8 %	29	69,0 %	23	62,2 %	23	59,0 %
	24h	7	8,9 %	3	7,1 %	4	10,8 %	5	12,8 %
	3d	7	8,9 %	3	7,1 %	4	10,8 %	4	10,3 %
	No se alcanza	9	11,4 %	5	11,9 %	4	10,8 %	5	12,8 %

T41- EVALUACIÓN DURACIÓN TRATAMIENTO (0-muy corto a 10-demasiado largo) según GRUPO y TIEMPO ANESTESIA-APERTURA

		GRUPO							
		Total			PEC			POT	
		TIEMPO ANESTESIA-APERTURA			TIEMPO ANESTESIA-APERTURA			TIEMPO ANESTESIA-APERTURA	
		Total	<15 m	>=15 m	Total	<15 m	>=15 m	Total	<15 m
DURACION	N	79	42	37	39	16	23	40	26
	Media	2,5	2,6	2,4	3,1	3,2	3,0	2,0	2,3
	Desviación típica	1,8	1,9	1,7	1,9	2,1	1,8	1,6	1,7
	Mínimo	0,0	0,0	0,0	0,0	1,0	0,0	0,0	0,0
	Máximo	10,0	10,0	7,0	10,0	10,0	7,0	5,0	5,0
	Percentil 25	1,0	2,0	1,0	2,0	2,0	2,0	0,0	0,0
	Mediana	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0
	Percentil 75	3,0	3,0	3,0	3,0	3,0	4,0	3,0	3,0

T42- EVALUACIÓN INCOMODIDAD TRATAMIENTO (0-muy corto a 10-demasiado largo) según GRUPO y TIEMPO ANESTESIA-APERTURA

		GRUPO							
		Total			PEC			POT	
		TIEMPO ANESTESIA-APERTURA			TIEMPO ANESTESIA-APERTURA			TIEMPO ANESTESIA-APERTURA	
		Total	<15 m	>=15 m	Total	<15 m	>=15 m	Total	<15 m
	N	79	42	37	39	16	23	40	26
	Media	1,5	1,4	1,7	1,5	1,6	1,4	1,6	1,3

INCOMODIDAD	Desviación típica	1,9	1,9	2,0	2,0	2,3	1,9	1,8	1,5
	Mínimo	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Máximo	7,0	7,0	6,0	7,0	7,0	5,0	6,0	5,0
	Percentil 25	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Mediana	1,0	1,0	1,0	0,0	0,5	0,0	1,0	1,0
	Percentil 75	3,0	2,0	3,0	3,0	2,0	3,0	3,0	2,0

T43- EVALUACIÓN SATISFACCIÓN GENERAL TRATAMIENTO (0-nada satisfecho a 10-muy satisfecho) según GRUPO y TIEMPO ANESTESIA-APERTURA

		GRUPO							
		Total			PEC			POT	
		TIEMPO ANESTESIA-APERTURA			TIEMPO ANESTESIA-APERTURA			TIEMPO ANESTESIA-APERTURA	
		Total	<15 m	>=15 m	Total	<15 m	>=15 m	Total	<15 m
SATISFACCION	N	79	42	37	39	16	23	40	26
	Media	9,1	9,2	9,0	9,2	9,0	9,3	9,1	9,3
	Desviación típica	1,8	1,7	2,0	1,7	2,3	1,2	2,0	1,3
	Mínimo	1,0	1,0	1,0	1,0	1,0	5,0	1,0	6,0
	Máximo	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0
	Percentil 25	9,0	9,0	9,0	9,0	8,5	9,0	9,0	9,0
	Mediana	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0
	Percentil 75	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0

T44- EVOLUCIÓN DOLOR (VAS) según GRUPO y TIEMPO APERTURA-FINAL

		GRUPO							
		Total			PEC			POT	
		TIEMPO APERTURA-FINAL			TIEMPO APERTURA-FINAL			TIEMPO APERTURA-FINAL	
		Total	<=8 m	>8 m	Total	<=8 m	>8 m	Total	<=8 m
DOLOR pre	N	79	41	38	39	10	29	40	31
	Media	5,8	6,2	5,4	5,9	6,7	5,7	5,6	6,0
	Desviación típica	2,8	2,5	3,1	2,6	1,6	2,9	3,1	2,8
	Mínimo	0,0	0,0	0,0	0,0	4,0	0,0	0,0	0,0
	Máximo	10,0	10,0	10,0	10,0	8,0	10,0	10,0	10,0

DOLOR 6h	Percentil 25	4,0	5,0	3,0	4,0	6,0	3,0	4,0	5,0
	Mediana	7,0	7,0	6,0	7,0	7,0	6,0	6,0	6,0
	Percentil 75	8,0	8,0	8,0	8,0	8,0	8,0	8,0	8,0
	N	79	41	38	39	10	29	40	31
	Media	2,1	2,0	2,3	2,2	2,8	2,0	2,0	1,7
	Desviación típica	2,4	2,4	2,5	2,6	3,0	2,5	2,3	2,1
	Mínimo	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Máximo	9,0	9,0	9,0	9,0	8,0	9,0	9,0	9,0
	Percentil 25	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Mediana	2,0	1,0	2,0	2,0	2,0	1,0	1,0	1,0
DOLOR 24h	Percentil 75	3,0	3,0	4,0	4,0	3,0	4,0	3,0	3,0
	N	79	41	38	39	10	29	40	31
	Media	1,5	0,9	2,1	1,7	1,1	2,0	1,3	0,9
	Desviación típica	2,1	1,9	2,2	2,3	2,5	2,2	2,0	1,7
	Mínimo	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Máximo	9,0	8,0	9,0	9,0	8,0	9,0	7,0	7,0
	Percentil 25	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Mediana	1,0	0,0	1,5	1,0	0,0	2,0	0,0	0,0
	Percentil 75	2,0	1,0	4,0	3,0	1,0	3,0	1,5	1,0
	N	79	41	38	39	10	29	40	31
DOLOR 3d	Media	1,3	1,0	1,6	1,3	1,2	1,3	1,3	1,0
	Desviación típica	2,0	1,4	2,5	2,1	1,7	2,3	2,0	1,4
	Mínimo	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Máximo	10,0	5,0	10,0	10,0	5,0	10,0	10,0	5,0
	Percentil 25	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Mediana	0,0	0,0	0,5	0,0	0,5	0,0	0,5	0,0
	Percentil 75	2,0	2,0	2,0	2,0	2,0	2,0	2,0	2,0

T44b- REDUCCIÓN DOLOR (VAS) 3d - PRE según GRUPO y TIEMPO APERTURA-FINAL

	GRUPO		
	Total	PEC	POT
	TIEMPO APERTURA-FINAL	TIEMPO APERTURA-FINAL	TIEMPO APERTURA-FINAL

		Total	<=8 m	>8 m	Total	<=8 m	>8 m	Total	<=8 m
DIF.DOLOR.3d_PRE	N	79	41	38	39	10	29	40	31
	Media	-4,5	-5,1	-3,8	-4,7	-5,5	-4,4	-4,3	-5,0
	Desviación típica	3,5	2,9	4,0	3,2	2,5	3,4	3,8	3,0
	Mínimo	-9,0	-9,0	-9,0	-9,0	-8,0	-9,0	-9,0	-9,0
	Máximo	6,0	3,0	6,0	4,0	-1,0	4,0	6,0	3,0
	Percentil 25	-7,0	-7,0	-7,0	-7,0	-8,0	-7,0	-7,0	-7,0
	Mediana	-6,0	-6,0	-5,5	-6,0	-6,0	-6,0	-5,0	-6,0
	Percentil 75	-1,0	-4,0	-1,0	-1,0	-4,0	-1,0	-1,5	-3,0

T44c.- TIEMPO HASTA NO DOLOR / DOLOR LEVE según GRUPO y TIEMPO APERTURA-FINAL

		Total							
		TIEMPO APERTURA-FINAL							
		Total		<=8 m		>8 m		Total	
		N	%	N	%	N	%	N	%
TIEMPO HASTA NO DOLOR DEFINITIVO	Total	79	100,0 %	41	100,0 %	38	100,0 %	39	100,0 %
	Pre	2	2,5 %	0	0,0 %	2	5,3 %	1	2,6 %
	6h	20	25,3 %	13	31,7 %	7	18,4 %	10	25,6 %
	24h	7	8,9 %	5	12,2 %	2	5,3 %	2	5,1 %
	3d	11	13,9 %	4	9,8 %	7	18,4 %	8	20,5 %
	No se alcanza	39	49,4 %	19	46,3 %	20	52,6 %	18	46,2 %
TIEMPO HASTA DOLOR LEVE DEFINITIVO	Total	79	100,0 %	41	100,0 %	38	100,0 %	39	100,0 %
	Pre	4	5,1 %	1	2,4 %	3	7,9 %	2	5,1 %
	6h	52	65,8 %	33	80,5 %	19	50,0 %	23	59,0 %
	24h	7	8,9 %	4	9,8 %	3	7,9 %	5	12,8 %
	3d	7	8,9 %	1	2,4 %	6	15,8 %	4	10,3 %
	No se alcanza	9	11,4 %	2	4,9 %	7	18,4 %	5	12,8 %

T45- EVALUACIÓN DURACIÓN TRATAMIENTO (0-muy corto a 10-demasiado largo) según GRUPO y TIEMPO APERTURA-FINAL

		GRUPO							
--	--	-------	--	--	--	--	--	--	--

		Total			PEC			POT	
		TIEMPO APERTURA-FINAL			TIEMPO APERTURA-FINAL			TIEMPO APERTURA-FINAL	
		Total	<=8 m	>8 m	Total	<=8 m	>8 m	Total	<=8 m
DURACION	N	79	41	38	39	10	29	40	31
	Media	2,5	2,1	3,0	3,1	2,7	3,2	2,0	1,9
	Desviación típica	1,8	1,9	1,6	1,9	2,9	1,4	1,6	1,5
	Mínimo	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Máximo	10,0	10,0	7,0	10,0	10,0	7,0	5,0	5,0
	Percentil 25	1,0	1,0	2,0	2,0	1,0	3,0	0,0	0,0
	Mediana	3,0	2,0	3,0	3,0	2,0	3,0	3,0	2,0
	Percentil 75	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0

T46- EVALUACIÓN INCOMODIDAD TRATAMIENTO (0-muy corto a 10-demasiado largo) según GRUPO y TIEMPO APERTURA-FINAL

		GRUPO							
		Total			PEC			POT	
		TIEMPO APERTURA-FINAL			TIEMPO APERTURA-FINAL			TIEMPO APERTURA-FINAL	
		Total	<=8 m	>8 m	Total	<=8 m	>8 m	Total	<=8 m
INCOMODIDAD	N	79	41	38	39	10	29	40	31
	Media	1,5	1,4	1,7	1,5	1,2	1,6	1,6	1,5
	Desviación típica	1,9	2,0	1,9	2,0	2,3	2,0	1,8	1,9
	Mínimo	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Máximo	7,0	6,0	7,0	7,0	6,0	7,0	6,0	6,0
	Percentil 25	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Mediana	1,0	1,0	1,0	0,0	0,0	1,0	1,0	1,0
	Percentil 75	3,0	2,0	3,0	3,0	1,0	3,0	3,0	3,0

T47- EVALUACIÓN SATISFACCIÓN GENERAL TRATAMIENTO (0-nada satisfecho a 10-muy satisfecho) según GRUPO y TIEMPO APERTURA-FINAL

		GRUPO							
		Total			PEC			POT	
		TIEMPO APERTURA-FINAL			TIEMPO APERTURA-FINAL			TIEMPO APERTURA-FINAL	
		Total	<=8 m	>8 m	Total	<=8 m	>8 m	Total	<=8 m

SATISFACCION	N	79	41	38	39	10	29	40	31
	Media	9,1	9,3	8,9	9,2	9,7	9,0	9,1	9,2
	Desviación típica	1,8	1,7	2,0	1,7	0,7	1,9	2,0	1,9
	Mínimo	1,0	1,0	1,0	1,0	8,0	1,0	1,0	1,0
	Máximo	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0
	Percentil 25	9,0	10,0	8,0	9,0	10,0	9,0	9,0	10,0
	Mediana	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0
	Percentil 75	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0

T48- EVOLUCIÓN DOLOR (VAS) según GRUPO y SANGRADO PROFUSO

		GRUPO							
		Total			PEC			POT	
		SANGRADO PROFUSO			SANGRADO PROFUSO			SANGRADO PROFUSO	
		Total	No	Sí	Total	No	Sí	Total	No
DOLOR pre	N	80	51	29	40	24	16	40	27
	Media	5,8	6,1	5,2	6,0	6,3	5,4	5,6	6,0
	Desviación típica	2,8	2,5	3,2	2,6	2,1	3,2	3,1	2,9
	Mínimo	0,0	0,0	0,0	0,0	1,0	0,0	0,0	0,0
	Máximo	10,0	10,0	10,0	10,0	9,0	10,0	10,0	10,0
	Percentil 25	4,0	5,0	2,0	4,0	6,0	3,0	4,0	5,0
	Mediana	6,5	7,0	6,0	7,0	6,5	7,0	6,0	7,0
	Percentil 75	8,0	8,0	8,0	8,0	8,0	8,0	8,0	8,0
DOLOR 6h	N	80	51	29	40	24	16	40	27
	Media	2,1	2,0	2,3	2,2	2,3	2,1	2,0	1,7
	Desviación típica	2,4	2,3	2,7	2,6	2,6	2,7	2,3	1,9
	Mínimo	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Máximo	9,0	9,0	9,0	9,0	9,0	8,0	9,0	7,0
	Percentil 25	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Mediana	2,0	2,0	1,0	2,0	2,0	0,5	1,0	1,0
	Percentil 75	3,0	3,0	4,0	3,5	3,0	4,0	3,0	3,0
	N	80	51	29	40	24	16	40	27
	Media	1,5	1,5	1,4	1,8	2,1	1,3	1,3	1,0

DOLOR 24h	Desviación típica	2,1	2,1	2,1	2,3	2,4	2,0	2,0	1,7
	Mínimo	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Máximo	9,0	9,0	7,0	9,0	9,0	7,0	7,0	5,0
	Percentil 25	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Mediana	1,0	1,0	0,0	1,0	1,5	0,0	0,0	0,0
	Percentil 75	2,0	2,0	2,0	2,5	3,0	2,0	1,5	1,0
DOLOR 3d	N	80	51	29	40	24	16	40	27
	Media	1,3	1,4	1,2	1,3	1,5	0,8	1,3	1,2
	Desviación típica	2,0	2,0	2,0	2,1	2,5	1,0	2,0	1,5
	Mínimo	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Máximo	10,0	10,0	10,0	10,0	10,0	3,0	10,0	5,0
	Percentil 25	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Mediana	0,0	0,0	0,0	0,0	0,0	0,0	0,5	0,0
	Percentil 75	2,0	2,0	2,0	2,0	2,5	2,0	2,0	2,0

T49b- REDUCCIÓN DOLOR (VAS) 3d - PRE según GRUPO y SANGRADO PROFUSO

		GRUPO							
		Total			PEC			POT	
		SANGRADO PROFUSO			SANGRADO PROFUSO			SANGRADO PROFUSO	
		Total	No	Sí	Total	No	Sí	Total	No
DIF.DOLOR.3d_PRE	N	80	51	29	40	24	16	40	27
	Media	-4,5	-4,8	-4,0	-4,7	-4,8	-4,6	-4,3	-4,8
	Desviación típica	3,5	3,1	4,1	3,2	3,3	3,1	3,8	3,1
	Mínimo	-9,0	-9,0	-9,0	-9,0	-9,0	-9,0	-9,0	-8,0
	Máximo	6,0	4,0	6,0	4,0	4,0	0,0	6,0	3,0
	Percentil 25	-7,0	-7,0	-8,0	-7,0	-7,0	-7,5	-7,0	-7,0
	Mediana	-6,0	-6,0	-5,0	-6,0	-6,0	-5,0	-5,0	-5,0
	Percentil 75	-1,5	-3,0	-1,0	-1,5	-2,5	-1,0	-1,5	-3,0

T49c.- TIEMPO HASTA NO DOLOR / DOLOR LEVE según GRUPO y SANGRADO PROFUSO

--	--	--	--	--	--	--	--	--	--

		Total							
		SANGRADO PROFUSO							
		Total		No		Sí		Total	
		N	%	N	%	N	%	N	%
TIEMPO HASTA NO DOLOR DEFINITIVO	Total	80	100,0 %	51	100,0 %	29	100,0 %	40	100,0 %
	Pre	2	2,5 %	1	2,0 %	1	3,4 %	1	2,5 %
	6h	20	25,0 %	11	21,6 %	9	31,0 %	10	25,0 %
	24h	7	8,8 %	6	11,8 %	1	3,4 %	2	5,0 %
	3d	12	15,0 %	9	17,6 %	3	10,3 %	9	22,5 %
	No se alcanza	39	48,8 %	24	47,1 %	15	51,7 %	18	45,0 %
TIEMPO HASTA DOLOR LEVE DEFINITIVO	Total	80	100,0 %	51	100,0 %	29	100,0 %	40	100,0 %
	Pre	4	5,0 %	3	5,9 %	1	3,4 %	2	5,0 %
	6h	53	66,3 %	35	68,6 %	18	62,1 %	24	60,0 %
	24h	7	8,8 %	2	3,9 %	5	17,2 %	5	12,5 %
	3d	7	8,8 %	4	7,8 %	3	10,3 %	4	10,0 %
	No se alcanza	9	11,3 %	7	13,7 %	2	6,9 %	5	12,5 %

T50- EVALUACIÓN SATISFACCIÓN GENERAL TRATAMIENTO (0-nada satisfecho a 10-muy satisfecho) según GRUPO y SANGRADO PROFUSO

		GRUPO							
		Total			PEC			POT	
		SANGRADO PROFUSO			SANGRADO PROFUSO			SANGRADO PROFUSO	
		Total	No	Sí	Total	No	Sí	Total	No
SATISFACCION	N	80	51	29	40	24	16	40	27
	Media	9,1	8,9	9,4	9,2	9,0	9,4	9,1	8,9
	Desviación típica	1,8	2,2	0,9	1,7	2,1	0,8	2,0	2,3
	Mínimo	1,0	1,0	7,0	1,0	1,0	8,0	1,0	1,0
	Máximo	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0
	Percentil 25	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
	Mediana	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0
	Percentil 75	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0

T51.- SANGRADO PROFUSO según GRUPO y CAUSA

	Total									
	CAUSA									
	Total		Caries		Obturación		Resto		Total	
	N	%	N	%	N	%	N	%	N	%
Total	80	100,0 %	40	100,0 %	23	100,0 %	17	100,0 %	40	100,0 %
No	51	63,7 %	27	67,5 %	16	69,6 %	8	47,1 %	24	60,0 %
Sí	29	36,3 %	13	32,5 %	7	30,4 %	9	52,9 %	16	40,0 %

T52.- SANGRADO CONDUCTO según GRUPO y CAUSA

	Total									
	CAUSA									
	Total		Caries		Obturación		Resto		Total	
	N	%	N	%	N	%	N	%	N	%
Total	80	100,0 %	40	100,0 %	23	100,0 %	17	100,0 %	40	100,0 %
No	59	73,8 %	29	72,5 %	18	78,3 %	12	70,6 %	28	70,0 %
Sí	21	26,3 %	11	27,5 %	5	21,7 %	5	29,4 %	12	30,0 %

T53.- PAA PREVIO según GRUPO y CAUSA

	Total									
	CAUSA									
	Total		Caries		Obturación		Resto		Total	
	N	%	N	%	N	%	N	%	N	%
Total	80	100,0 %	40	100,0 %	23	100,0 %	17	100,0 %	40	100,0 %
No	47	58,8 %	24	60,0 %	11	47,8 %	12	70,6 %	20	50,0 %
Sí	33	41,3 %	16	40,0 %	12	52,2 %	5	29,4 %	20	50,0 %

T54- EVOLUCIÓN DOLOR (VAS) según GRUPO y CAUSA

		GRUPO							
		Total				PEC			
		CAUSA				CAUSA			
		Total	Caries	Obturación	Resto	Total	Caries	Obturación	Resto
DOLOR pre	N	80	40	23	17	40	19	13	8
	Media	5,8	5,2	6,6	6,1	6,0	5,3	7,5	5,0
	Desviación típica	2,8	2,9	2,4	3,0	2,6	2,8	1,5	2,6
	Mínimo	0,0	0,0	0,0	0,0	0,0	0,0	4,0	0,0
	Máximo	10,0	9,0	10,0	10,0	10,0	9,0	10,0	8,0
	Percentil 25	4,0	3,0	6,0	5,0	4,0	3,0	7,0	3,5
	Mediana	6,5	6,0	7,0	6,0	7,0	6,0	7,0	6,0
	Percentil 75	8,0	8,0	8,0	8,0	8,0	8,0	8,0	6,5
DOLOR 6h	N	80	40	23	17	40	19	13	8
	Media	2,1	2,0	2,6	1,8	2,2	1,7	3,3	1,6
	Desviación típica	2,4	2,3	2,4	2,8	2,6	2,6	2,3	2,8
	Mínimo	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Máximo	9,0	9,0	8,0	9,0	9,0	9,0	8,0	8,0
	Percentil 25	0,0	0,0	0,0	0,0	0,0	0,0	2,0	0,0
	Mediana	2,0	1,5	2,0	0,0	2,0	0,0	3,0	0,0
	Percentil 75	3,0	3,0	4,0	3,0	3,5	3,0	4,0	2,5
DOLOR 24h	N	80	40	23	17	40	19	13	8
	Media	1,5	1,5	1,7	1,3	1,8	1,6	2,3	1,1
	Desviación típica	2,1	2,1	2,1	2,1	2,3	2,5	2,3	1,5
	Mínimo	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Máximo	9,0	9,0	8,0	7,0	9,0	9,0	8,0	4,0
	Percentil 25	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Mediana	1,0	1,0	1,0	0,0	1,0	1,0	2,0	0,5
	Percentil 75	2,0	2,0	3,0	2,0	2,5	2,0	3,0	2,0
	N	80	40	23	17	40	19	13	8
	Media	1,3	0,8	2,1	1,4	1,3	0,5	1,8	2,1
	Desviación típica	2,0	1,1	2,4	2,7	2,1	0,8	2,0	3,6

DOLOR 3d	Mínimo	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Máximo	10,0	4,0	10,0	10,0	10,0	2,0	6,0	10,0
	Percentil 25	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Mediana	0,0	0,0	2,0	0,0	0,0	0,0	1,0	0,0
	Percentil 75	2,0	1,5	3,0	1,0	2,0	1,0	3,0	3,5

T54b- REDUCCIÓN DOLOR (VAS) 3d - PRE según GRUPO y CAUSA

		GRUPO							
		Total				PEC			
		CAUSA				CAUSA			
		Total	Caries	Obturación	Resto	Total	Caries	Obturación	Resto
DIF.DOLOR.3d_PRE	N	80	40	23	17	40	19	13	8
	Media	-4,5	-4,4	-4,5	-4,6	-4,7	-4,8	-5,6	-2,9
	Desviación típica	3,5	3,2	3,8	3,9	3,2	2,7	2,7	4,4
	Mínimo	-9,0	-9,0	-9,0	-9,0	-9,0	-9,0	-9,0	-8,0
	Máximo	6,0	4,0	6,0	4,0	4,0	0,0	-1,0	4,0
	Percentil 25	-7,0	-7,0	-7,0	-8,0	-7,0	-6,0	-7,0	-6,5
	Mediana	-6,0	-5,0	-6,0	-6,0	-6,0	-6,0	-6,0	-3,5
	Percentil 75	-1,5	-1,5	-2,0	-1,0	-1,5	-3,0	-5,0	0,5

T54c.- TIEMPO HASTA NO DOLOR / DOLOR LEVE según GRUPO y CAUSA

		Total							
		CAUSA							
		Total		Caries		Obturación		Resto	
		N	%	N	%	N	%	N	%
TIEMPO HASTA NO DOLOR DEFINITIVO	Total	80	100,0 %	40	100,0 %	23	100,0 %	17	100,0 %
	Pre	2	2,5 %	2	5,0 %	0	0,0 %	0	0,0 %
	6h	20	25,0 %	10	25,0 %	4	17,4 %	6	35,3 %
	24h	7	8,8 %	2	5,0 %	3	13,0 %	2	11,8 %
	3d	12	15,0 %	8	20,0 %	1	4,3 %	3	17,6 %
	No se alcanza	39	48,8 %	18	45,0 %	15	65,2 %	6	35,3 %

TIEMPO HASTA DOLOR LEVE DEFINITIVO	Total	80	100,0 %	40	100,0 %	23	100,0 %	17	100,0 %
	Pre	4	5,0 %	3	7,5 %	0	0,0 %	1	5,9 %
	6h	53	66,3 %	29	72,5 %	13	56,5 %	11	64,7 %
	24h	7	8,8 %	1	2,5 %	4	17,4 %	2	11,8 %
	3d	7	8,8 %	5	12,5 %	2	8,7 %	0	0,0 %
	No se alcanza	9	11,3 %	2	5,0 %	4	17,4 %	3	17,6 %

T55- EVOLUCIÓN DOLOR (VAS) según GRUPO y ANESTESIA COMPLEMENTARIA

		GRUPO							
		Total			PEC			POT	
		ANESTESIA COMPLEMENTARIA			ANESTESIA COMPLEMENTARIA			ANESTESIA COMPLEMENT.	
		Total	No	Sí	Total	No	Sí	Total	No
DOLOR pre	N	80	32	48	40	16	24	40	16
	Media	5,8	5,6	5,9	6,0	5,9	6,0	5,6	5,3
	Desviación típica	2,8	2,9	2,8	2,6	2,8	2,5	3,1	3,0
	Mínimo	0,0	0,0	0,0	0,0	0,0	1,0	0,0	0,0
	Máximo	10,0	9,0	10,0	10,0	9,0	10,0	10,0	9,0
	Percentil 25	4,0	4,0	4,0	4,0	5,0	4,0	4,0	3,0
	Mediana	6,5	6,5	6,5	7,0	7,0	6,0	6,0	5,5
	Percentil 75	8,0	8,0	8,0	8,0	8,0	8,0	8,0	8,0
DOLOR 6h	N	80	32	48	40	16	24	40	16
	Media	2,1	2,5	1,9	2,2	2,8	1,8	2,0	2,2
	Desviación típica	2,4	2,8	2,2	2,6	2,6	2,6	2,3	3,0
	Mínimo	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Máximo	9,0	9,0	9,0	9,0	8,0	9,0	9,0	9,0
	Percentil 25	0,0	0,0	0,0	0,0	1,0	0,0	0,0	0,0
	Mediana	2,0	2,0	1,0	2,0	2,0	0,0	1,0	0,5
	Percentil 75	3,0	4,0	3,0	3,5	4,0	3,0	3,0	4,0
DOLOR 24h	N	80	32	48	40	16	24	40	16
	Media	1,5	1,3	1,6	1,8	1,3	2,0	1,3	1,3
	Desviación típica	2,1	1,8	2,3	2,3	1,4	2,7	2,0	2,2
	Mínimo	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Máximo	9,0	7,0	9,0	9,0	4,0	9,0	7,0	7,0

DOLOR 3d	Percentil 25	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Mediana	1,0	0,5	1,0	1,0	1,0	1,0	0,0	0,0
	Percentil 75	2,0	2,0	2,0	2,5	2,5	3,0	1,5	1,5
	N	80	32	48	40	16	24	40	16
	Media	1,3	1,2	1,4	1,3	1,2	1,3	1,3	1,2
	Desviación típica	2,0	2,1	2,0	2,1	1,6	2,4	2,0	2,5
	Mínimo	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Máximo	10,0	10,0	10,0	10,0	6,0	10,0	10,0	10,0
	Percentil 25	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Mediana	0,0	0,0	0,0	0,0	0,5	0,0	0,5	0,0
	Percentil 75	2,0	2,0	2,5	2,0	2,0	2,0	2,0	1,5

T55b- REDUCCIÓN DOLOR (VAS) 3d - PRE según GRUPO y ANESTESIA COMPLEMENTARIA

		GRUPO							
		Total			PEC			POT	
		ANESTESIA COMPLEMENTARIA			ANESTESIA COMPLEMENTARIA			ANESTESIA COMPLEMENTARIA	
		Total	No	Sí	Total	No	Sí	Total	No
DIF.DOLOR.3d_PRE	N	80	32	48	40	16	24	40	16
	Media	-4,5	-4,4	-4,5	-4,7	-4,8	-4,7	-4,3	-4,1
	Desviación típica	3,5	3,6	3,4	3,2	2,9	3,4	3,8	4,3
	Mínimo	-9,0	-9,0	-9,0	-9,0	-8,0	-9,0	-9,0	-9,0
	Máximo	6,0	6,0	4,0	4,0	0,0	4,0	6,0	6,0
	Percentil 25	-7,0	-7,0	-7,0	-7,0	-7,0	-7,0	-7,0	-7,5
	Mediana	-6,0	-5,5	-6,0	-6,0	-5,5	-6,0	-5,0	-5,5
	Percentil 75	-1,5	-2,0	-1,0	-1,5	-2,0	-1,5	-1,5	-2,0

T55c.- TIEMPO HASTA NO DOLOR / DOLOR LEVE según GRUPO y ANESTESIA COMPLEMENTARIA

		Total			
		ANESTESIA COMPLEMENTARIA			
		Total	No	Sí	Total

		N	%	N	%	N	%	N	%
TIEMPO HASTA NO DOLOR DEFINITIVO	Total	80	100,0 %	32	100,0 %	48	100,0 %	40	100,0 %
	Pre	2	2,5 %	1	3,1 %	1	2,1 %	1	2,5 %
	6h	20	25,0 %	10	31,3 %	10	20,8 %	10	25,0 %
	24h	7	8,8 %	2	6,3 %	5	10,4 %	2	5,0 %
	3d	12	15,0 %	4	12,5 %	8	16,7 %	9	22,5 %
	No se alcanza	39	48,8 %	15	46,9 %	24	50,0 %	18	45,0 %
TIEMPO HASTA DOLOR LEVE DEFINITIVO	Total	80	100,0 %	32	100,0 %	48	100,0 %	40	100,0 %
	Pre	4	5,0 %	1	3,1 %	3	6,3 %	2	5,0 %
	6h	53	66,3 %	21	65,6 %	32	66,7 %	24	60,0 %
	24h	7	8,8 %	5	15,6 %	2	4,2 %	5	12,5 %
	3d	7	8,8 %	3	9,4 %	4	8,3 %	4	10,0 %
	No se alcanza	9	11,3 %	2	6,3 %	7	14,6 %	5	12,5 %

T56- EVALUACIÓN SATISFACCIÓN GENERAL TRATAMIENTO (0-nada satisfecho a 10-muy satisfecho) según GRUPO y ANESTESIA COMPLEMENTARIA

		GRUPO							
		Total			PEC			POT	
		ANESTESIA COMPLEMENTARIA			ANESTESIA COMPLEMENTARIA			ANESTESIA COMPLEMENTARIA	
		Total	No	Sí	Total	No	Sí	Total	No
SATISFACCION	N	80	32	48	40	16	24	40	16
	Media	9,1	9,4	8,9	9,2	9,3	9,1	9,1	9,6
	Desviación típica	1,8	1,2	2,1	1,7	1,4	1,9	2,0	1,1
	Mínimo	1,0	5,0	1,0	1,0	5,0	1,0	1,0	6,0
	Máximo	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0
	Percentil 25	9,0	9,5	8,5	9,0	9,0	9,0	9,0	10,0
	Mediana	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0
	Percentil 75	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0

T57.- INFLAMACIÓN ENCÍA POST-OPERATORIA según GRUPO E INTRALIGAMENTOSA

		Total							

		INTRALIGAMENTOSA							
		Total		No		Sí		Total	
		N	%	N	%	N	%	N	%
INFLAMACION ENCIA	Total	80	100,0 %	43	100,0 %	37	100,0 %	40	100,0 %
	No	76	95,0 %	43	100,0 %	33	89,2 %	38	95,0 %
	Sí	4	5,0 %	0	0,0 %	4	10,8 %	2	5,0 %
T58- EVALUACIÓN DURACIÓN TRATAMIENTO (0-muy corto a 10-demasiado largo) según GRUPO y RECONSTRUCCIÓN PRE-ENDODONCIA									
		GRUPO							
		Total			PEC			POT	
		RECO PREENDO			RECO PREENDO			RECO PREENDO	
		Total	No	Sí	Total	No	Sí	Total	No
DURACION	N	80	49	31	40	23	17	40	26
	Media	2,6	2,5	2,6	3,1	3,1	3,1	2,0	2,0
	Desviación típica	1,8	1,8	1,9	1,9	2,1	1,7	1,6	1,3
	Mínimo	0,0	0,0	0,0	0,0	0,0	0,0	0,0	0,0
	Máximo	10,0	10,0	6,0	10,0	10,0	6,0	5,0	4,0
	Percentil 25	1,0	2,0	1,0	2,0	2,0	2,0	0,0	1,0
	Mediana	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0
	Percentil 75	3,0	3,0	5,0	3,5	3,0	5,0	3,0	3,0

23	100,0 %	17	100,0 %	40	100,0 %	20	100,0 %	20	100,0 %
1	4,3 %	0	0,0 %	1	2,5 %	0	0,0 %	1	5,0 %
6	26,1 %	4	23,5 %	10	25,0 %	6	30,0 %	4	20,0 %
2	8,7 %	0	0,0 %	5	12,5 %	1	5,0 %	4	20,0 %
6	26,1 %	3	17,6 %	3	7,5 %	0	0,0 %	3	15,0 %
8	34,8 %	10	58,8 %	21	52,5 %	13	65,0 %	8	40,0 %
23	100,0 %	17	100,0 %	40	100,0 %	20	100,0 %	20	100,0 %
2	8,7 %	0	0,0 %	2	5,0 %	0	0,0 %	2	10,0 %
15	65,2 %	9	52,9 %	29	72,5 %	15	75,0 %	14	70,0 %
2	8,7 %	3	17,6 %	2	5,0 %	1	5,0 %	1	5,0 %
2	8,7 %	2	11,8 %	3	7,5 %	3	15,0 %	0	0,0 %
2	8,7 %	3	17,6 %	4	10,0 %	1	5,0 %	3	15,0 %
Si									
20									
8,7									
2,5									
1,0									
10,0									
8,5									
10,0									
10,0									

Si									
13									
6,2									
3,7									
0,0									
10,0									
5,0									
8,0									
9,0									
13									
1,6									
1,9									
0,0									
6,0									
0,0									
1,0									
2,0									
13									
1,2									
1,6									
0,0									
5,0									
0,0									
1,0									
1,0									
13									
1,0									
1,4									
0,0									
4,0									
0,0									
0,0									

2,0									
Si									
13									
-5,2									
4,1									
-9,0									
4,0									
-8,0									
-7,0									
-3,0									

GRUPO									
PEC					POT				
PAA					PAA				
No		Sí		Total		No		Sí	
N	%	N	%	N	%	N	%	N	%
20	100,0 %	20	100,0 %	40	100,0 %	27	100,0 %	13	100,0 %
1	5,0 %	0	0,0 %	1	2,5 %	0	0,0 %	1	7,7 %
6	30,0 %	4	20,0 %	10	25,0 %	8	29,6 %	2	15,4 %
1	5,0 %	1	5,0 %	5	12,5 %	3	11,1 %	2	15,4 %
4	20,0 %	5	25,0 %	3	7,5 %	1	3,7 %	2	15,4 %
8	40,0 %	10	50,0 %	21	52,5 %	15	55,6 %	6	46,2 %
20	100,0 %	20	100,0 %	40	100,0 %	27	100,0 %	13	100,0 %
2	10,0 %	0	0,0 %	2	5,0 %	0	0,0 %	2	15,4 %
13	65,0 %	11	55,0 %	29	72,5 %	20	74,1 %	9	69,2 %

1	5,0 %	4	20,0 %	2	5,0 %	2	7,4 %	0	0,0 %
2	10,0 %	2	10,0 %	3	7,5 %	2	7,4 %	1	7,7 %
2	10,0 %	3	15,0 %	4	10,0 %	3	11,1 %	1	7,7 %

[illegible]

JPO								
EC			POT					
CA			PAA					
o	Sí		Total		No		Sí	
%	N	%	N	%	N	%	N	%
100,0 %	20	100,0 %	40	100,0 %	27	100,0 %	13	100,0 %
95,0 %	17	85,0 %	32	80,0 %	21	77,8 %	11	84,6 %
5,0 %	3	15,0 %	8	20,0 %	6	22,2 %	2	15,4 %

[illegible]

0,0									
10,0									
5,0									
8,0									
9,0									
20									
1,9									
1,7									
0,0									
6,0									
0,0									
2,0									
3,0									
20									
1,2									
1,7									
0,0									
5,0									
0,0									
0,5									
1,5									
20									
1,4									
1,6									
0,0									
5,0									
0,0									
1,0									
2,5									

RE									
Intensa									
20									
-5,4									
3,2									
-9,0									
1,0									
-8,0									
-7,0									
-3,5									

GRUPO									
PEC					POT				
MOLESTIA MASTICAR PRE					MOLESTIA MASTICAR PRE				
Hasta moderada		Intensa		Total		Hasta moderada		Intensa	
N	%	N	%	N	%	N	%	N	%
14	100,0 %	26	100,0 %	40	100,0 %	20	100,0 %	20	100,0 %
0	0,0 %	1	3,8 %	1	2,5 %	0	0,0 %	1	5,0 %
4	28,6 %	6	23,1 %	10	25,0 %	7	35,0 %	3	15,0 %
1	7,1 %	1	3,8 %	5	12,5 %	2	10,0 %	3	15,0 %
4	28,6 %	5	19,2 %	3	7,5 %	1	5,0 %	2	10,0 %
5	35,7 %	13	50,0 %	21	52,5 %	10	50,0 %	11	55,0 %
14	100,0 %	26	100,0 %	40	100,0 %	20	100,0 %	20	100,0 %
0	0,0 %	2	7,7 %	2	5,0 %	0	0,0 %	2	10,0 %
10	71,4 %	14	53,8 %	29	72,5 %	14	70,0 %	15	75,0 %
1	7,1 %	4	15,4 %	2	5,0 %	2	10,0 %	0	0,0 %
2	14,3 %	2	7,7 %	3	7,5 %	2	10,0 %	1	5,0 %
1	7,1 %	4	15,4 %	4	10,0 %	2	10,0 %	2	10,0 %

RE									
Intensa									
20									
8,5									
2,6									
1,0									
10,0									
8,0									
10,0									
10,0									
JPO									
EC			POT						
MASTICAR PRE			MOLESTIA MASTICAR PRE						
Moderada	Intensa		Total		Hasta moderada		Intensa		
%	N	%	N	%	N	%	N	%	
100,0 %	26	100,0 %	40	100,0 %	20	100,0 %	20	100,0 %	
100,0 %	22	84,6 %	32	80,0 %	13	65,0 %	19	95,0 %	
0,0 %	4	15,4 %	8	20,0 %	7	35,0 %	1	5,0 %	

POT									
EXPERIENCIA									
No	Sí	NS							
9	26	5							
2,6	3,1	5,6							
3,1	3,6	3,5							
0,0	0,0	0,0							
7,0	10,0	9,0							
0,0	0,0	5,0							
0,0	0,5	6,0							
6,0	6,0	8,0							
POT									
EXPERIENCIA									
Total	No	Sí	NS						
40	9	26	5						
1,6	2,0	1,7	0,6						
1,8	2,5	1,7	0,5						
0,0	0,0	0,0	0,0						

[illegible]

TURA									
>=15 m									
14									
6,0									
2,8									
0,0									
9,0									
5,0									
7,0									
8,0									
14									
2,1									
2,3									
0,0									
9,0									
1,0									
1,5									
3,0									
14									
1,3									
2,2									
0,0									
7,0									
0,0									
0,0									
1,0									
14									

0,7									
1,3									
0,0									
4,0									
0,0									
0,0									
1,0									
TURA									
>=15 m									
14									
-5,3									
3,3									
-9,0									
1,0									
-8,0									
-6,0									
-4,0									

GRUPO									
PEC					POT				
TIEMPO ANESTESIA-APERTURA					TIEMPO ANESTESIA-APERTURA				
<15 m		>=15 m		Total		<15 m		>=15 m	
N	%	N	%	N	%	N	%	N	%
16	100,0 %	23	100,0 %	40	100,0 %	26	100,0 %	14	100,0 %
1	6,3 %	0	0,0 %	1	2,5 %	1	3,8 %	0	0,0 %
7	43,8 %	3	13,0 %	10	25,0 %	7	26,9 %	3	21,4 %

0	0,0 %	2	8,7 %	5	12,5 %	2	7,7 %	3	21,4 %
3	18,8 %	5	21,7 %	3	7,5 %	0	0,0 %	3	21,4 %
5	31,3 %	13	56,5 %	21	52,5 %	16	61,5 %	5	35,7 %
16	100,0 %	23	100,0 %	40	100,0 %	26	100,0 %	14	100,0 %
1	6,3 %	1	4,3 %	2	5,0 %	1	3,8 %	1	7,1 %
11	68,8 %	12	52,2 %	29	72,5 %	18	69,2 %	11	78,6 %
2	12,5 %	3	13,0 %	2	5,0 %	1	3,8 %	1	7,1 %
0	0,0 %	4	17,4 %	3	7,5 %	3	11,5 %	0	0,0 %
2	12,5 %	3	13,0 %	4	10,0 %	3	11,5 %	1	7,1 %

TURA									
>=15 m									
14									
1,5									
1,2									
0,0									
3,0									
0,0									
1,5									
3,0									
TURA									
>=15 m									
14									
2,1									

2,2									
0,0									
6,0									
0,0									
1,0									
3,0									
TURA									
>=15 m									
14									
8,6									
2,9									
1,0									
10,0									
9,0									
10,0									
10,0									
AL									
>8 m									
9									
4,3									
3,8									
0,0									
9,0									

0,0									
4,0									
8,0									
9									
3,2									
2,5									
0,0									
7,0									
1,0									
3,0									
4,0									
9									
2,6									
2,4									
0,0									
5,0									
1,0									
1,0									
5,0									
9									
2,6									
3,2									
0,0									
10,0									
1,0									
1,0									
4,0									
AL									

>8 m									
9									
-1,8									
5,3									
-8,0									
6,0									
-7,0									
0,0									
1,0									
GRUPO									
PEC					POT				
TIEMPO APERTURA-FINAL					TIEMPO APERTURA-FINAL				
<=8 m		>8 m		Total		<=8 m		>8 m	
N	%	N	%	N	%	N	%	N	%
10	100,0 %	29	100,0 %	40	100,0 %	31	100,0 %	9	100,0 %
0	0,0 %	1	3,4 %	1	2,5 %	0	0,0 %	1	11,1 %
3	30,0 %	7	24,1 %	10	25,0 %	10	32,3 %	0	0,0 %
1	10,0 %	1	3,4 %	5	12,5 %	4	12,9 %	1	11,1 %
1	10,0 %	7	24,1 %	3	7,5 %	3	9,7 %	0	0,0 %
5	50,0 %	13	44,8 %	21	52,5 %	14	45,2 %	7	77,8 %
10	100,0 %	29	100,0 %	40	100,0 %	31	100,0 %	9	100,0 %
0	0,0 %	2	6,9 %	2	5,0 %	1	3,2 %	1	11,1 %
7	70,0 %	16	55,2 %	29	72,5 %	26	83,9 %	3	33,3 %
2	20,0 %	3	10,3 %	2	5,0 %	2	6,5 %	0	0,0 %
0	0,0 %	4	13,8 %	3	7,5 %	1	3,2 %	2	22,2 %
1	10,0 %	4	13,8 %	4	10,0 %	1	3,2 %	3	33,3 %

AL									
>8 m									
9									
2,3									
1,9									
0,0									
5,0									
0,0									
3,0									
3,0									
AL									
>8 m									
9									
2,0									
1,7									
0,0									
5,0									
1,0									
2,0									
3,0									
AL									
>8 m									

9									
8,4									
2,3									
3,0									
10,0									
8,0									
9,0									
10,0									
Si									
13									
4,9									
3,4									
0,0									
10,0									
2,0									
5,0									
8,0									
13									
2,6									
2,9									
0,0									
9,0									
1,0									
1,0									
4,0									
13									
1,7									

2,4									
0,0									
7,0									
0,0									
1,0									
2,0									
13									
1,6									
2,8									
0,0									
10,0									
0,0									
1,0									
1,0									
Si									
13									
-3,3									
5,0									
-9,0									
6,0									
-8,0									
-5,0									
0,0									
GRUPO									

PEC				POT					
SANGRADO PROFUSO				SANGRADO PROFUSO					
No		Si		Total		No		Si	
N	%	N	%	N	%	N	%	N	%
24	100,0 %	16	100,0 %	40	100,0 %	27	100,0 %	13	100,0 %
0	0,0 %	1	6,3 %	1	2,5 %	1	3,7 %	0	0,0 %
4	16,7 %	6	37,5 %	10	25,0 %	7	25,9 %	3	23,1 %
1	4,2 %	1	6,3 %	5	12,5 %	5	18,5 %	0	0,0 %
8	33,3 %	1	6,3 %	3	7,5 %	1	3,7 %	2	15,4 %
11	45,8 %	7	43,8 %	21	52,5 %	13	48,1 %	8	61,5 %
24	100,0 %	16	100,0 %	40	100,0 %	27	100,0 %	13	100,0 %
1	4,2 %	1	6,3 %	2	5,0 %	2	7,4 %	0	0,0 %
14	58,3 %	10	62,5 %	29	72,5 %	21	77,8 %	8	61,5 %
2	8,3 %	3	18,8 %	2	5,0 %	0	0,0 %	2	15,4 %
2	8,3 %	2	12,5 %	3	7,5 %	2	7,4 %	1	7,7 %
5	20,8 %	0	0,0 %	4	10,0 %	2	7,4 %	2	15,4 %
Si									
13									
9,5									
1,1									
7,0									
10,0									
10,0									
10,0									
10,0									

GRUPO									
PEC									
CAUSA									
tal	Caries		Obturación		Resto		Total		Car
%	N	%	N	%	N	%	N	%	N
100,0 %	19	100,0 %	13	100,0 %	8	100,0 %	40	100,0 %	21
60,0 %	12	63,2 %	8	61,5 %	4	50,0 %	27	67,5 %	15
40,0 %	7	36,8 %	5	38,5 %	4	50,0 %	13	32,5 %	6

GRUPO									
PEC									
CAUSA									
tal	Caries		Obturación		Resto		Total		Car
%	N	%	N	%	N	%	N	%	N
100,0 %	19	100,0 %	13	100,0 %	8	100,0 %	40	100,0 %	21
70,0 %	14	73,7 %	9	69,2 %	5	62,5 %	31	77,5 %	15
30,0 %	5	26,3 %	4	30,8 %	3	37,5 %	9	22,5 %	6

GRUPO									
PEC									
CAUSA									
tal	Caries		Obturación		Resto		Total		Car
%	N	%	N	%	N	%	N	%	N
100,0 %	19	100,0 %	13	100,0 %	8	100,0 %	40	100,0 %	21
50,0 %	11	57,9 %	3	23,1 %	6	75,0 %	27	67,5 %	13
50,0 %	8	42,1 %	10	76,9 %	2	25,0 %	13	32,5 %	8

POT									
CAUSA									
Total	Caries	Obturación	Resto						
40	21	10	9						
5,6	5,1	5,5	7,0						
3,1	3,1	2,9	3,1						
0,0	0,0	0,0	0,0						
10,0	9,0	9,0	10,0						
4,0	3,0	4,0	6,0						
6,0	5,0	6,5	8,0						
8,0	8,0	8,0	9,0						
40	21	10	9						
2,0	2,3	1,6	1,9						
2,3	2,1	2,2	2,9						
0,0	0,0	0,0	0,0						
9,0	7,0	7,0	9,0						
0,0	0,0	0,0	0,0						
1,0	2,0	1,0	1,0						
3,0	3,0	2,0	3,0						
40	21	10	9						
1,3	1,3	0,9	1,4						
2,0	1,8	1,7	2,7						
0,0	0,0	0,0	0,0						
7,0	5,0	5,0	7,0						
0,0	0,0	0,0	0,0						
0,0	1,0	0,0	0,0						
1,5	2,0	1,0	1,0						
40	21	10	9						
1,3	1,0	2,4	0,8						
2,0	1,3	3,0	1,6						

40	100,0 %	19	100,0 %	13	100,0 %	8	100,0 %	40	100,0 %
2	5,0 %	2	10,5 %	0	0,0 %	0	0,0 %	2	5,0 %
24	60,0 %	14	73,7 %	5	38,5 %	5	62,5 %	29	72,5 %
5	12,5 %	0	0,0 %	4	30,8 %	1	12,5 %	2	5,0 %
4	10,0 %	3	15,8 %	1	7,7 %	0	0,0 %	3	7,5 %
5	12,5 %	0	0,0 %	3	23,1 %	2	25,0 %	4	10,0 %

ARIA									
Si									
24									
5,8									
3,1									
0,0									
10,0									
4,0									
7,0									
8,0									
24									
1,9									
1,7									
0,0									
7,0									
0,5									
2,0									
3,0									
24									
1,3									
1,9									
0,0									
5,0									

0,0									
0,0									
1,5									
24									
1,4									
1,6									
0,0									
5,0									
0,0									
1,0									
3,0									
ARIA									
Sí									
24									
-4,4									
3,5									
-9,0									
4,0									
-7,0									
-5,0									
-1,0									
GRUPO									
PEC				POT					
ANESTESIA COMPLEMENTARIA				ANESTESIA COMPLEMENTARIA					
No		Sí		Total		No		Sí	

N	%	N	%	N	%	N	%	N	%
16	100,0 %	24	100,0 %	40	100,0 %	16	100,0 %	24	100,0 %
1	6,3 %	0	0,0 %	1	2,5 %	0	0,0 %	1	4,2 %
3	18,8 %	7	29,2 %	10	25,0 %	7	43,8 %	3	12,5 %
1	6,3 %	1	4,2 %	5	12,5 %	1	6,3 %	4	16,7 %
3	18,8 %	6	25,0 %	3	7,5 %	1	6,3 %	2	8,3 %
8	50,0 %	10	41,7 %	21	52,5 %	7	43,8 %	14	58,3 %
16	100,0 %	24	100,0 %	40	100,0 %	16	100,0 %	24	100,0 %
1	6,3 %	1	4,2 %	2	5,0 %	0	0,0 %	2	8,3 %
10	62,5 %	14	58,3 %	29	72,5 %	11	68,8 %	18	75,0 %
3	18,8 %	2	8,3 %	2	5,0 %	2	12,5 %	0	0,0 %
1	6,3 %	3	12,5 %	3	7,5 %	2	12,5 %	1	4,2 %
1	6,3 %	4	16,7 %	4	10,0 %	1	6,3 %	3	12,5 %

ARIA									
Si									
24									
8,7									
2,4									
1,0									
10,0									
8,0									
10,0									
10,0									

GRUPO									
PEC					POT				

INTRALIGAMENTOSA				INTRALIGAMENTOSA					
No		Sí		Total		No		Sí	
N	%	N	%	N	%	N	%	N	%
23	100,0 %	17	100,0 %	40	100,0 %	20	100,0 %	20	100,0 %
23	100,0 %	15	88,2 %	38	95,0 %	20	100,0 %	18	90,0 %
0	0,0 %	2	11,8 %	2	5,0 %	0	0,0 %	2	10,0 %
Sí									
14									
2,1									
2,1									
0,0									
5,0									
0,0									
2,5									
3,0									

[illegible]

POT					
CAUSA					
ries	Obturación		Resto		
%	N	%	N	%	
100,0 %	10	100,0 %	9	100,0 %	
71,4 %	8	80,0 %	4	44,4 %	
28,6 %	2	20,0 %	5	55,6 %	
POT					
CAUSA					
ries	Obturación		Resto		
%	N	%	N	%	
100,0 %	10	100,0 %	9	100,0 %	
71,4 %	9	90,0 %	7	77,8 %	
28,6 %	1	10,0 %	2	22,2 %	
POT					
CAUSA					
ries	Obturación		Resto		
%	N	%	N	%	
100,0 %	10	100,0 %	9	100,0 %	
61,9 %	8	80,0 %	6	66,7 %	
38,1 %	2	20,0 %	3	33,3 %	

[illegible]

