

Review

# Introducing Sustainability in Value Models to Support Design Decision Making: A Systematic Review

Marco Bertoni

Department of Mechanical Engineering, Blekinge Institute of Technology, SE-37179 Karlskrona, Sweden; marco.bertoni@bth.se; Tel.: +46-73-422-3670

Academic Editor: Fausto Cavallaro

Received: 23 March 2017; Accepted: 30 May 2017; Published: 9 June 2017

**Abstract:** Manufacturing organizations shall recognize sustainability as a business occasion to capitalize on, rather than an undesirable pressing situation. Still, empirical evidence shows that this opportunity is hard to capture and communicate in global strategic decisions, through planning by tactical management, to daily operational activities. This paper systematically reviews the modeling challenges at the crossroad of value and sustainability decisions making, spotlighting methods and tools proposed in literature to link sustainability to customer value creation at strategic, tactical and operational level. While statistical results show that the topic of sustainability and value modeling is trending in literature, findings from content analysis reveal that recent attempts to promote a value-based view in the sustainability discussion remain at a strategic level, with most of the proposed indicators being suited for managerial decision-making. The lack of support at operational level points to the opportunity of cross-pollinating sustainability research with value-centered methodologies originating from the aerospace sector. The Value Driven Design framework is proposed as main hub from which to derive models supporting engineers and technology developers in the identification of win-win-win situations, where sustainable improvements are aligned with business advantages.

**Keywords:** sustainability; value modeling; decision support; value driven design; review

## 1. Introduction and Objectives

Complex problems that emerge in contemporary society cascade down to a growing responsibility for manufacturing organizations to provide sustainable and innovative packages of products and services able to address increasingly sophisticated consumer needs [1–3]. However, even if many forward-thinking companies recognize sustainability as a business trigger [4], improved environmental and social efficiency often lead to increased costs in several areas of the organization [5], and this may lead to down prioritization of sustainability-oriented innovation initiatives.

Even if sustainability is forecasted to generate competitive advantage in the long term, as it includes a rich set of features important for the successful introduction of new solutions to the market [6–8], it still contains a significant portion of tacit concepts that are difficult to trade-off with classical technical and business requirements, and to relate to profitability and customer value creation. While some aspects of sustainability are partially encompassed by the established drivers for product or service innovation (e.g., specific fuel consumption, lifetime and weight reduction in the automotive and aerospace industry), others are less readily quantifiable (e.g., material criticality from an availability and socio-ecological sustainability perspective) and problematic to use as criteria for decision making [9,10].

Capturing and communicating the value creation opportunity generated by sustainable courses of action across the enterprise, from global strategic decisions, through planning and organization

by tactical management, to daily engineering activities of the operational area, is found to be a challenging task [11]. This is particularly evident in today's multi-disciplinary decision-making situations, where results and insights of different characters are traded against each other [12]. The difficulty of communicating "sustainability" to individuals belonging to different organizational functions, covering different roles and possessing different educational backgrounds, goes hand in hand with the problem of modeling the value generated by sustainability-oriented decisions [13].

The purpose of this research is to support manufacturing companies in integrating sustainability in their decision-making process at strategic, tactical and operational level. It concentrates then on the systematic and consistent use of models linking sustainability to customer value creation, as a way to support innovation activities and design decision making. Frontloading innovation activities with "value" models are crucial to reduce the risk of late discovery of sustainability issues, which may lead to rework in the later phases of the process, as well as to cost overruns. By describing the impact of sustainability consequences in a concrete, understandable and transparent manner since an early design stage, modeling activities may contribute to resolve sustainability vs. cost trade-offs, by looking at "what" customers and stakeholders expect, and at "how much" they value certain capabilities against each other [13].

The objective of this paper is to present the findings of a systematic review focused on the modeling challenges at the crossroad of value and sustainability decisions making. The underlying research question for the study is formulated as:

*"How can value-driven methodologies be successfully integrated in the innovation process work to deliver product/service solutions with true sustainability built in?"*

The review accounts for those methods and tools proposed in literature to support sustainability integration in strategic, tactical and operational decisions. Initially, the paper presents statistical results from the analysis of bibliographic data to highlight main areas of investigation and reveal current trends across the research community. It further organizes its findings along the strategic, tactical and operational axis, digging down into the main thematic areas at each level, to reveal initiatives, best practices and challenges. Eventually, the paper discusses gaps in the existing research, as well as opportunities for cross-pollination with other value-driven research approaches.

## 2. Systematic Literature Review Approach

The investigation of scholarly publications followed a "transparent, replicable and rational" process of systematic review [14]. The work of Adams et al. [15] and Ardito et al. [16] provide a clear and reproducible three-step procedure that helped the author in defining the goal of the research, in planning the way articles were retrieved and reported, and in synthesizing the findings during the analysis stage.

### 2.1. Stage 1: Developing an Initial Architecture

The first stage aims at developing an initial "architecture" for the review, with the intention of sketching the basic building blocks of the conceptual framework for synthesis. The work employs a multilevel perspective to report and discuss literature findings concerning modeling challenges for value and sustainability. This is considered the most accurate way to uncover the underlying factor structure associated with the effective achievement of innovation objectives [16]. Hence, the initial architecture distinguishes between Strategic, Tactical and Operational level decision making, and categorizes contributions based on their level of granularity, from theoretical to applied.

The Strategic level assists top managers with long-term decisions concerning the definition of corporate strategic goals. These decisions instantiate the 5–10-year company vision and elaborate on how to create multi-values for all stakeholders [17,18]. Contributions include works that clarify socio-ecological sustainability goals and that serve as the framework for lower-level planning. The goal of modeling activities at this level is to evaluate the business case for systematic sustainability

implementation, and to build awareness of sustainability, risks and business opportunities for new technological and organizational innovation.

The Tactical level organizes the corporate material and immaterial resources (for example: cost, knowledge, human resource, relationship with stakeholders or organization) and develops an implementable roadmap [17] emerging from the strategic goals. Tactical planning matches strategies with specific targets relevant to the responsibility and functionality of lower-level departments [19], and identifies so called “activity tables/chains” to build and nurture a sustainable organization [17]. Contributions at this level include models for lower-level managers in the areas of production, marketing, personnel, finance and plant facilities.

The Operational level deals with the specific procedures and processes that occur within the lowest levels of the organization. The objective of contributions at this level is to support process deployment in accordance with tactics and tools chosen on the level above [17]. Literature at this level often elaborates on both qualitative and quantitative assessment models that clarify sustainability, risk and value profile of a product, process or platform. In addition, it collects and describes support tools for how to visualize status and progression of sustainability integration and implementation.

An additional layer, named Metalevel, was added on top of the initial categorization to spotlight higher-level contributions discussing value and sustainability in terms of customer perception (of sustainable products or services) and frameworks for sustainability implementation (that can be cascaded down to strategic, tactical and operational levels).

## 2.2. Stage 2: Systematic Review

The second stage concerns planning and implementation of the systematic review process. This was conducted through the authors’ library service using the SCOPUS database, which covers research from both major (i.e., Elsevier, Springer, and Emerald) and minor publishers. Previous work highlighted the higher quality and multidisciplinary of SCOPUS compared to other databases [20]. The search strategy is summarized in Figure 1.




Figure 1. Systematic literature review search strategy.

The development of the search string kicked off by including ‘value’ and ‘sustainability’ as keywords in the query, and by linking them using the Boolean operator AND. To include nearby terms (i.e., for ‘sustainability’: ‘sustainable’, ‘sustainably’, etc.), the search was refined using abbreviations

and the search operator (\*). To limit the number of hits, the search was confined to the ‘innovation’, as well as to the ‘product’, and ‘service’ domains. Synonyms for these terms were identified using dictionaries, test searches, and references in sample papers. Hence, the terms ‘design’, ‘development’, and ‘engineering’, were also included in the query, together with ‘technology’, ‘offer’, and ‘system’. Also in this case the search was performed using abbreviations and the search operator (\*). The resulting search string used in the SCOPUS database was:

*TITLE-ABS-KEY (Value\* AND Sustainab\* AND (engineer\* OR innovat\* OR design\* OR develop\*) AND (system\* OR technolog\* OR offer\* OR product\* OR service\*)) AND PUBYEAR > 2006 AND (LIMIT-TO(DOCTYPE,"ar") OR LIMIT-TO(DOCTYPE,"re") OR LIMIT-TO(DOCTYPE,"ch")).*

To ensure that only relevant articles entered the pool of papers to be finally analyzed, a list of publication-based and content-based exclusion criteria was proposed.

With the objective to ensure quality and completeness in the resulting paper list, only articles of type “article” (journal papers), “book chapter” and “review” were included in the study. These types are considered to provide an accurate and representative picture of relevant scholarly research, as they tend to shape the theoretical and empirical work in the field by setting new horizons for inquiry within their frame of reference. Hence, non-academic, journalistically written articles, opinion and experience papers, as well as simple success stories, were excluded. Dissertations, industrial reports and other technical documents were excluded too, under the assumption that important results would have been published in academic journals, book chapters or reviews. Importantly, all articles with a date of publication prior to 2007 were eliminated, because considered obsolete. Furthermore, only articles in the English language were kept.

As for the content, articles that did not deal with sustainability and value assessment models as focus were excluded. This first filter eliminated articles that mention sustainability or value only incidentally, both in the title and in the abstract. Furthermore, contributions not referring to models, or not dealing with modeling challenges, were excluded too, because not in the meaning of the scope of this study. Content-related exclusion of articles took place in Steps 3–5 (see Figure 1). Besides that, articles were not removed for other content-related aspects, such as research domain, research topic, and specific focus to certain tasks, themes, due to the explorative nature of the review.

### 2.3. Stage 3: Framework Synthesis

At this stage, the initial framework from Stage 1 was developed using a modified narrative synthesis approach [21], which is it was iteratively tested, shaped, reinforced and refined by findings from included studies [15]. For each included paper, the following data were extracted and tabulated: type of contribution, type of entity studied, industrial sector, methodological approach, phase in the product development process, phase in the product/system life cycle, summary of main study findings. The main overarching themes and related subthemes were identified, using inductive, open coding techniques, with additional codes created where needed. On completion, the draft conceptual framework was refined: some new categories of modeling challenges were created, and others were subsumed within existing categories, given less prominence or deleted. This process produced the preliminary conceptual framework. At this point, the synthesis activity moved beyond tabulating and counting to explore relationships between characteristics of individual studies and their reported findings, and between the findings of different studies. This resulted in the hierarchical organization of value and sustainability modeling challenges, which are presented in the Discussion section.

## 3. Bibliometric

The full text filtering activity (see Figure 1) rendered a final list of 193 papers, which originated from a total of 104 journals (1.86 papers per journal). Statistical analysis (Figure 2) reveals that the topic of value and sustainability modeling is expanding at a steady rate since 2007, with a significant

jump forward in 2011. Projections for 2017, which are based on the amount of contributions published during January 2017, point to a further increase compared to 2016. The Strategic level is the most popular hub for publications in the topic of the proposed query, hosting more that 42% of the papers selected for review. Strategic level contributions are also trending when observing the distribution of publications in the last five years, peaking in 2016 both in absolute and relative terms. A significant amount of contributions refers also to the Operational level (30%), but their number is observed to decrease since 2014, even though such trend seems to be likely broken in 2017 when extrapolating the January data. Tactical level (30%) and Metalevel contributions (10%) are less frequent and do not show any evident pattern through the years.




Figure 2. Distribution of contributions per level and per year.

### 3.1. Source Analysis

Figure 3 summarizes the distribution of publication sources for the selected 193 papers. Noticeably, only 10 journals feature three or more items in the final paper list. The Journal of Cleaner Production (JCP) is a primary source of contributions in relation to the proposed search query and inclusion criteria, featuring 34 hits (18% of the total), while the Journal of Supply Chain Management and the Journal of Manufacturing Technology Management feature seven hits (4%) Notably, 60.2% of the papers considered relevant in the review comes from journals that feature only one hit.





Figure 3. Source analysis (journals with the highest number of hits).

Figure 4 displays the distribution of hits at Strategic, Tactical and Operational level, as well as at Metalevel, for the 10 most popular journals. JCP (5 hits), the International Journal of Sustainable Engineering (2 hits) and Energy Policy (2 hits) are where most of the Metalevel contributions originate. JCP (19 hits) and Business Strategy and the Environment (4 hits) are where most the papers at Strategic




level have been collected. JCP (4 hits) and the journal of Supply Chain Management (4 hits) are those featuring the highest number of hits at Tactical level. At Operational level, JCP (7 hits) and the Journal of Manufacturing Technology and Management (5 hits) top the list, while Clean Technologies and Environmental Policy follow closely with four hits each.

The number of citations can be used as an indicator for both quality and relevancy, as well as may indicate the focus of the on-going research questions and related efforts. Research contributions were analyzed from the point of view of total citations (using Google Scholar as primary source) and average citations per year (dividing the total number of citations by the number of months the article has been published). In terms of total citations (Figure 5), contributions at Tactical level are the ones with the highest average value, as well as the ones with the highest number of citations per year. Contributions at Strategic level feature lower figures, both in terms of total citations and citations per year. Contributions at Metalevel and Operational level feature similar numbers, approximately 1/3 of those that feature at Tactical level.



**Figure 4.** Distribution of hits at Metalevel, Strategic, Tactical and Operational level for the 10 most popular journals.



**Figure 5.** Average number of citations (a) and average number of citations per year (b) of the ten most cited papers at each level.

### 3.2. Levels, Industrial Sector and Type of Entity Studied

After the initial statistical screening, contributions were analyzed with the help of an ad-hoc classification scheme. For this, the idea of a “concept matrix” for this study was taken and adapted from and [22]. A concept matrix is a logical approach that defines several “concepts” (that may be

variables, theories, topics, methods, and so on), where all articles are grouped in and therefore serve as a classification scheme. New concepts could be added during the classification process until the final scheme was developed. The first step was an initial development of the classification scheme based on prior literature. The identified articles were read afterwards and classified according to the scheme. If there were any doubts in classifying a specific article, the scheme was refined, i.e., concepts and categories were added, expanded, or modified. In this case, prior classified articles had to be checked again to validate their classification within the refined scheme.

Contributions were grouped in macro industrial sectors to where methods and tools are more popular (i.e., to understand where their application is likely more mature). It is observed (Figure 6) that most contributions do not point to any specific sector (6). Of the remaining contributions, about  $\frac{1}{4}$  of the total focuses on commodities and consumer products, while less than  $\frac{1}{4}$  on more advanced engineering applications (mostly in the domain of automotive and manufacturing equipment). A significant amount of contributions (12%) comes from the building and transportation sector. Figure 6 also reveals that no evident pattern or trend can be observed when analyzing the yearly distribution of the 193 hits.




Figure 6. Distribution of contributions per industrial sector and per year.

The analysis also aimed at categorizing the type of entity studied by researchers at each level. Figure 7 shows that sustainability and value analysis is popular in the domain of product development. More than 43% of the papers selected from the SCOPUS refer to “hardware” when discussing and exemplifying models encompassing sustainability and value considerations. Often, the focus of sustainability and value modeling lies on a different type of entity, i.e. models are applied for evaluating and benchmarking companies, enterprises and institutions. This is common in literature dealing with the Tactical level, and within the field of supply chain management. Several publications (10%) originate from the domain of service and Product Service Systems (PSS) design. At Operational level, it is not uncommon to observe contributions that focus on the implementation of sustainability/value approaches for material selection. In addition, in this case the yearly distribution of the analyzed papers is balanced, and no evident trends can be observed.

The distribution of the retrieved contributions across enterprise levels, industrial sector and type of entity studied is summarized using a bubble plot, which reports the frequencies of publications in each category. A bubble plot is basically two x-y scatterplots with bubbles in category intersections, whose size is proportional to the number of articles that are in the pair of categories corresponding to the bubble coordinates. In Figure 8, the same idea is used twice, in different quadrants of the same diagram to show the intersection with the third facet. A main advantage of this type of visualization is that it supports analysis better than frequency tables, since it is easier to consider different facets simultaneously, and that it is more powerful in giving a quick overview of a field, and thus to provide a map [23].




Figure 7. Distribution of contributions per entity studied and per year.




Figure 8. Distribution of the contributions across the enterprise levels, industrial sector and type of entity studied.

One of the most noticeable gaps in the proposed mapping relates to the very few contributions addressing advanced engineering applications, which is covered in the review by only three publications. Most contributions at Metalevel refer to consumer products and commodities, with only few referring to automotive and machineries, and none being found to focus on the domain of advanced engineering. Contributions at Strategic level do not refer to a specific industrial sector, and only sporadically borrow examples from specific case studies. Most contributions at this level also address a company perspective and aim to assess the value of a company's sustainability profile. At Tactical level, contributions mainly originate in the domain of automotive, even if most papers at this level do not make specific reference to the industrial sector studied. Both "product" and "company" focus is common when looking at the type of entity studied when looking at corporate material and immaterial resources. At the same time, it is possible to observe a lack of entries in the SCOPUS database concerning Tactical-level contributions dealing with services and Product-Service Systems (PSS). Eventually, examples at Operational level are well distributed across all macro industrial sectors considered in the analysis. They are also balanced with regards to the type of entity being studied, with a large share of contributions targeting the field of material assessment and selection.

#### 4. Metalevel Contributions and Challenges

The Metalevel classifies contributions that do not directly relate to strategic, tactical or operational decision making. Rather, they set the context for such decisions, elaborating on the meaning of sustainable value creation. Two main research challenges can be highlighted at this level.

The first one deals with the top-down definition of sustainability principles. These are aimed at framing the sustainability discussion in a way that decision makers can take actions to create innovations that are both positive for the environment and value-creating for customers, stakeholders, society and the planet. A first set of these contributions address the overall objective of developing



and implementing a more sustainable society. Frameworks, indicators and tools often originate from the Triple Bottom Line (TBL) model, and feature different levels of granularity [24]. A major reference in this group is the Framework for Strategic Sustainable Development (FSSD), which was recently updated by Broman and Robèrt [25]. Main feature of FSSD are boundary conditions, which are expressed in the form of eight sustainability principles for backcasting, planning and redesign for sustainability. Similarly, Lindsey [26] indicates waste reduction, quality improvement and better system implementation as universal principles associated with the development and implementation of a more sustainable society. Other authors propose “aspects” [27] and “axiological perspectives” [28] on human well-being to help decisions makers in considering social system aspects together with natural resources depletion in the decision-making process. A second set aims at classifying methods, tools and information management strategies to control sustainable development issues in decision-making. Halstar [29] is a major contribution in this respect, collecting 4200 qualitative criteria and 2000 indicators that are potentially relevant for sustainable system design. Sustainable Information (SI) [30] is another framework that specifically targets manufacturing organizations, and that presents information elements linked to sustainability concerns along the entire lifecycle of a product.

The second challenge is more bottom-up in nature, as it aims at measuring customer perception and willingness to pay for sustainable products. The appeal of sustainable products choices among consumers is found to be linked to five main factors [31]: costs (encompassing economic, social and environmental aspects), performance, aesthetics, symbolic value and ergonomics. Recent findings from de Medeiros and Ribeiro [32] confirm several aspects of this model. Dimensions of “economy”, “engine” and “new technologies” are found to significantly influence consumers’ purchase decisions for environmentally friendly cars, while “design”, “origin label” and “origin of the raw material” are some of the most influencing factors in the purchasing of green furniture.

Still, recent studies show that customer reactions against green product choices are mixed. Price premium for green products is limited [33] and willingness to buy is strongly related to the ability of informing customers about the benefit of purchasing green [34,35]. The consumption of environment-friendly alternatives seems also affected by frequency of use [36] and level of functional risk [37]. The concept of “green price premium” is found to apply more to products consumed on a continual basis than to those featuring a more sporadic consumption pattern. It can also be observed that consumers are more willing to pay such a premium for commodities rather than for more complex systems. The latter is explained by observing that an increasing level of green inventions is found to negatively affect performances of the system [38], following U-shaped relationship. Several studies [39,40] further show that the decision of buying green and paying a premium price is mainly influenced by social and cultural norms, and that individuals are more sensitive towards social sustainability aspects than towards environmental sustainability [41]. Consumers are also found to be rather skeptical towards corporate environmental initiatives [42]. Skepticism varies based on the level of brand commitment, as well as on how the initiative is presented to them. Martin and Väistö [43] discuss how the marketing of sustainable products shall address this issue by leveraging hedonic aspects of consumption to bridge the current attitude-behavior gap.

## 5. Strategic Level Contributions and Challenges

At Strategic level the discussion is kicked off by the analysis of new models for sustainable value creation [44], which is, in the words of Laszlo and Cooperrider [45], on the business opportunity to “do well by doing good”. Table 1 lists 12 key value creation areas that are summarized from the analysis of the literature on sustainability oriented strategies.

Table 2 maps the value creation areas in Table 1 against reference contributions at Strategic level. Process cost reduction and improved efficiency are dominant aspects when it comes to discuss the value of a sustainability-oriented strategy. Company reputation, branding and image are also affected by the decision to invest on sustainable solutions and practices. This leads to new business opportunities, due to increased offer differentiation and higher market penetration, which eventually

result in asset growth, financial benefits and shareholder value creation. A growing reputation is also associated to higher attractiveness for external investors, such as large corporations or Original Equipment Manufacturers (OEM).

**Table 1.** Value creation areas for sustainability oriented strategies.

Identifier	Description	Identifier	Description
A1	Risk mitigation and compliance	A7	External legitimacy pressure
A2	Process cost reduction/ improved efficiency	A8	Taxation reduction
A3	Improved supply chain logistics	A9	Shareholder value creation
A4	Product differentiation	A10	Financial benefits
A5	New markets penetration and assets growth	A11	Becoming investment target for larger firms
A6	Corporate reputation, branding and image	A12	Building networks/learning from outsiders

**Table 2.** Value creation areas for sustainability per authors per year (Y: covered in the contribution).

Contribution	A1	A2	A3	A4	A5	A6	A7	A8	A9	A10	A11	A12
Laszlo and Cooperrider [45]	Y	Y		Y	Y	Y						
Laszlo [46]	Y	Y		Y	Y	Y						
Moore and Manring [47]		Y									Y	Y
Kronborg Jensen et al. [48]		Y										
Kurapatskie and Darnall [49]										Y		
Papadopoulos et al. [50]				Y		Y		Y				
Chou et al. [51]					Y	Y						
Hang and Chunguang [52]						Y						
Tollin et al. [53]					Y	Y						
Ford and Despeisse [54]	Y	Y	Y									
Hsu et al. [55]			Y									
Roome and Louche [56]												Y
Kumar and Rahman [57]	Y	Y	Y									
Gómez-Bezares et al. [58]					Y				Y	Y		
Li et al. [59]							Y					
Severo et al. [60]										Y		
Yang et al. [61]	Y	Y	Y		Y							

### 5.1. Areas of Interventions

A major question at Strategic level is where to intervene to secure financial benefits associated with the firm's sustainability undertakings. In general, higher-order activities (i.e., those related to the development of new products and processes) are found to provide greater financial benefits than lower-order ones (i.e., those aiming only at incrementally innovate existing products and processes) [49]. Kurapatskie and Darnall [49] further identify four specific areas where to intervene to realize sustainability strategies in practice: Governance, Leadership, Ethics and Social responsibility, and Innovation.

Beckmann et al. [62] propose a 12-box matrix to support the selection of governance tools, combining four governance strategies with the three criteria of sustainability derived from the TBL. Governance is also one of the three dimensions proposed by Fearne et al. [63] to ensure that value chain analysis contributes to sustainable value creation. On the topic of governance structures used to extend sustainability, Gimenez and Tachizawa [64] identify senior management commitment and purchasing staff capabilities as main dimensions to be leveraged to effectively assess and work with the firm's suppliers. Ding et al. [65] propose government policy incentives that are shared within the supply chain through transfer price negotiations between manufacturers and suppliers, so to motivate supply chain members to collaboratively produce environmentally friendly products. Wong and Avery [66] address the Leadership dimension and argue that sustainability in organizations can be created only when business leaders challenge the status quo and adopt a holistic view in the definition of the company strategy. Along this line of thought, Sekerka and Stimel [67] present a framework to help

leaders in examining their strategic perspective based on their organization's identity. Several have investigated how value can be created through social responsibility programs [68,69], with empirical evidence being found of the existence of a positive and bidirectional relationship between CSR and financial performances [70].

A final reflection points to the diffusion of radical sustainable innovation. Both the role of the "innovator" and the "innovation development process" [71,72] have been highlighted as main success factors for sustainability-driven innovations. Osch and Avital [73] further illustrate that disrupting the current path for technology evolution is a matter of aligning innovation in technology with social changes, so that more sustainable options can be constructed. This requires a change in mindset when approaching the development of sustainability strategies in business. It means that companies must emphasize aspects related to "business development", "market creation", "corporate branding" and "social supply chain innovation" [53,74]. Still, pressures and incentives in a firm's contexts have been found to be fuzzy or even absent when managing sustainability in new product development [75].

## 5.2. Business Model Transformation

Contributions from literature do not stop analyzing intervention areas and their focus, rather aim at proposing how to transform existing businesses to become more sustainable.

A first challenge in this transformation is how to intersect innovation and sustainability strategies. Defensive, Accommodative and Proactive are the three business model innovation strategies devised by Schaltegger et al. [76]. The hierarchy of Radical Technology Innovations, Business Model Innovation and Leadership and Organizational Development are instead the three types of strategic innovations proposed by Rainey [77,78] to adopt sustainability and lead change in the context of global economy. A set of normative requirements, touching on the four perspectives of the Business Model Canvas (BMC) (value proposition, financial model, customer interface and supply chain), is further proposed by Boons and Lüdeke-Freund [79], as a way to contribute to a successful marketing of sustainable innovations.

The question of how to build up the business model for sustainability is addressed through the identification of so called business model 'archetypes'. Bocken et al. [80,81] prescribe eight archetypes, which are groupings of transformation elements and solutions contributing to the development of sustainable business models. The focus of these constructs lies both in the more effective use of existing resources (material, energy, waste) and in the opportunity of exploiting servitization to reshape consumption patterns. Capability creation and learning is another important transformation element for sustainability-driven business models [56]. Network building and reconfiguration, together with the deployment of new concepts drawn from outside the company, are main practices contributing to business model change for sustainability.

A third challenge is how to stimulate companies in designing new business models that are more sustainability-oriented. Girotra and Netessine [82] propose idea triggers to stimulate brainstorming, focusing on "what" decisions are made, "when" they are made, "who" makes them, and "why" they are made. Ceschin [83] suggests focusing on customer habits, organizational structures and regulative frameworks as main development pathways for manufacturing companies to adopt sustainable Product-Service Systems (PSS). Antonova [84] highlights the role of knowledge, dialogue, risk assessment and transparency in adopting new business models able to bring change in customer satisfaction (value) and in sustainability. Bryson and Lombardi [85] identify discursive formations at board level as main item that characterizes the proactive development of balanced financial objectives against a broader sustainability agenda. Geissdoerfer et al. [86] take one step further in such a discussion to propose a workshop framework and routine bringing together "design thinking" and "sustainable business model innovation". The resulting "Value Ideation" process comprises value ideation, value opportunity selection, and value proposition prototyping.

A fourth and final challenge is how to modify the existing BMC template to capture the value of sustainable innovations, so to inform decision makers on the benefit of designing new products and services with sustainability at the center. Müller [87] introduces the Sustainable Value Proposition tool

to create value propositions that embed heterogeneous aspects of sustainability. Joyce and Paquin [88] propose the triple layered BMC, which extends the original template by adding an environmental layer based and a social layer based on a stakeholder perspective. Morioka and de Carvalho [89] propose a three-layered framework to address the integration of sustainability performance into business, while Padin et al. [90] describe the results of a questionnaire-based study to validate TBL constructs in sustainable business practices. Similarly, França et al. [91] discuss the use of a combination of FSSD framework, BMC, creativity techniques, value network mapping, life-cycle assessment, and PSS design tools to inform business model innovation.

### 5.3. Business Model Selection

Methods and tools for business model selection are of both qualitative and quantitative nature. Qualitative approaches are found mainly in the PSS design domain. Kim et al. [92] propose an evaluation procedure for PSS business models encompassing the 3P (people, planet, profit) and that is cascaded down to a set of 94 evaluation criteria. Chou et al. [93] show an example of how to hierarchically organize multiple criteria to assess the ability of a PSS design concept to reflect sustainability concerns. The hierarchy is cascaded down in several families of customer-related value indicators, such as “tangibles”, “interaction”, “sustainability”, “commitment”, “customer impact”, “cost”, “consumption” and “working conditions”. With regards to matrix-based approaches to evaluate such criteria, the Analytical Hierarchal Process (AHP) is often proposed in combination with other methods, such as TOPSIS [94], VIšeKriterijumska Optimizacija i KOmpromisno Rešenje (VIKOR) [95], and fuzzy approaches.

A major challenge at this level is how to quantify sustainable business models advantage. On the one end, it concerns the use of LCA as a management decision tool for fact-based assessment of valuable sustainability-oriented strategies within the company [96]. On the other end, it concerns the development and use of demonstrators to quantify economic sustainability of the proposed sustainability-oriented business models. Patala et al. [97], for instance, utilize a life cycle value demonstrator to evaluate the economic, environmental and social benefits of industrial products and services. The Green Innovation Value Chain (GIVC) [98] is another tool for evaluating the financial viability of green products using a multi-stakeholder perspective. The analyzed value chain does not only include consumers, manufacturer and distribution channels, but also government and, more in general, the environment.

Simulation tools are often proposed to explore and compute the business model for sustainability. Copani and Rosa [99] describe probabilistic event-decision trees to assess the economic performance of flexibility-oriented business models. The trees consider scenarios, which are based on historical product data and on four-year predictable demand together with five-year forecasts with higher market uncertainty. To solve the tree, expected values (EVs) at end-nodes are calculated as the sum of discounted cash flows over the assessment period under the hypotheses of the different branches. Ueda et al. [100] present a multi-agent system simulation to examine the validity of three proposed value models (Providing Value Model, Adaptive Value Model, and Co-Creative Value Model) to discuss innovation management practices in the context of sustainable development. Abdelkafi and Täuscher [101] use system dynamics to model the environmental value proposition of the company. The latter is represented by a stock that can accumulate or decline over time. Companies can track the level of this stock, together with all other stocks of the business model to monitor their sustainability orientation and guide decision-making activities at strategic level.

### 5.4. Enterprise-Level Sustainability Scores

Companies in the same industrial sector, or across sectors, are often assigned an indicator representing their sustainability profile, to facilitate benchmarking activities. One of the most popular company-level indicators is outputted by the Sustainable Value Methodology (SVM) [102]. SVM is built on the concept of opportunity costs: to create positive “sustainable value”, a company must

use its economic, environmental and social resources more efficiently than an alternative user. SVM implementation follows an eight-step working plan, involving a team composed by internal workers, a SV project leader responsible for the application of the concepts and methodology, and by external elements [103]. Recent literature lists several applications of the Sustainable Value (SV) index in different industrial domains, from car manufacturing [104] to policy design in agriculture [105]. The “Sustainable Value of European Industry” project [106], for instance, uses the SV approach to monetize the environmental performance of 65 European manufacturing companies, looking at how much Gross Value Added a company creates with the resources it uses.

SVM is sometimes criticized for not being a relevant efficiency index [107], hence several other company-level sustainability scores emerge from the field of productive efficiency analysis. One example is the Holistic Sustainability Index proposed by Harik et al. [108], which uses AHP to classify a company’s progress towards environmental, economic, social and manufacturing sustainability. Egilmez et al. [109] propose an Economic Input-Output Life Cycle Assessment (EIO-LCA) and Data Envelopment Analysis (DEA) to devise a firm’s eco-efficiency score. The TOPSIS methodology lies at the core of the sustainability measurement and scoring system proposed by Afful-Dadzie et al. [110], which aims at benchmarking organizations in relative terms by calculating a closeness coefficient (Ck) to determine how close they are to the industry standard. The approach proposed by Menzel et al. [111] uses six depended variables, namely “electricity”, “CO<sub>2</sub>”, “toxic gas”, “waste for disposal”, “waste for reuse” and “water”, and two dependent variables, which are “profit margin” and “sales”. Another example is provided by Tahir and Darton [112], who use natural, financial, human and social capital as main stores of value.

### 5.5. Enterprise-Level Sustainability KPI

The creation of new measurement criteria and Key Performance Indicator (KPI) is listed by Valkokari et al. [113] as one of the three critical changes (together with empowerment of stakeholders and increased efficiency at network level) required to move towards a more sustainable European manufacturing industry. Literature further points to two main challenges when it comes to measure sustainability from an enterprise point of view.

The Sustainability Performance Indicators (SPI) [114,115] and the Integrated Scorecard [116] are examples of how the classical Balanced Scorecard (BSC) formulation can be modified to integrate the three pillars of sustainability in enterprise performance management practices [117]. The thematic analysis on SBSC architectures conducted by Hansen and Schaltegger [118] finds also that sustainability-oriented modifications of the BSC can be mapped with a typology of generic SBSC architectures. Importantly, the BSC definition shall follow and adapt to the current servitization trend in the manufacturing industry. The definition of a specific set of KPI for sustainability-oriented PSS-like business model archetypes remains an open question in literature, with contributions from Pan and Nguyen [119] and Kastalli et al. [120] representing main reference points.

A second challenge concerns the development of Sustainability Performance Management Practices (SPMPs) to highlight potential areas of evolution when conducting diagnostic activities on sustainable business models [121,122]. Morioka and de Carvalho [123] recently discussed four performance measurement systems in Brazilian companies that encompass sustainability indicators: departmental periodic performance measurement system, individual performance assessment, sustainability reporting, and project assessment. Other approaches include the Comprehensive Assessment Index (CAI) proposed by Jayakrishna et al. [124]. CAI is computed in MATLAB from a so-called VPM-SM matrix, to quantitatively measure the extent to which sustainable manufacturing practices are being followed in the organization.



## 6. Tactical Level Contributions and Challenges

### 6.1. KPI for Sustainable Supply Chain Management

Brockhaus et al. [125] highlight the central role of supply chains management (together with manufacturing process management) in the quest for more sustainable products. Not surprisingly, literature in the field of Sustainable Supply Chain Management (SSCM) is well developed, featuring an extensive list of environmental indicators that can be used as performance measures [126,127]. Environmental performance measures exist at multiple levels [128] and include localized, regional and global deviations. They can also be targeted to specific media, such as air, water or solid waste. Some of the most prominent environmental concerns include GHG emissions, waste generation, energy consumption, water usage and the inclusion of hazardous and toxic substances in products.

The existence of a link between sustainable supply chain and the company financial performances is an area of great interest in the discussion at Tactical level, with several researchers joining the quest for theoretical and empirical evidence. Ortas et al. [129] reveal that a dynamic relationship between these two dimensions exist, but it is strongly dependent from geographical and macroeconomic conditions, the latter intended as “bull markets” and “bear markets”. Bayat et al. [130] present an example of how to develop a cost-effective supply chain through sustainability. Their case study shows how, their reference company could reduce carbon footprint by 10,000 metrics tons per year, and obtain over two million savings in operating cost, by applying sustainability principles to optimize electricity provision, utilities and logistics.

SSCM research is also challenged with the development of business and environmental measures for supply chain sourcing. Sustainable supply chains design is found to be guided by five main performance parameters. The present five challenges for managers: “cost”, “complexity”, “operationalization”, “mindset and cultural changes”, and “uncertainties” [131]. Alternatively, Varsei et al. [132] propose the use of a score to be assigned to all supply chain members based on their performances against the available codes of conduct in the four primary social areas: labor practices and decent work conditions, human rights, society, and product responsibility. An AHP model is used for the weighting of these factors, followed up by a multi-objective optimization model.

Looking at available standards, Ferreira et al. [133] propose a model to assess the environmental performance of supply chains based on the four BCS perspectives, on the ISO 14031 and GRI standard. The latter is an international agreement, created in 1997, with the mission of drawing up and disseminating the directives for writing sustainability reports. The ISO 14001 perspective is used by Chiarini [134] to define a pathway for sustainable supply chain design. This is composed of five steps. The first two allow the supplier to remain in the company vendor list. The remaining three foresee the measurement of the environmental performances of the supplier by means of an environmental management system and key indicators, to eventually become “green partner”.

In terms of available tools, El Saadany et al. [135] apply an analytical decision model to investigate the performance of a supply chain when product, process, and environmental quality characteristics are considered. More sophisticated approaches include Bai et al. [136], who utilize the Grey based neighborhood rough set methodology, and Rao et al. [137], who propose a decision mechanism for sustainable supplier selection based on linguistic two-tuple grey correlation degree. Still, while plenty of studies acknowledge the importance of supply chain integration, Wong et al. [138] conclude their review noticing a lack of theory to explain why and how integration leads to better performance, and who and what are supposed to be integrated.

Fuzzy approaches have also become popular in literature to model uncertainty in the selection process. Wu et al. [139] apply Interval-Valued Triangular Fuzzy Numbers (IVTFNs) and Grey relational analysis (GRA) for evaluating SSCM performance based on seven aspects and 34 criteria. Zhou et al. [140] address uncertainty for economic, environmental, and social criteria in sustainable supplier performance evaluation using Fuzzy Data Envelopment Analysis (DEA) models. Fuzzy mathematical programming has been further extended to design supply chains with optimized reverse

logistics, using a customized Multi-Objective Particle Swarm Optimization (MOPSO) algorithm [141]. Eventually, Boonthonsatit et al. [142] propose a multi-Objective Optimization approach that integrates Fuzzy Goal Programming and a weighted max-min operator.

### 6.2. KPI for Sustainable Manufacturing

Literature shows that sustainability performances directly relate to KPI in manufacturing and production [143]. Hence, research in sustainable manufacturing assessment is as rich and multifaceted as SSCM, featuring several contributions proposing metrics that link sustainability and value creation. A recent work from Winroth et al. [144] identifies a list of 47 sustainability indicators relevant at shop floor level for SMEs. These encompass energy consumption, waste management, health and safety of employees, in a similar way as also proposed by Faulkner and Badurdeen [145], together with other environmental and social impact metrics. Xia et al. [146] propose a modified BSC version to evaluate technology candidates in terms of their sustainability profile. This is further implemented by a computing method designed to produce a sustainable technology choice. Noticeably, Winroth et al. [144] also indicate that economic-oriented indicators are still those most highly prioritized in the production managers' decision-making process.

Extensions of the Sus-VSM approach are a popular choice to output a set of KPIs for manufacturing processes, to evaluate alternatives. Brown et al. [147] expand VSM economic analysis to include environmental and societal concerns, proposing several evaluation parameters related to waste handling, job hazard and ergonomics. Aguado et al. [148] propose an approach to quantify efficiency and sustainability in a lean production system, and translate these into a standardized and comparable unit, defined as the millipoint (mPt). Vinodh et al. [149] extend VSM with LCA to assess manufacturing process performances from sustainability viewpoint. LCA is also one of the principal components in the novel manufacturing architecture for sustainable value creation proposed by Bilge et al. [150]. LCA is combined with QFD to provide quantitative evidence of efficient solutions.

Supporting the innovation process for sustainable manufacturing is another topic of concern in literature. Looking at the early stages of the innovation process, Kassahun et al. [151] propose QChain, a tool that aims at supporting early stage group discussions and idea generation activities. QChain allows users to draw a chain diagram of the production process under investigation, as well as to create scenarios through what-if analyses, and compare them in the People-Planet-Profit framework. Le Bourhis et al. [152] propose the use of a predictive model of flow consumption to calculate the environmental impact assessment of a manufacturing plant. This is obtained by feeding the model with information about manufacturing path and geometry of the part that will be produced. The method uses the Eco-Indicator 99 method, and the Eco-Indicator Point, to compare the environmental impacts due to material, fluid, and electrical consumption, which are not expressed in the same unit.

The literature further focuses on the role of standards for guiding the definition of KPI for manufacturing. Petros Sebhatu and Enquist [153] show in their article that EMS-ISO-14001 can be seen more than just a system for environmental performance, but can also be used as a driving force for sustainable value creation in a radical change process aimed at quality improvement. Batalha et al. [154] highlight how the Eco-Management and Audit Scheme (EMAS) can be understood as a refinement of the ISO 14001 concepts, with several benefits.

### 6.3. KPI for Sustainable Project Management

A smaller set of contributions addresses the construction sector to identify categories of KPI (mainly derived from the TBL model) which can be used to assess sustainability of building and infrastructure projects. Abidin and Pasquire [155] early acknowledged that value management (VM) holds a strategic position to incorporate sustainability issues in project management. They propose a VM process to emphasize the discussion of sustainability aspects in the construction projects pre-workshop phase, incorporating sustainability in the need of statements when building functional analysis. Fellows and Liu [156] examine construction projects with regards to the processes through



Table 3. Cont.

Contribution	F1	F2	F3	F4	Simulation Model	Ambiguity/Uncertainty Model	Modeling Method
Orji and Wei [197]	Y				System Dynamics	Fuzzy logic	DEMATEL and TOPSIS
Orji and Wei [198]	Y	<i>p</i>	<i>p</i>			Fuzzy logic	TOPSIS
Peruzzini and Germani [199]		Y	Y			What if scenarios	LCA and SA (sustainability Assessment)
Peruzzini et al. [200]	Y						QFD
Russell-Smith et al. [201]		Y	<i>p</i>				LCA and TVD (Target Value Design)
Sakao and Shimomura [202]	Y				Discrete Event		Service Engineering
Smith and Ruiz-Mercado [203]	Y						Utility analysis
Song and Sakao [204]	Y	<i>p</i>	<i>p</i>			Rough numbers	HOQ, TOPSIS, Multi Objective Optimization (MOM)
Sproedt et al. [205]		Y	Y				LCA
Suresh et al. [206]	Y	Y					LCA
Tambouratzis et al. [207]	Y				Montecarlo simulation		LCA and EI (Environmental impact) index
Vinodh and Jayakrishna [208]	Y	Y					LCA
Vinodh and Rathod [209]		Y	Y				LCA
Vinodh et al. [210]	Y					Fuzzy logic	QFD
Wang and Tseng [211]	Y		Y				LCCM (Life Cycle Commonality Metrics) and cost benefit analysis
Wever and Vogtländer [212]	<i>p</i>	<i>p</i>	<i>p</i>	Y	(card game)		LCA and Cost/Value analysis
Whalen and Peck [213]			<i>p</i>				Card game—serious game
Xing et al. [214]		Y	Y		System Dynamics		LCA and NPV (Net Present Value)
Zhang et al. [215]	Y	Y	<i>p</i>	Y			SDV (Sustainable Development Value)

Note: Y: covered in the contribution; *p* = partially covered; F1: Does the model render a dimensionless score? F2: Does the model render a list of performance measures for the system (e.g., energy consumption)? F3: Does the model render a monetary value? F4: Is the model based on the Triple Bottom Line framework?

Life Cycle Analysis (LCA) is surveyed to be a popular approach across European large manufacturers for the evaluation of high-level design concepts or specific material options at Operational level [216]. LCA is often followed up by quantitative economic evaluations. In turn, the monetary value associated to sustainable-oriented choices is often calculated considering the provider's investment savings in a static scenario [173,182], sometimes broadening the analysis to encompass a wider range of stakeholders [166,189]. Several simulation techniques are proposed for evaluating with more detail value and sustainability properties of supply chains, with system dynamics being one of the most popular. Monte Carlo simulations are largely applied in conjunction with simulations to capture the intrinsic uncertainty associated with future scenarios.

A drawback of both LCA and quantitative economic models is that they require inventory data of all the elementary processes included within the parameters of the system. Data is sometimes not available to those who perform the modeling, as they do not have direct access to supplier and/or customer plants, as well as to most of the system usage parameters. For this reason, literature features several qualitative models for design concept selection that incorporate different aspects of sustainability as selection criteria. These models are mainly based on Analytical Hierarchy Process (AHP), Analytical Network Process (ANP), Technique for Order of Preference by Similarity to Ideal Solution (TOPSIS) and Quality Function Deployment (QFD) matrixes, outputting a dimensionless score that is then used for benchmarking. Fuzzy logic is a popular technique [217] to handle uncertainty in such models. The review further highlights the use of non-linear functions to map customer satisfaction against the sustainability indicators of a product. The use of these functions is inspired by utility theory and differs from the linear approach proposed by QFD. Non-linearity is shaped in different ways in literature, with exponential functions being the most common non-linear representations [160,170,174,186,187,214].

## 8. Discussion

Figure 9 summarizes the modeling challenges at the crossroad of value and sustainability decisions making, highlighting the connection between higher-order questions and lower-level ones. The proposed hierarchical organization is intended to guide decision makers in systematically decomposing issues related to methods and tools at Strategic, Tactical and Operational level, and to elaborate on the specific aspects associated to the targeted level.




Figure 9. Summary of research challenges at Strategic, Tactical and Operational level.



Figure 9 highlights that recent attempts to integrate sustainability with a value-based view remain at a Strategic level, with most of the models being proposed for managerial-level decision-making. This level builds on a solid and extensive bulk of literature, which is well distributed across areas and themes. Noticeably, researchers mutually point to each other and build on each other findings, as indicated by the citations analysis. A similar phenomenon can be observed at Tactical level, with a difference in the way contributions are polarized on the three themes of supply chain, manufacturing and project management. As shown in Figure 9, challenges at both Strategic and Tactical level are often well detailed and further broken down to lower level items, creating a hierarchy of questions related to a model-driven approach for value and sustainability. Both the statistical results and the findings from the content analysis indicate the Operational level to be the area with the largest room for improvement and opportunity for development. Contributions at this level are more scattered, lacking a common thread. Models are often developed ad-hoc for a specific problem or industrial application, and research efforts are often poorly connected with similar initiatives in other industrial sectors. The list of contributions reviewed in Table 3 spotlights the problem of generalizing an approach for value and sustainability modeling at this level. The lack of a reference framework from which to initiate the construction of “operational” value and sustainability models is a main research gap, and a main finding of this review work.

Literature is scattered mainly with regards to criteria and MADM methods for assessing sustainable value creation. Sustainability requirements are often not discussed exclusively, rather they are traded-off with quality, performance and cost requirements, and judged in a context where more established engineering tools are used. Assessing and communicating “sustainability” to technology developers becomes then a difficult exercise, due to the problem of showing numbers and “hard facts” related to the value generated by sustainability-oriented decisions across the entire life cycle of a product or service. Borrowing an example from Brockhaus et al. [125], a firm may change input materials to enhance resource efficiency during production, but fail to recognize that such a modification may negatively impact recycling practices, which may become more energy intensive.

It can also be noticed that economic analysis models for sustainability are mainly proposed bottom-up, from the point of view of a specific case study under investigation. A conclusion from this review is that researchers and practitioners may benefit from a more top-down perspective when it comes to model the value generated by sustainable solutions. An advantage point from which to begin the search for a systematic approach for monetary value analysis is found in the domain of advanced engineering. Since the early 2000s, a significant amount of contributions has been produced on value-centered methodologies in the aerospace sector. These have converged in the early 2010s in the research stream of Value Driven Design (VDD) [218]. Net Present Value (NPV) and Surplus Value (SV) are two major monetary optimization functions proposed in VDD to assess the long-term profitability of system alternatives [219,220]. The profitability idea is further cascaded down to the system components, and used to establish requirements at different levels of granularity in the system description. An opportunity is seen then for exploiting the VDD framework as main hub from which to derive models supporting the identification of win-win-win situations where sustainable improvements are aligned with business advantages. Cross-pollinating sustainability and VDD research remains a challenge today, for two main reasons. Firstly, VDD models do not consider sustainability explicitly, apart from sporadic attempts [221]. Secondly, VDD optimization functions struggle to fit with the earliest innovation process stages, which are characterized by seemingly inconsistent, ill-defined and immature knowledge [222,223].

Another reflection is that most contributions dealing with modeling sustainability from a value perspective is rarely forward looking, rather are mostly looking backwards, and based on an historical assessment. The review highlights that a main challenge when performing this assessment in an organizational context relates to the lack of methods for proactively setting future targets, boosting organizational integration capabilities and filtering contextual information concerning sustainability pressures and incentives. Decision support tools shall therefore stimulate design teams

in growing understanding among a range of possible scenarios, rather than to picture a static outcome. In this respect, VDD research includes relevant features to support “what-if” analysis and scenario comparison, such as the Epoch-Era Analysis (EEA) method proposed by Ross and Rhodes [224]. EEA can be described as systematic approach designed to clarify the effects of changing contexts over time on the perceived value of a system. It was originally intended to be used in conjunction with Multi-Attribute Tradespace Exploration (MATE), a design exploration technique that models large numbers of designs and compares their costs and utilities. EEA works with fixed periods of contexts and needs (epochs) in which the system operates. The latter are characterized by a set of variables (from political scenarios to financial situations, from operational plans to availability of technologies) that influence the usage of the system: these are used to perform analysis of value delivery over time under the effects of changing circumstances. The introduction of EEA-based methods may cope with the lack of dynamic value modeling capabilities to judge sustainability-oriented choices. EEA integration in the sustainability and value modeling discussion offers the opportunity to more clearly convey the “value robustness” of sustainable design concepts in the forecasted scenarios.

An opportunity here is also to generate information about future scenarios by handling historical data in new and more advanced ways, by exploiting machine learning algorithms and data driven approaches. The latter is already applied to support many product development tasks in a wide array of manufacturing industries. For instance, engineers may utilize response surface models to perform design space exploration and design optimization, so to evaluate, compare, and even improve the definition of existing design options [225]. These tasks are often carried out using models that provide a mapping between quantitative descriptions of a concept and the outcomes of simulated tests on the corresponding CAD models. The generation of such response is supported by models borrowed from the domains of computer science (machine learning) and statistics. Despite the cross-pollination opportunity, surrogate modeling techniques in the domain of sustainability and value creation feature a low level of maturity and are poorly validated. Existing methods for surrogate modeling require precise quantitative input and output data [13], which means that value or sustainability aspects, which are often of more qualitative nature, would have to be transformed into quantitative variables. During the transformation, information loss or distortion can occur and this could reduce the validity of the results [226]. Even if qualitative value and sustainability aspects could be carefully and realistically rendered into quantitative variables, it is still challenging to generate models that can accurately balance these variables against technical engineering requirements and cost data.

As final note, the author acknowledges the problems that limit the validity of the systematic literature review as method to create a complete picture of existing contributions linked to the stated objectives. While efforts were made to be all-inclusive, some works may have inadvertently been omitted. The list of keywords may not be exhaustive; hence it may fail to reflect what being searched, and to adequately address the objectives of the review. Relevant publications may not respond to the search query terms selected for the first step, for instance because the research community tend to use the term “value” interchangeably with similar and related terms, such as “need”, “profit”, “voice of the customer”, “satisfaction”, etc. At the same time, “sustainability” may be neglected in favor of synonyms, making difficult to conduct effective searches in databases. Furthermore, the selection criteria used to filter the retrieved contributions may exclude relevant literature that should not be taken away. The reviewer him/herself may introduce personal biases in the selection. This risk was mitigated during the systematic review process by applying a systematic screening procedure, and by crosschecking the consistency of the application of inclusion and exclusion criteria with external readers.

## 9. Conclusions

The literature review reveals a plethora of contributions that aim at describing sustainability with regards to classical technical and business requirements, by relating it to profitability and customer value creation. At Metalevel, principles and definitions for sustainability are well established, however

existing contributions do seem not sufficiently mature to reliably answer the question related to the customers' willingness to pay for sustainable products. Even though several specific examples are proposed, these mainly refer to commodities and other simple products, pointing to the need of exploring more deeply the value of sustainability in the domain of Systems Engineering.

Research dealing with business transformation is among the most established and trending at present. A great deal of contributions is dedicated to the analysis of the strategic opportunities offered by circular business models for achieving value and sustainability targets. Models for value and sustainability assessment at Operational level are also attracting attention, at varying levels of detail. Still, no exhaustive indications are given with respect to how to bridge qualitative and quantitative models, using the input of the firsts to guide assessments in the latter. Furthermore, most of the proposed models are mainly static and disregard the dynamic behaviors of industrial and ecological systems. They often emerge from the existing data of today and do not consider alternative future scenario in the assessment. This creates an opportunity for cross-pollinating sustainability research with value-centered methodologies that are more mature in the field of dynamic value creation. Eventually, reliability and trustability of sustainable value modeling remains an issue, requiring a step change in the way uncertainty and ambiguity is treated while modeling future scenarios.

Future work will be dedicated to the investigation of interactions between factors at different levels of analysis, with the goal to increase the clarification of the sustainability, risk and value consequences for operational decision making. In this respect, research activities will be dedicated to the identification of sustainability targets and to the definition of metrics to measure the progress towards these targets, with the final goal of providing decision makers with a toolbox of assessment models that makes the value of sustainable innovations explicit.

**Acknowledgments:** The research leading to these results has received financial support by the Swedish Knowledge and Competence Development Foundation (Stiftelsen för kunskaps-och kompetensutveckling) through the Strategic, Tactical and Operational implementation of Sustainability into the Innovation Process (STOSIP) project at Blekinge Institute of Technology.

**Conflicts of Interest:** The author declares no conflict of interest.

## References

1. Nidumolu, R.; Prahalad, C.K.; Rangaswami, M.R. Why sustainability is now the key driver of innovation. *Harv. Bus. Rev.* **2009**, *87*, 56–64.
2. Lubin, D.A.; Esty, D.C. The sustainability imperative. *Harv. Bus. Rev.* **2010**, *88*, 42–50.
3. Heikkurinen, P.; Bonnedahl, K.J. Corporate responsibility for sustainable development: A review and conceptual comparison of market-and stakeholder-oriented strategies. *J. Clean. Prod.* **2013**, *43*, 191–198. [[CrossRef](#)]
4. Willard, B. *The New Sustainability Advantage: Seven Business Case Benefits of a Triple Bottom Line*; New Society Publishers: Gabriola Island, BC, Canada, 2012.
5. Eccles, R.G.; Ioannou, I.; Serafeim, G. The impact of corporate sustainability on organizational processes and performance. *Manag. Sci.* **2014**, *60*, 2835–2857. [[CrossRef](#)]
6. Kaebernick, H.; Kara, S.; Sun, M. Sustainable product development and manufacturing by considering environmental requirements. *Robot. Comput.-Integr. Manuf.* **2003**, *19*, 461–468. [[CrossRef](#)]
7. Pujari, D.; Peattie, K.; Wright, G. Organizational antecedents of environmental responsiveness in industrial new product development. *Ind. Market. Manag.* **2004**, *33*, 381–391. [[CrossRef](#)]
8. Waage, S.A. Re-considering product design: A practical “road-map” for integration of sustainability issues. *J. Clean. Prod.* **2007**, *15*, 638–649. [[CrossRef](#)]
9. Bertoni, M.; Hallstedt, S.; Isaksson, O. A model-based approach for sustainability and value assessment in the aerospace value chain. *Adv. Mech. Eng.* **2015**, *7*, 1–19. [[CrossRef](#)]
10. Hallstedt, S.; Bertoni, M.; Isaksson, O. Assessing sustainability and value of manufacturing processes: A case in the aerospace industry. *J. Clean. Prod.* **2015**, *108*, 169–182. [[CrossRef](#)]
11. Gmelin, H.; Seuring, S. Determinants of a sustainable new product development. *J. Clean. Prod.* **2014**, *69*, 1–9. [[CrossRef](#)]

12. Petala, E.; Wever, R.; Dutilh, C.; Brezet, H. The role of new product development briefs in implementing sustainability: A case study. *J. Eng. Technol. Manag.* **2010**, *27*, 172–182. [[CrossRef](#)]
13. Isaksson, O.; Bertoni, M.; Hallstedt, S.; Lavesson, N. Model Based Decision Support for Value and Sustainability in Product Development. In Proceedings of the 20th International Conference on Engineering Design (ICED 15), Milan, Italy, 27–30 July 2015; Volume 1.
14. Tranfield, D.R.; Denyer, D.; Smart, P. Towards a methodology for developing evidence-informed management knowledge by means of systematic review. *Br. J. Manag.* **2003**, *14*, 207–222. [[CrossRef](#)]
15. Adams, R.; Jeanrenaud, S.; Bessant, J.; Denyer, D.; Overy, P. Sustainability-oriented Innovation: A Systematic Review. *Int. J. Manag. Rev.* **2015**, *18*, 180–205. [[CrossRef](#)]
16. Ardito, L.; Messeni Petruzzelli, A.; Albino, V. From technological inventions to new products: A systematic review and research agenda of the main enabling factors. *Eur. Manag. Rev.* **2015**, *12*, 113–147. [[CrossRef](#)]
17. Zhang, F.; Rio, M.; Allais, R.; Zwolinski, P.; Carrillo, T.R.; Roucoules, L.; Mercier-Laurent, E.; Buclet, N. Toward an systemic navigation framework to integrate sustainable development into the company. *J. Clean. Prod.* **2013**, *54*, 199–214. [[CrossRef](#)]
18. Hallstedt, S.; Ny, H.; Robèrt, K.H.; Broman, G. An approach to assessing sustainability integration in strategic decision systems for product development. *J. Clean. Prod.* **2010**, *18*, 703–712. [[CrossRef](#)]
19. Green, K.W., Jr.; Zelbst, P.J.; Bhaduria, V.S.; Meacham, J. Do environmental collaboration and monitoring enhance organizational performance? *Ind. Manag. Data Syst.* **2012**, *112*, 186–205. [[CrossRef](#)]
20. Geraldi, J.; Maylor, H.; Williams, T. Now, let's make it really complex (complicated) A systematic review of the complexities of projects. *Int. J. Oper. Prod. Manag.* **2011**, *31*, 966–990. [[CrossRef](#)]
21. Popay, J.; Roberts, H.; Sowden, A.; Petticrew, M.; Arai, L.; Rodgers, M.; Britten, N.; Roen, K.; Duffy, S. *Guidance on the Conduct of Narrative Synthesis in Systematic Reviews: A Product from the ESRC Methods Programme*, version 1; Lancaster University: Lancaster, UK, 2006; p. 92.
22. Webster, J.; Watson, R.T. Analyzing the past to prepare for the future: Writing a literature review. *MIS Q.* **2002**, *26*, 13–23.
23. Petersen, K.; Feldt, R.; Mujtaba, S.; Mattsson, M. Systematic Mapping Studies in Software Engineering. In Proceedings of the 12th international conference on Evaluation and Assessment in Software Engineer (EASE), Bari, Italy, 26–27 June 2008; Volume 8, pp. 68–77.
24. Mukherjee, A.; Kamarulzaman, N.H.; Vijayan, G.; Vaiappuri, S.K. Sustainability: A Comprehensive Literature. In *Handbook of Research on Global Supply Chain Management*; IGI Global Publishers: Hershey, PA, USA, 2015; p. 248.
25. Broman, G.I.; Robèrt, K.H. A framework for strategic sustainable development. *J. Clean. Prod.* **2017**, *140*, 17–31. [[CrossRef](#)]
26. Lindsey, T.C. Sustainable principles: Common values for achieving sustainability. *J. Clean. Prod.* **2011**, *19*, 561–565. [[CrossRef](#)]
27. De Vries, B.J.; Petersen, A.C. Conceptualizing sustainable development: An assessment methodology connecting values, knowledge, worldviews and scenarios. *Ecol. Econ.* **2009**, *68*, 1006–1019. [[CrossRef](#)]
28. Bolis, I.; Morioka, S.N.; Sznclwar, L.I. When sustainable development risks losing its meaning. Delimiting the concept with a comprehensive literature review and a conceptual model. *J. Clean. Prod.* **2014**, *83*, 7–20. [[CrossRef](#)]
29. Pearce, O.J.; Murray, N.J.; Boyd, T.W. Halstar: Systems engineering for sustainable development. *Proc. Inst. Civil Eng. Eng. Sustain.* **2012**, *165*, 129–140. [[CrossRef](#)]
30. Aschehoug, S.H.; Boks, C. Towards a framework for sustainability information in product development. *Int. J. Sustain. Eng.* **2013**, *6*, 94–108. [[CrossRef](#)]
31. Gotzsch, J. Key aspects of product attraction: A focus on eco-friendliness. *Int. J. Environ. Technol. Manag.* **2008**, *8*, 37–52. [[CrossRef](#)]
32. De Medeiros, J.F.; Ribeiro, J.L.D. Environmentally sustainable innovation: Expected attributes in the purchase of green products. *J. Clean. Prod.* **2017**, *142*, 240–248. [[CrossRef](#)]
33. Michaud, C.; Llerena, D. Green consumer behaviour: An experimental analysis of willingness to pay for remanufactured products. *Bus. Strateg. Environ.* **2011**, *20*, 408–420. [[CrossRef](#)]
34. Tsai, M.T.; Chuang, L.M.; Chao, S.T.; Chang, H.P. The effects assessment of firm environmental strategy and customer environmental conscious on green product development. *Environ. Monit. Assess.* **2012**, *184*, 4435–4447. [[CrossRef](#)] [[PubMed](#)]

35. Goucher-Lambert, K.; Cagan, J. The Impact of Sustainability on Consumer Preference Judgments of Product Attributes. *J. Mech. Des.* **2015**, *137*, 081401. [[CrossRef](#)]
36. Biswas, A.; Roy, M. Leveraging factors for sustained green consumption behavior based on consumption value perceptions: Testing the structural model. *J. Clean. Prod.* **2015**, *95*, 332–340. [[CrossRef](#)]
37. Hamzaoui Essoussi, L.; Linton, J.D. New or recycled products: How much are consumers willing to pay? *J. Consum. Market.* **2010**, *27*, 458–468. [[CrossRef](#)]
38. Soltmann, C.; Stucki, T.; Woerter, M. The Impact of Environmentally Friendly Innovations on Value Added. *Environ. Resour. Econ.* **2015**, *62*, 457–479. [[CrossRef](#)]
39. Ozaki, R.; Sevastyanova, K. Going hybrid: An analysis of consumer purchase motivations. *Energy Policy* **2011**, *39*, 2217–2227. [[CrossRef](#)]
40. Kim, S.; Cho, Y.; Niki, K.; Yamanaka, T. Integrating affective values to sustainable behaviour focused on Kansei engineering. *Int. J. Sustain. Eng.* **2016**, *9*, 378–389. [[CrossRef](#)]
41. Ha-Brookshire, J.E.; Norum, P.S. Willingness to pay for socially responsible products: Case of cotton apparel. *J. Consum. Market.* **2011**, *28*, 344–353. [[CrossRef](#)]
42. Raska, D.; Shaw, D. When is going green good for company image? *Manag. Res. Rev.* **2012**, *35*, 326–347. [[CrossRef](#)]
43. Martin, D.M.; Väistö, T. Reducing the Attitude-Behavior Gap in Sustainable Consumption: A Theoretical Proposition and the American Electric Vehicle Market. In *Marketing in and for a Sustainable Society*; Emerald Group Publishing Limited: Chicago, IL, USA, 2016; pp. 193–213.
44. Beloff, B.; Chevallier, A. The Case and Practice for Sustainability in Business. In *Sustainability: Multi-Disciplinary Perspectives*; Cabezas, H., Diwekar, U., Eds.; Bentham Books: Danvers, MA, USA, 2012; pp. 310–339.
45. Laszlo, C.; Cooperrider, D.L. Design for sustainable value: A whole system approach. *Adv. Apprec. Inq.* **2008**, *2*, 15–29.
46. Laszlo, C. *Sustainable Value: How the World's Leading Companies Are Doing Well by Doing Good*; Stanford University Press: Stanford, CA, USA, 2008.
47. Moore, S.B.; Manring, S.L. Strategy development in small and medium sized enterprises for sustainability and increased value creation. *J. Clean. Prod.* **2009**, *17*, 276–282. [[CrossRef](#)]
48. Jensen, J.K.; Munksgaard, K.B.; Arlbjørn, J.S. Chasing value offerings through green supply chain innovation. *Eur. Bus. Rev.* **2013**, *25*, 124–146. [[CrossRef](#)]
49. Kurapatskie, B.; Darnall, N. Which corporate sustainability activities are associated with greater financial payoffs? *Bus. Strateg. Environ.* **2013**, *22*, 49–61. [[CrossRef](#)]
50. Papadopoulos, I.; Karagouni, G.; Trigkas, M.; Beltsiou, Z. Mainstreaming green product strategies: Why and how furniture companies integrate environmental sustainability? *EuroMed J. Bus.* **2014**, *9*, 293–317. [[CrossRef](#)]
51. Chou, C.J.; Chen, C.W.; Conley, C. Creating Sustainable Value through Service Offerings. *Res.-Technol. Manag.* **2015**, *58*, 48–55.
52. Hang, S.; Chunguang, Z. Does environmental management improve enterprise's value?—An empirical research based on Chinese listed companies. *Ecol. Indic.* **2015**, *51*, 191–196. [[CrossRef](#)]
53. Tollin, K.; Christensen, L.B.; Wilke, R. Sustainability in business from a marketing perspective. *J. Strateg. Market.* **2015**, *23*, 471–496. [[CrossRef](#)]
54. Ford, S.; Despeisse, M. Additive manufacturing and sustainability: An exploratory study of the advantages and challenges. *J. Clean. Prod.* **2016**, *137*, 1573–1587. [[CrossRef](#)]
55. Hsu, C.C.; Tan, K.C.; Mohamad Zailani, S.H. Strategic orientations, sustainable supply chain initiatives, and reverse logistics: Empirical evidence from an emerging market. *Int. J. Oper. Prod. Manag.* **2016**, *36*, 86–110. [[CrossRef](#)]
56. Roome, N.; Louche, C. Journeying Toward Business Models for Sustainability A Conceptual Model Found Inside the Black Box of Organisational Transformation. *Organ. Environ.* **2015**, *29*. [[CrossRef](#)]
57. Kumar, D.; Rahman, Z. Buyer supplier relationship and supply chain sustainability: Empirical study of Indian automobile industry. *J. Clean. Prod.* **2016**, *131*, 836–848. [[CrossRef](#)]
58. Gómez-Bezares, F.; Przychodzen, W.; Przychodzen, J. Bridging the gap: How sustainable development can help companies create shareholder value and improve financial performance. *Bus. Ethics Eur. Rev.* **2017**, *26*, 1–17. [[CrossRef](#)]



59. Li, D.; Zheng, M.; Cao, C.; Chen, X.; Ren, S.; Huang, M. The impact of legitimacy pressure and corporate profitability on green innovation: Evidence from China top 100. *J. Clean. Prod.* **2017**, *141*, 41–49. [\[CrossRef\]](#)
60. Severo, E.A.; de Guimarães, J.C.F.; Dorion, E.C.H. Cleaner production and environmental management as sustainable product innovation antecedents: A survey in Brazilian industries. *J. Clean. Prod.* **2017**, *142*, 87–97. [\[CrossRef\]](#)
61. Yang, M.; Evans, S.; Vladimirova, D.; Rana, P. Value uncaptured perspective for sustainable business model innovation. *J. Clean. Prod.* **2017**, *140*, 1794–1804. [\[CrossRef\]](#)
62. Beckmann, M.; Hielscher, S.; Pies, I. Commitment Strategies for Sustainability: How Business Firms Can Transform Trade-Offs Into Win-Win Outcomes. *Bus. Strateg. Environ.* **2014**, *23*, 18–37. [\[CrossRef\]](#)
63. Fearne, A.; Garcia Martinez, M.; Dent, B. Dimensions of sustainable value chains: Implications for value chain analysis. *Supply Chain Manag. Int. J.* **2012**, *17*, 575–581. [\[CrossRef\]](#)
64. Gimenez, C.; Tachizawa, E.M. Extending sustainability to suppliers: A systematic literature review. *Supply Chain Manag. Int. J.* **2012**, *17*, 531–543. [\[CrossRef\]](#)
65. Ding, H.; Zhao, Q.; An, Z.; Xu, J.; Liu, Q. Pricing strategy of environmental sustainable supply chain with internalizing externalities. *Int. J. Prod. Econ.* **2015**, *170*, 563–575. [\[CrossRef\]](#)
66. Wong, L.; Avery, G.C. Creating sustainability in organisations: Beyond being green. *Int. J. Interdiscip. Soc. Sci.* **2008**, *3*, 68–74. [\[CrossRef\]](#)
67. Sekerka, L.E.; Stimel, D. How durable is sustainable enterprise? Ecological sustainability meets the reality of tough economic times. *Bus. Horiz.* **2011**, *54*, 115–124. [\[CrossRef\]](#)
68. Biggemann, S.; Williams, M.; Kro, G. Building in sustainability, social responsibility and value co-creation. *J. Bus. Ind. Market.* **2014**, *29*, 304–312. [\[CrossRef\]](#)
69. Ciasullo, V.M.; Troisi, O. Sustainable value creation in SMEs: A case study. *TQM J.* **2013**, *25*, 44–61. [\[CrossRef\]](#)
70. Martínez-Ferrero, J.; Frías-Aceituno, J.V. Relationship between sustainable development and financial performance: International empirical research. *Bus. Strateg. Environ.* **2015**, *24*, 20–39. [\[CrossRef\]](#)
71. Keskin, D.; Diehl, J.C.; Molenaar, N. Innovation process of new ventures driven by sustainability. *J. Clean. Prod.* **2013**, *45*, 50–60. [\[CrossRef\]](#)
72. Alblas, A.A.; Peters, K.; Wortmann, J.C. Fuzzy sustainability incentives in new product development: An empirical exploration of sustainability challenges in manufacturing companies. *Int. J. Oper. Prod. Manag.* **2014**, *34*, 513–545. [\[CrossRef\]](#)
73. Osch, W.; Avital, M. The road to Sustainable Value: The path-dependent construction of sustainable innovation as sociomaterial practices in the car industry. In *Positive Design and Appreciative Construction: From Sustainable Development to Sustainable Value*; Emerald Group Publishing Limited: Bingley, UK, 2010.
74. Tollin, K.; Vej, J. Sustainability in business: Understanding meanings, triggers and enablers. *J. Strateg. Market.* **2012**, *20*, 625–641. [\[CrossRef\]](#)
75. Halila, F.; Rundquist, J. The development and market success of eco-innovations: A comparative study of eco-innovations and “other” innovations in Sweden. *Eur. J. Innovat. Manag.* **2011**, *14*, 278–302. [\[CrossRef\]](#)
76. Schaltegger, S.; Lüdeke-Freund, F.; Hansen, E.G. Business cases for sustainability: The role of business model innovation for corporate sustainability. *Int. J. Innov. Sustain. Dev.* **2012**, *6*, 95–119. [\[CrossRef\]](#)
77. Rainey, D.L. A Model for Improving the Adoption of Sustainability in the Context of Globalization and Innovation. In *Technological, Managerial and Organizational Core Competencies: Dynamic Innovation and Sustainable Development*; Business Science Reference: Hershey, PA, USA, 2011; pp. 500–521.
78. Rainey, D.L. A Holistic Model for Linking Sustainability, Sustainable Development, and Strategic Innovation in the Context of Globalization. In *Handbook of Research on Sustainable Development and Economics*; IGI Global: Hershey, PA, USA, 2015; p. 222.
79. Boons, F.; Lüdeke-Freund, F. Business models for sustainable innovation: State-of-the-art and steps towards a research agenda. *J. Clean. Prod.* **2013**, *45*, 9–19. [\[CrossRef\]](#)
80. Bocken, N.M.P.; Short, S.W.; Rana, P.; Evans, S. A literature and practice review to develop sustainable business model archetypes. *J. Clean. Prod.* **2014**, *65*, 42–56. [\[CrossRef\]](#)
81. Bocken, N.M.P.; Rana, P.; Short, S.W. Value mapping for sustainable business thinking. *J. Ind. Prod. Eng.* **2015**, *32*, 67–81. [\[CrossRef\]](#)
82. Girotra, K.; Netessine, S. OM Forum-Business Model Innovation for Sustainability. *Manuf. Serv. Oper. Manag.* **2013**, *15*, 537–544. [\[CrossRef\]](#)

83. Ceschin, F. Product-service system innovation: A promising approach to sustainability. In *Sustainable Product-Service Systems*; Springer: Berlin, Germany, 2014; pp. 17–40.
84. Antonova, A. Service Science, Value Creation, and Sustainable Development: Understanding Service-Based Business. In *Regional Development: Concepts, Methodologies, Tools, and Applications*; IGI Global: Hershey, PA, USA, 2012; p. 108.
85. Bryson, J.R.; Lombardi, R. Balancing product and process sustainability against business profitability: Sustainability as a competitive strategy in the property development process. *Bus. Strateg. Environ.* **2009**, *18*, 97–107. [[CrossRef](#)]
86. Geissdoerfer, M.; Bocken, N.M.; Hultink, E.J. Design thinking to enhance the sustainable business modelling process—A workshop based on a value mapping process. *J. Clean. Prod.* **2016**, *135*, 1218–1232. [[CrossRef](#)]
87. Müller, M. Design-driven innovation for sustainability: A new method for developing a sustainable value proposition. *Int. J. Innov. Sci.* **2012**, *4*, 11–24. [[CrossRef](#)]
88. Joyce, A.; Paquin, R.L. The triple layered business model canvas: A tool to design more sustainable business models. *J. Clean. Prod.* **2016**, *135*, 1474–1486. [[CrossRef](#)]
89. Morioka, S.N.; de Carvalho, M.M. A systematic literature review towards a conceptual framework for integrating sustainability performance into business. *J. Clean. Prod.* **2016**, *136*, 134–146. [[CrossRef](#)]
90. Padin, C.; Ferro, C.; Wagner, B.; Sosa Valera, J.C.; Høgevold, N.M.; Svensson, G. Validating a triple bottom line construct and reasons for implementing sustainable business practices in companies and their business networks. *Corp. Gov. Int. J. Bus. Soc.* **2016**, *16*, 849–865. [[CrossRef](#)]
91. França, C.L.; Broman, G.; Robèrt, K.H.; Basile, G.; Trygg, L. An approach to business model innovation and design for strategic sustainable development. *J. Clean. Prod.* **2017**, *140*, 155–166. [[CrossRef](#)]
92. Kim, K.J.; Lim, C.H.; Heo, J.Y.; Lee, D.H.; Hong, Y.S.; Park, K. An evaluation scheme for product-service system models: Development of evaluation criteria and case studies. *Serv. Bus.* **2016**, *10*, 507–530. [[CrossRef](#)]
93. Chou, C.J.; Chen, C.W.; Conley, C. An approach to assessing sustainable product-service systems. *J. Clean. Prod.* **2015**, *86*, 277–284. [[CrossRef](#)]
94. Chiu, M.C.; Kuo, M.Y.; Kuo, T.C. A systematic methodology to develop business model of a product service system. *Int. J. Ind. Eng.* **2015**, *22*, 369–381.
95. Singh, S.; Olugu, E.U.; Musa, S.N.; Mahat, A.B.; Wong, K.Y. Strategy selection for sustainable manufacturing with integrated AHP-VIKOR method under interval-valued fuzzy environment. *Int. J. Adv. Manuf. Technol.* **2016**, *84*, 547–563. [[CrossRef](#)]
96. Buxel, H.; Esenduran, G.; Griffin, S. Strategic sustainability: Creating business value with life cycle analysis. *Bus. Horiz.* **2015**, *58*, 109–122. [[CrossRef](#)]
97. Patala, S.; Jalkala, A.; Keränen, J.; Väisänen, S.; Tuominen, V.; Soukka, R. Sustainable value propositions: Framework and implications for technology suppliers. *Ind. Market. Manag.* **2016**, *59*, 144–156. [[CrossRef](#)]
98. Olson, E.L. Perspective: The green innovation value chain: A tool for evaluating the diffusion prospects of green products. *J. Prod. Innov. Manag.* **2013**, *30*, 782–793. [[CrossRef](#)]
99. Copani, G.; Rosa, P. DEMAT: Sustainability assessment of new flexibility-oriented business models in the machine tools industry. *Int. J. Comput. Integr. Manuf.* **2015**, *28*, 408–417. [[CrossRef](#)]
100. Ueda, K.; Takenaka, T.; Váncza, J.; Monostori, L. Value creation and decision-making in sustainable society. *CIRP Ann.-Manuf. Technol.* **2009**, *58*, 681–700. [[CrossRef](#)]
101. Abdelkafi, N.; Täuscher, K. Business models for sustainability from a system dynamics perspective. *Organ. Environ.* **2016**, *29*, 74–96. [[CrossRef](#)]
102. Figge, F.; Hahn, T. Sustainable value added—Measuring corporate contributions to sustainability beyond eco-efficiency. *Ecol. Econ.* **2004**, *48*, 173–187. [[CrossRef](#)]
103. Henriques, J.; Catarino, J. Sustainable value and cleaner production—research and application in 19 Portuguese SME. *J. Clean. Prod.* **2015**, *96*, 379–386. [[CrossRef](#)]
104. Figge, F.; Hahn, T. Is green and profitable sustainable? Assessing the trade-off between economic and environmental aspects. *Int. J. Prod. Econ.* **2012**, *140*, 92–102. [[CrossRef](#)]
105. Figge, F.; Hahn, T.; Daverio, C.; Persson, M.; Brunczel, B.; Wilhelm, A.; Mauritz, C. Sustainable Value of European Industry—A Value-Based Analysis of the Environmental Performance of European Manufacturing Companies. 2006. Available online: <http://www.advance-project.org/concept/publications/index.html> (accessed on 8 June 2017).

106. Mondelaers, K.; Van Huylenbroeck, G.; Lauwers, L. Sustainable Value Analysis: Sustainability in a New Light Results of the EU SVAPPAS Project Analyse de la valeur durable: Le projet SVAPPAS de l'Union européenne éclaire la durabilité sous un jour nouveau Sustainable-Value-Analyse: Nachhaltigkeit in einem neuen Licht als Ergebnis des SVAPPAS-Projekts der EU. *EuroChoices* **2011**, *10*, 9–15.
107. Kuosmanen, T.; Kuosmanen, N. How not to measure sustainable value (and how one might). *Ecol. Econ.* **2009**, *69*, 235–243. [[CrossRef](#)]
108. Harik, R.; El Hachem, W.; Medini, K.; Bernard, A. Towards a holistic sustainability index for measuring sustainability of manufacturing companies. *Int. J. Prod. Res.* **2015**, *53*, 4117–4139. [[CrossRef](#)]
109. Egilmez, G.; Kucukvar, M.; Tatari, O. Sustainability assessment of US manufacturing sectors: An economic input output-based frontier approach. *J. Clean. Prod.* **2013**, *53*, 91–102. [[CrossRef](#)]
110. Afful-Dadzie, A.; Afful-Dadzie, E.; Turkson, C. A TOPSIS extension framework for re-conceptualizing sustainability measurement. *Kybernetes* **2016**, *45*, 70–86. [[CrossRef](#)]
111. Menzel, V.; Smagin, J.; David, F. Can companies profit from greener manufacturing? *Meas. Bus. Excell.* **2010**, *14*, 22–31. [[CrossRef](#)]
112. Tahir, A.C.; Darton, R.C. The process analysis method of selecting indicators to quantify the sustainability performance of a business operation. *J. Clean. Prod.* **2010**, *18*, 1598–1607. [[CrossRef](#)]
113. Valkokari, K.; Valkokari, P.; Palomäki, K.; Uusitalo, T.; Reunanen, M.; Macchi, M.; Rana, P.; Prasanna Liyanage, J. Road-mapping the business potential of sustainability within the European manufacturing industry. *Foresight* **2014**, *16*, 360–384. [[CrossRef](#)]
114. Gadenne, D.; Mia, L.; Sands, J.; Winata, L.; Hooi, G. The influence of sustainability performance management practices on organisational sustainability performance. *J. Account. Organ. Chang.* **2012**, *8*, 210–235. [[CrossRef](#)]
115. Dahl, A.L. Achievements and gaps in indicators for sustainability. *Ecol. Indic.* **2012**, *17*, 14–19. [[CrossRef](#)]
116. Journeault, M. The Integrated Scorecard in support of corporate sustainability strategies. *J. Environ. Manag.* **2016**, *182*, 214–229. [[CrossRef](#)] [[PubMed](#)]
117. Sands, J.S.; Sands, J.S.; Rae, K.N.; Rae, K.N.; Gadenne, D.; Gadenne, D. An empirical investigation on the links within a sustainability balanced scorecard (SBSC) framework and their impact on financial performance. *Account. Res. J.* **2016**, *29*, 154–178. [[CrossRef](#)]
118. Hansen, E.G.; Schaltegger, S. The sustainability balanced scorecard: A systematic review of architectures. *J. Bus. Ethics* **2016**, *133*, 193–221. [[CrossRef](#)]
119. Pan, J.N.; Nguyen, H.T.N. Achieving customer satisfaction through product-service systems. *Eur. J. Oper. Res.* **2015**, *247*, 179–190. [[CrossRef](#)]
120. Kastalli, I.V.; Van Looy, B.; Neely, A. Steering manufacturing firms towards service business model innovation. *Calif. Manag. Rev.* **2013**, *56*, 100–123. [[CrossRef](#)]
121. Pádua, S.I.D.; Jabbour, C.J.C. Promotion and evolution of sustainability performance measurement systems from a perspective of business process management: From a literature review to a pentagonal proposal. *Bus. Process Manag. J.* **2015**, *21*, 403–418. [[CrossRef](#)]
122. Searcy, C. Setting a course in corporate sustainability performance measurement. *Meas. Bus. Excell.* **2009**, *13*, 49–57. [[CrossRef](#)]
123. Morioka, S.N.; Carvalho, M. Measuring sustainability in practice: Exploring the inclusion of sustainability into corporate performance systems in Brazilian case studies. *J. Clean. Prod.* **2016**, *136*, 123–133. [[CrossRef](#)]
124. Jayakrishna, K.; Vinodh, S.; Anish, S. A Graph Theory approach to measure the performance of sustainability enablers in a manufacturing organization. *Int. J. Sustain. Eng.* **2016**, *9*, 47–58. [[CrossRef](#)]
125. Brockhaus, S.; Fawcett, S.; Kersten, W.; Knemeyer, M. A framework for benchmarking product sustainability efforts: Using systems dynamics to achieve supply chain alignment. *Benchmark. Int. J.* **2016**, *23*, 127–164. [[CrossRef](#)]
126. Carter, C.R.; Liane Easton, P. Sustainable supply chain management: Evolution and future directions. *Int. J. Phys. Distrib. Logist. Manag.* **2011**, *41*, 46–62. [[CrossRef](#)]
127. Ashby, A.; Leat, M.; Hudson-Smith, M. Making connections: A review of supply chain management and sustainability literature. *Supply Chain Manag. Int. J.* **2012**, *17*, 497–516. [[CrossRef](#)]
128. Marchet, G.; Melacini, M.; Perotti, S. Environmental sustainability in logistics and freight transportation: A literature review and research agenda. *J. Manuf. Technol. Manag.* **2014**, *25*, 775–811. [[CrossRef](#)]
129. Ortas, E.; Moneva, M.J.; Álvarez, I. Sustainable supply chain and company performance: A global examination. *Supply Chain Manag. Int. J.* **2014**, *19*, 332–350. [[CrossRef](#)]

130. Bayat, A.; Sundararajan, S.; Gustafson, H.R., Jr.; Zimmers, E.W., Jr. Sustainably driven supply chains. *Ind. Eng. Manag.* **2011**, *43*, 26–31.
131. Abbasi, M.; Nilsson, F. Themes and challenges in making supply chains environmentally sustainable. *Supply Chain Manag. Int. J.* **2012**, *17*, 517–530. [[CrossRef](#)]
132. Varsei, M.; Soosay, C.; Fahimnia, B.; Sarkis, J. Framing sustainability performance of supply chains with multidimensional indicators. *Supply Chain Manag. Int. J.* **2014**, *19*, 242–257. [[CrossRef](#)]
133. Ferreira, L.M.D.; Silva, C.; Azevedo, S.G. An environmental balanced scorecard for supply chain performance measurement. *Benchmark. Int. J.* **2016**, *23*, 1398–1422. [[CrossRef](#)]
134. Chiarini, A. Designing an environmental sustainable supply chain through ISO 14001 standard. *Manag. Environ. Qual. Int. J.* **2012**, *24*, 16–33. [[CrossRef](#)]
135. El Saadany, A.M.A.; Jaber, M.Y.; Bonney, M. Environmental performance measures for supply chains. *Manag. Res. Rev.* **2011**, *34*, 1202–1221. [[CrossRef](#)]
136. Bai, C.; Sarkis, J.; Wei, X.; Koh, L. Evaluating ecological sustainable performance measures for supply chain management. *Supply Chain Manag. Int. J.* **2012**, *17*, 78–92. [[CrossRef](#)]
137. Rao, C.; Goh, M.; Zheng, J. Decision Mechanism for Supplier Selection under Sustainability. *Int. J. Inf. Technol. Decis. Mak.* **2016**, *16*, 87. [[CrossRef](#)]
138. Wong, C.Y.; Wong, C.W.; Boon-itt, S. Integrating environmental management into supply chains: A systematic literature review and theoretical framework. *Int. J. Phys. Distrib. Logist. Manag.* **2015**, *45*, 43–68. [[CrossRef](#)]
139. Wu, K.J.; Liao, C.J.; Tseng, M.; Chiu, K.K.S. Multi-attribute approach to sustainable supply chain management under uncertainty. *Ind. Manag. Data Syst.* **2016**, *116*, 777–800. [[CrossRef](#)]
140. Zhou, X.; Pedrycz, W.; Kuang, Y.; Zhang, Z. Type-2 fuzzy multi-objective DEA model: An application to sustainable supplier evaluation. *Appl. Soft Comput.* **2016**, *46*, 424–440. [[CrossRef](#)]
141. Govindan, K.; Paam, P.; Abtahi, A.R. A fuzzy multi-objective optimization model for sustainable reverse logistics network design. *Ecol. Indic.* **2016**, *67*, 753–768. [[CrossRef](#)]
142. Boonsothonsatit, K.; Kara, S.; Ibbotson, S.; Kayis, B. Development of a Generic decision support system based on multi-Objective Optimisation for Green supply chain network design (GOOG). *J. Manuf. Technol. Manag.* **2015**, *26*, 1069–1084. [[CrossRef](#)]
143. Liyanage, J.P. Operations and maintenance performance in production and manufacturing assets: The sustainability perspective. *J. Manuf. Technol. Manag.* **2007**, *18*, 304–314. [[CrossRef](#)]
144. Winroth, M.; Almström, P.; Andersson, C. Sustainable production indicators at factory level. *J. Manuf. Technol. Manag.* **2016**, *27*, 842–873. [[CrossRef](#)]
145. Faulkner, W.; Badurdeen, F. Sustainable Value Stream Mapping (Sus-VSM): Methodology to visualize and assess manufacturing sustainability performance. *J. Clean. Prod.* **2014**, *85*, 8–18. [[CrossRef](#)]
146. Xia, D.; Yu, Q.; Gao, Q.; Cheng, G. Sustainable technology selection decision-making model for enterprise in supply chain: Based on a modified strategic balanced scorecard. *J. Clean. Prod.* **2017**, *141*, 1337–1348. [[CrossRef](#)]
147. Brown, A.; Amundson, J.; Badurdeen, F. Sustainable value stream mapping (Sus-VSM) in different manufacturing system configurations: Application case studies. *J. Clean. Prod.* **2014**, *85*, 164–179. [[CrossRef](#)]
148. Aguado, S.; Alvarez, R.; Domingo, R. Model of efficient and sustainable improvements in a lean production system through processes of environmental innovation. *J. Clean. Prod.* **2013**, *47*, 141–148. [[CrossRef](#)]
149. Vinodh, S.; Ruben, R.B.; Asokan, P. Life cycle assessment integrated value stream mapping framework to ensure sustainable manufacturing: A case study. *Clean Technol. Environ. Policy* **2016**, *18*, 279–295. [[CrossRef](#)]
150. Bilge, P.; Badurdeen, F.; Seliger, G.; Jawahir, I.S. A novel manufacturing architecture for sustainable value creation. *CIRP Ann.-Manuf. Technol.* **2016**, *65*, 455–458. [[CrossRef](#)]
151. Kassahun, A.; du Chatenier, E.; Bots, P.; Hofstede, G.; Bloemhof, J.; Scholten, H.; Korver, S.; Beulens, A. QChain—integrating social, environmental and economic value: A tool to support innovation in production chains. *J. Chain Netw. Sci.* **2011**, *11*, 167–176. [[CrossRef](#)]
152. Le Bourhis, F.; Kerbrat, O.; Hascoët, J.Y.; Mognol, P. Sustainable manufacturing: Evaluation and modeling of environmental impacts in additive manufacturing. *Int. J. Adv. Manuf. Technol.* **2013**, *69*, 1927–1939. [[CrossRef](#)]
153. Petros Sebhathu, S.; Enquist, B. ISO 14001 as a driving force for sustainable development and value creation. *TQM Mag.* **2007**, *19*, 468–482. [[CrossRef](#)]



154. Batalha, G.F.; Roszak, M.T.; da Silva, I.B.; Agostinho, O.L.; Dobrzański, L.A. Towards a design for ecological management and product sustainability—European and Brazilian approaches. *Mater. Sci. Eng.* **2013**, *64*, 34–39.
155. Abidin, N.Z.; Pasquire, C.L. Revolutionize value management: A mode towards sustainability. *Int. J. Proj. Manag.* **2007**, *25*, 275–282. [[CrossRef](#)]
156. Fellows, R.; Liu, A. Impact of participants' values on construction sustainability. *Proc. Inst. Civil Eng. Eng. Sustain.* **2008**, *161*, 219–227. [[CrossRef](#)]
157. Catarino, J.; Henriques, J.J.; Maia, A.; Alexandre, J.; Rodrigues, F.; Camacho, D. From cleaner production and value management to sustainable value. *Int. J. Sustain. Eng.* **2011**, *4*, 96–108. [[CrossRef](#)]
158. Yunus, R.; Yang, J. Critical sustainability factors in industrialised building systems. *Constr. Innov.* **2012**, *12*, 447–463. [[CrossRef](#)]
159. Akadiri, P.O.; Olomolaiye, P.O. Development of sustainable assessment criteria for building materials selection. *Eng. Constr. Archit. Manag.* **2012**, *19*, 666–687. [[CrossRef](#)]
160. Alarcon, B.; Aguado, A.; Manga, R.; Josa, A. A value function for assessing sustainability: Application to industrial buildings. *Sustainability* **2010**, *3*, 35–50. [[CrossRef](#)]
161. Arroyo, P.; Tommelein, I.D.; Ballard, G. Selecting Globally Sustainable Materials: A Case Study Using Choosing by Advantages. *J. Constr. Eng. Manag.* **2015**, *142*, 05015015. [[CrossRef](#)]
162. Badurdeen, F.; Liyanage, J.P. Sustainable value co-creation through mass customisation: A framework. *Int. J. Sustain. Manuf.* **2011**, *2*, 180–203. [[CrossRef](#)]
163. Badurdeen, F.; Goldsby, T.J.; Iyengar, D.; Jawahir, I.S. Transforming supply chains to create sustainable value for all stakeholders. In *Treatise on Sustainability Science and Engineering*; Springer: Dordrecht, The Netherlands, 2013; pp. 311–338.
164. Badurdeen, F.; Shuaib, M.A.; Lu, T.; Jawahir, I.S. Sustainable Value Creation in Manufacturing at Product and Process Levels: Metrics-Based Evaluation. In *Handbook of Manufacturing Engineering and Technology*; Springer: London, UK, 2015; pp. 3343–3375.
165. Bakhoun, E.S.; Brown, D.C. An automated decision support system for sustainable selection of structural materials. *Int. J. Sustain. Eng.* **2015**, *8*, 80–92. [[CrossRef](#)]
166. Bhattacharjee, S.; Cruz, J. Economic sustainability of closed loop supply chains: A holistic model for decision and policy analysis. *Decis. Support Syst.* **2015**, *77*, 67–86. [[CrossRef](#)]
167. Brent, A.C.; Labuschagne, C. An appraisal of social aspects in project and technology life cycle management in the process industry. *Manag. Environ. Qual. Int. J.* **2007**, *18*, 413–426. [[CrossRef](#)]
168. Coskun, S.; Ozgur, L.; Polat, O.; Gungor, A. A model proposal for green supply chain network design based on consumer segmentation. *J. Clean. Prod.* **2016**, *110*, 149–157. [[CrossRef](#)]
169. Cuadrado, J.; Zubizarreta, M.; Rojí, E.; Larrauri, M.; Álvarez, I. Sustainability assessment methodology for industrial buildings: Three case studies. *Civil Eng. Environ. Syst.* **2016**, *33*, 106–124. [[CrossRef](#)]
170. Del Caño, A.; Gómez, D.; de la Cruz, M.P. Uncertainty analysis in the sustainable design of concrete structures: A probabilistic method. *Constr. Build. Mater.* **2012**, *37*, 865–873. [[CrossRef](#)]
171. Djassemi, M. A computer-aided approach to material selection and environmental auditing. *J. Manuf. Technol. Manag.* **2012**, *23*, 704–716. [[CrossRef](#)]
172. Florez, L.; Castro, D.; Irizarry, J. Measuring sustainability perceptions of construction materials. *Constr. Innov.* **2013**, *13*, 217–234. [[CrossRef](#)]
173. Fujii, M.; Hayashi, K.; Ito, H.; Ooba, M. The resource occupancy to capacity ratio indicator—A common unit to measure sustainability. *Ecol. Indic.* **2014**, *46*, 52–58. [[CrossRef](#)]
174. Gervásio, H.; da Silva, L.S. A probabilistic decision-making approach for the sustainable assessment of infrastructures. *Expert Syst. Appl.* **2012**, *39*, 7121–7131. [[CrossRef](#)]
175. Gheorghe, R.; Xirouchakis, P. Decision-based methods for early phase sustainable product design. *Int. J. Eng. Educ.* **2007**, *23*, 1065–1080.
176. Gudem, M.; Steinert, M.; Welo, T.; Leifer, L. Redefining customer value in lean product development design projects. *J. Eng. Des. Technol.* **2013**, *11*, 71–89. [[CrossRef](#)]
177. Hassan, M.F.; Saman, M.Z.M.; Sharif, S.; Omar, B. Sustainability evaluation of alternative part configurations in product design: Weighted decision matrix and artificial neural network approach. *Clean Technol. Environ. Policy* **2016**, *18*, 63–79. [[CrossRef](#)]



178. Henry, M.; Kato, Y. An assessment framework based on social perspectives and Analytic Hierarchy Process: A case study on sustainability in the Japanese concrete industry. *J. Eng. Technol. Manag.* **2011**, *28*, 300–316. [[CrossRef](#)]
179. Hu, J.; Cardin, M.A. Generating flexibility in the design of engineering systems to enable better sustainability and lifecycle performance. *Res. Eng. Des.* **2015**, *26*, 121–143. [[CrossRef](#)]
180. Inoue, M.; Yamada, S.; Yamada, T.; Bracke, S. An Upgradable Product Design Method for Improving Performance, CO<sub>2</sub> Savings, and Production Cost Reduction: Vacuum Cleaner Case Study. *Int. J. Supply Chain Manag.* **2014**, *3*, 100–106.
181. Jayakrishna, K.; Vimal, K.E.K.; Vinodh, S. ANP based sustainable concept selection. *J. Model. Manag.* **2015**, *10*, 118–136.
182. Jayakrishna, K.; Jayakrishna, K.; Girubha, R.J.; Girubha, R.J.; Vinodh, S.; Vinodh, S. Comparison of sustainability characteristics of conventional and CNC turning processes: A case study. *J. Eng. Des. Technol.* **2016**, *14*, 422–445. [[CrossRef](#)]
183. Jensen, P.A.; Maslesa, E. Value based building renovation—A tool for decision-making and evaluation. *Build. Environ.* **2015**, *92*, 1–9. [[CrossRef](#)]
184. Yi, J.; Ji, B.; Guan, Y.; Dong, J.; Li, C. Research on evaluation methodologies of product life cycle engineering design (LCED) and development of its tools. *Int. J. Comput. Integr. Manuf.* **2008**, *21*, 923–942.
185. Kim, S.; Moon, S.K. Sustainable platform identification for product family design. *J. Clean. Prod.* **2016**, *143*, 567–581. [[CrossRef](#)]
186. Kimita, K.; Shimomura, Y.; Arai, T. A customer value model for sustainable service design. *CIRP J. Manuf. Sci. Technol.* **2009**, *1*, 254–261. [[CrossRef](#)]
187. Lombera, J.T.S.J.; Rojo, J.C. Industrial building design stage based on a system approach to their environmental sustainability. *Constr. Build. Mater.* **2010**, *24*, 438–447. [[CrossRef](#)]
188. Ma, J.; Kremer, G.E.O. A sustainable modular product design approach with key components and uncertain end-of-life strategy consideration. *Int. J. Adv. Manuf. Technol.* **2016**, *85*, 741–763. [[CrossRef](#)]
189. Malmgren, L.; Elfborg, S.; Mjörnell, K. Development of a decision support tool for sustainable renovation—A case study. *Struct. Surv.* **2016**, *34*, 3–11. [[CrossRef](#)]
190. Mayyas, A.T.; Qattawi, A.; Mayyas, A.R.; Omar, M. Quantifiable measures of sustainability: A case study of materials selection for eco-lightweight auto-bodies. *J. Clean. Prod.* **2013**, *40*, 177–189. [[CrossRef](#)]
191. Mendoza, G.A.; Prabhu, R. Evaluating multi-stakeholder perceptions of project impacts: A participatory value-based multi-criteria approach. *Int. J. Sustain. Dev. World Ecol.* **2009**, *16*, 177–190. [[CrossRef](#)]
192. Metaxas, I.N.; Koulouriotis, D.E.; Spartalis, S.H. A multicriteria model on calculating the Sustainable Business Excellence Index of a firm with fuzzy AHP and TOPSIS. *Benchmark. Int. J.* **2016**, *23*, 1522–1557. [[CrossRef](#)]
193. Nallusamy, S.; Ganesan, M.; Balakannan, K.; Shankar, C. Environmental sustainability evaluation for an automobile manufacturing industry using multi-grade fuzzy approach. *Int. J. Eng. Res. Afr.* **2016**, *19*, 123–129. [[CrossRef](#)]
194. Nelms, C.E.; Russell, A.D.; Lence, B.J. Assessing the performance of sustainable technologies: A framework and its application. *Build. Res. Inf.* **2007**, *35*, 237–251. [[CrossRef](#)]
195. Ojanen, V.; Ahonen, T.; Reunanen, M.; Hanski, J. Towards availability and sustainability in customer value assessment of asset management services. *Int. J. Innov. Sustain. Dev.* **2012**, *6*, 368–391. [[CrossRef](#)]
196. Olinto, A.C. Vector space theory of sustainability assessment of industrial processes. *Clean Technol. Environ. Policy* **2014**, *16*, 1815–1820. [[CrossRef](#)]
197. Orji, I.; Wei, S. A decision support tool for sustainable supplier selection in manufacturing firms. *J. Ind. Eng. Manag.* **2014**, *7*, 1293. [[CrossRef](#)]
198. Orji, I.J.; Wei, S. Dynamic modeling of sustainable operation in green manufacturing environment. *J. Manuf. Technol. Manag.* **2015**, *26*, 1201–1217. [[CrossRef](#)]
199. Peruzzini, M.; Germani, M. Design for sustainability of product-service systems. *Int. J. Agile Syst. Manag.* **2014**, *7*, 206–219. [[CrossRef](#)]
200. Peruzzini, M.; Marilungo, E.; Germani, M. Structured requirements elicitation for product-service system. *Int. J. Agile Syst. Manag.* **2015**, *8*, 189–218. [[CrossRef](#)]
201. Russell-Smith, S.V.; Lepech, M.D.; Fruchter, R.; Meyer, Y.B. Sustainable target value design: Integrating life cycle assessment and target value design to improve building energy and environmental performance. *J. Clean. Prod.* **2015**, *88*, 43–51. [[CrossRef](#)]

202. Sakao, T.; Shimomura, Y. Service Engineering: A novel engineering discipline for producers to increase value combining service and product. *J. Clean. Prod.* **2007**, *15*, 590–604. [[CrossRef](#)]
203. Smith, R.L.; Ruiz-Mercado, G.J. A method for decision making using sustainability indicators. *Clean Technol. Environ. Policy* **2014**, *16*, 749–755. [[CrossRef](#)]
204. Song, W.; Sakao, T. A customization-oriented framework for design of sustainable product/service system. *J. Clean. Prod.* **2017**, *140*, 1672–1685. [[CrossRef](#)]
205. Sproedt, A.; Plehn, J.; Schönsleben, P.; Herrmann, C. A simulation-based decision support for eco-efficiency improvements in production systems. *J. Clean. Prod.* **2015**, *105*, 389–405. [[CrossRef](#)]
206. Suresh, P.; Ramabalan, S.; Natarajan, U. Integration of DFE and DFMA for the sustainable development of an automotive component. *Int. J. Sustain. Eng.* **2016**, *9*, 107–118. [[CrossRef](#)]
207. Tambouratzis, T.; Karalekas, D.; Moustakas, N. A methodological study for optimizing material selection in sustainable product design. *J. Ind. Ecol.* **2014**, *18*, 508–516. [[CrossRef](#)]
208. Vinodh, S.; Jayakrishna, K. Environmental impact minimisation in an automotive component using alternative materials and manufacturing processes. *Mater. Des.* **2011**, *32*, 5082–5090. [[CrossRef](#)]
209. Vinodh, S.; Rathod, G. Application of life cycle assessment and Monte Carlo simulation for enabling sustainable product design. *J. Eng. Des. Technol.* **2014**, *12*, 307–315. [[CrossRef](#)]
210. Vinodh, S.; Arvind, K.R.; Somanaathan, M. Tools and techniques for enabling sustainability through lean initiatives. *Clean Technol. Environ. Policy* **2011**, *13*, 469–479. [[CrossRef](#)]
211. Wang, W.; Tseng, M.M. Design for sustainable manufacturing: Applying modular design methodology to manage product end-of-life strategy. *Int. J. Prod. Lifecycle Manag.* **2011**, *5*, 164–182. [[CrossRef](#)]
212. Wever, R.; Vogtländer, J. Design for the Value of Sustainability. In *Handbook of Ethics, Values, and Technological Design: Sources, Theory, Values and Application Domains*; Springer: Berlin/Heidelberg, Germany, 2015; pp. 513–549.
213. Whalen, K.; Peck, D. In the Loop: Sustainable, Circular Product Design and Critical Materials (Special Issue on Design and Manufacturing for Environmental Sustainability). *Int. J. Autom. Technol.* **2014**, *8*, 664–676.
214. Xing, K.; Wang, H.F.; Qian, W. A sustainability-oriented multi-dimensional value assessment model for product-service development. *Int. J. Prod. Res.* **2013**, *51*, 5908–5933. [[CrossRef](#)]
215. Zhang, X.; Wu, Y.; Shen, L.; Skitmore, M. A prototype system dynamic model for assessing the sustainability of construction projects. *Int. J. Proj. Manag.* **2014**, *32*, 66–76. [[CrossRef](#)]
216. Kara, S.; Ibbotson, S.; Kayis, B. Sustainable product development in practice: An international survey. *J. Manuf. Technol. Manag.* **2014**, *25*, 848–872. [[CrossRef](#)]
217. Soota, T. Integrated approach to multi-criteria decision making for sustainable product development. *Int. J. Qual. Res.* **2014**, *8*, 543–556.
218. Collopy, P.D.; Hollingsworth, P.M. Value-driven design. *J. Aircr.* **2011**, *48*, 749–759. [[CrossRef](#)]
219. Mullan, C.; Price, M.; Soban, D.; Butterfield, J.; Murphy, A. An analytical study of surplus value using a Value Driven Design methodology. In Proceedings of the 11th AIAA Aviation Technology, Integration, and Operations (ATIO) Conference, including the AIAA Balloon Systems Conference and 19th AIAA Lighter-Than, Virginia Beach, VA, USA, 20–22 September 2011; p. 6838.
220. Price, M.; Soban, D.; Mullan, C.; Butterfield, J.; Murphy, A. A novel method to enable trade-offs across the whole product life of an aircraft using value driven design. *J. Aerosp. Oper.* **2012**, *1*, 359–375.
221. Curran, R.; van Blokland, W.B.; Abu-Kias, T.; Repco, M.J.F.; Sprengers, Y.L.J.; Van Der Zwet, P.S. Value Operations Methodology for Value Driven Design: Medium Range Passenger Airliner Validation. In Proceedings of the 48th AIAA Aerospace Sciences Meeting including the New Horizons Forum and Aerospace Exposition, Orlando, FL, USA, 4–7 January 2010; p. 847.
222. Bertoni, A.; Bertoni, M.; Panarotto, A.; Johansson, C.; Larsson, T. Value-driven product service systems development: Methods and industrial application. *CIRP J. Manuf. Sci. Technol.* **2016**, *15*, 42–55. [[CrossRef](#)]
223. Bertoni, M.; Bertoni, A. Models for Value-driven engineering design. In Proceedings of the 14th International Design Conference, Cavtat, Croatia, 16–19 May 2016; pp. 1195–1204.
224. Ross, A.M.; Rhodes, D.H. April, Architecting systems for value robustness: Research motivations and progress. In Proceedings of the 2008 2nd Annual IEEE Systems Conference, Montreal, QC, Canada, 7–10 April 2008; pp. 1–8.

225. Mukhopadhyay, T.; Chowdhury, R.; Chakrabarti, A. Reliability analysis of response surface based damage identification method. *Sci. Eng. Res.* **2013**, *4*, N220–N223.
226. Domingos, P. A few useful things to know about machine learning. *Commun. ACM* **2012**, *55*, 78–87. [[CrossRef](#)]



© 2017 by the author. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<http://creativecommons.org/licenses/by/4.0/>).