



Supplementary Materials

Highly Regioselective and Stereoselective Biohydroxylations of Oxandrolone

Paulina Łyczko*, Anna Panek and Alina Świzdor*

Department of Chemistry, Wrocław University of Environmental and Life Sciences, 50-375 Wrocław, Poland; anna.panek@upwr.edu.pl

* Correspondence: paulina.lyczko@upwr.edu.pl (P.Ł.); alina.swizdor@upwr.edu.pl (A.Ś.)

Contents:

Figure S1. MS spectrum of 12β-hydroxyoxandrolone (2).	2
Figure S2. ¹ H NMR spectrum of 12β-hydroxyoxandrolone (2).	2
Figure S3. ¹³ C NMR spectrum of 12β-hydroxyoxandrolone (2).	3
Figure S4. NOESY spectrum of 12β -hydroxyoxandrolone (2).	3
Figure S5. MS spectrum of 9α -hydroxyoxandrolone (3).	5
Figure S6. ¹ H NMR spectrum of 9α -hydroxyoxandrolone (3).	4
Figure S7 ¹³ C NMR spectrum of 9α -hydroxyoxandrolone (3).	6
Figure S8. MS spectrum of 6α -hydroxyoxandrolone (4).	6
Figure S9 ¹ H NMR spectrum of 6α -hydroxyoxandrolone (4).	7
Figure S10. 13C NMR spectrum of 6α -hydroxyoxandrolone (4).	7
Figure S11 NOESY spectrum of 6α -hydroxyoxandrolone (4).	8
Figure S12. MS spectrum of 15α -hydroxyoxandrolone (5).	8
Figure S13 1 H NMR spectrum of 15α -hydroxyoxandrolone (5).	9
Figure S14. 13 C NMR spectrum of 15α -hydroxyoxandrolone (5).	9
Figure S15. DEPT spectrum of 15α -hydroxyoxandrolone (5).	10
Figure S16 HSQC spectrum of 15α -hydroxyoxandrolone (5).	10
Figure S17. NOESY spectrum of 15α -hydroxyoxandrolone (5).	10

Citation: Łyczko, P.; Panek, A.; Świzdor, A. Highly regio- and stereoselective biohydroxylations of oxandrolone. *Catalysts* **2020**, *11*, x. https://doi.org/10.3390/xxxxx

Received: 05 December 2020 Accepted: 23 December 2020 Published: date

Publisher's Note: MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliationFigure S



Copyright: © 2020 by the authorFigure SSubmitted for possible open access publication under the terms and conditions of the Creative Commons Attribution (CC BY) license (http://creativecommonFigure Sorg/licenses/by/4.0/).

Catalysts **2021**, 11, 16 2 of 10




Figure S1. MS spectrum of 12β -hydroxyoxandrolone (2).




Figure S2.¹H NMR spectrum of 12β-hydroxyoxandrolone (2).

Catalysts **2021**, 11, 16 3 of 10




Figure S3.13C NMR spectrum of 12β -hydroxyoxandrolone (2).




Figure S4. NOESY spectrum of 12β-hydroxyoxandrolone (2).

Catalysts 2021, 11, 16 4 of 10




Figure S5. MS spectrum of 9α -hydroxyoxandrolone (3).




Figure S6. ¹H NMR spectrum of 9α -hydroxyoxandrolone (3).

Catalysts 2021, 11, 16 5 of 10




Figure S7. 13 C NMR spectrum of 9α -hydroxyoxandrolone (3).






Figure S8. MS spectrum of 6α -hydroxyoxandrolone (4).

Catalysts **2021**, 11, 16 6 of 10








Figure S10. 13 C NMR spectrum of 6α -hydroxyoxandrolone (4).

Catalysts **2021**, 11, 16 7 of 10




Figure S11. NOESY spectrum of 6α -hydroxyoxandrolone (4).




Figure S12. MS spectrum of 15α -hydroxyoxandrolone (5).

Catalysts **2021**, 11, 16 8 of 10




Figure S13. 1 H NMR spectrum of 15α -hydroxyoxandrolone (5).




Figure S14. 13 C NMR spectrum of 15α -hydroxyoxandrolone (5).

Catalysts **2021**, 11, 16 9 of 10




Figure S15. DEPT spectrum of 15α -hydroxyoxandrolone (5).




Figure S16. HSQC spectrum of 15α -hydroxyoxandrolone (5).

Catalysts **2021**, 11, 16




Figure S17. NOESY spectrum of 15α -hydroxyoxandrolone (5).