

Supporting Information

Formulation of Bismuth (Bi_2O_3) and Cerium Oxides (CeO_2) Nanosheets for Boosted Visible Light Degradation of Methyl Orange and Methylene Blue Dyes in Water

Khurram Shahzad¹, Javier Fernandez Garcia^{2,3}, Muhammad Imran Khan⁴, Abdallah Shanableh⁴,
Naseem Ahmad Khan¹, Aziz ur Rehman^{*1}

¹*Institute of Chemistry, The Islamia University of Bahawalpur, Bahawalpur 63100, Pakistan*

²*Department of Chemical Engineering, University College London, Torrington Place, London WC1E 7JE, UK*

³*IQS School of Engineering, Universitat Ramon Llull, Via Augusta 390, 08017 Barcelona, Spain*

⁴*Research Institute of Sciences and Engineering (RISE), University of Sharjah, Sharjah 27272, United Arab Emirates*

**corresponding authors: Aziz ur Rehman; azizypk@yahoo.com*




Figure S1. Absorption reduction of (a), (c) methylene blue and (b), (d) methyl orange by (a), (b) Bi@PMOS and (c), (d) Bi₂O₃ under visible light.




Figure S2. Absorption reduction of (a), (c) methylene blue and (b), (d) methyl orange by (a), (b) Ce@PMOS and (c), (d) CeO₂ under visible light.