

Supporting information for

Efficient Synthesis of Pyrrole Disulfides Catalyzed by Lipase in Ethanol

Feiyang Wen ^{1,†}, Yuelin Xu ^{1,†}, Fengxi Li ¹, Jinglin Ma ¹, Zhi Wang ¹, Hong Zhang ^{2,*} and Lei Wang ^{1,*}

¹ Key Laboratory of Molecular Enzymology and Engineering of Ministry of Education, School of Life Sciences, Jilin University, Changchun 130023, China

² Institute for Interdisciplinary Biomass Functional Materials Studies, Jilin Engineering Normal University, Changchun 130052, China

* Correspondence: zhanghong0825@jlenu.edu.cn (H.Z.); w_lei@jlu.edu.cn (L.W.)

[†] These authors contributed equally to this work.

Data of Products




Figure S1. ^1H NMR of **3a**.




Figure S2. ^1H NMR of **3b**.




Figure S3. ^1H NMR of **3c**.




Figure S4. ^1H NMR of **3d**.




Figure S5. ^1H NMR of **3e**.




Figure S6. ^1H NMR of **3f**.




Figure S7. ^1H NMR of **3g**.




Figure S8. ^1H NMR of **3h**.




Figure S9. ^1H NMR of **3i**.






Figure S10. ^1H NMR of **3j**.






Figure S13. ^1H NMR of **3m**.




Figure S14. ^1H NMR of **3n**.




Figure S15. ^1H NMR of **3o**.




Figure S16. ^1H NMR of **3p**.




Figure S17. ^1H NMR of **3q**.




Figure S18. ^1H NMR of **3r**.




Figure S19. ^1H NMR of **3s**.




Figure S20. ^1H NMR of **3t**.