

Supplementary

Solid-State Polymerization of Poly(Ethylene Furanoate) Biobased Polyester, III: Extended Study on Effect of Catalyst Type on Molecular Weight Increase

Yosra Chebbi ^{1,2}, Nejib Kasmi ², Mustapha Majdoub ¹, George Z. Papageorgiou ^{3,*}, Dimitris S. Achilias ² and Dimitrios N. Bikiaris ^{2,*}

¹ Laboratoire des Interfaces et Matériaux Avancés, Université de Monastir, 5000 Monastir, Tunisia; yossrachebbi@gmail.com (Y.C.); mustaphamajdoub@gmail.com (M.M.)

² Laboratory of Polymer Chemistry and Technology, Department of Chemistry, Aristotle University of Thessaloniki, GR-541 24, Thessaloniki, Macedonia, Greece; nejibkasmi@gmail.com (N.K.); axilias@chem.auth.gr (D.S.A.)

³ Chemistry Department, University of Ioannina, P.O. Box 1186, 45110 Ioannina, Greece

* Correspondence : dbic@chem.auth.gr (D.N.B.); gzpap@cc.uoi.gr (G.Z.P.); Tel.: +30-231-0997812 (D.N.B.); +30-265-1008354 (G.Z.P.)




Figure S1. DSC thermograms of PEF/Sb Ac samples prepared after SSP at different temperatures and times.




Figure S2. DSC thermograms of PEF/Ge Ox samples prepared after SSP at different temperatures and times.




Figure S3. DSC thermograms of PEF/Zr Pe samples prepared after SSP at different temperatures and times.




Figure S4. DSC thermograms of PEF/Sb Ox samples prepared after SSP at different temperatures and times.