


Erratum

Erratum: Fabrication of Chitin/Poly(butylene succinate)/Chondroitin Sulfate Nanoparticles Ternary Composite Hydrogel Scaffold for Skin Tissue Engineering. *Polymers*, 2014, 6, 2974–2984

S. Deepthi ¹, C. V. Sidhy Viha ¹, Chaochai Thitirat ², Tetsuya Furuike ², Hiroshi Tamura ^{2,*} and Rangasamy Jayakumar ^{1,2,*} 

¹ Amrita Centre for Nanosciences and Molecular Medicine, Amrita Institute of Medical Sciences and Research Centre, Amrita Vishwa Vidyapeetham University, Kochi-682 041, India; deepthisankar@aims.amrita.edu (S.D.); sidhyvihacv@aims.amrita.edu (C.V.S.V.)

² Faculty of Chemistry, Materials and Bioengineering, Kansai University, Osaka 564-8680, Japan; thitirat777@hotmail.com (C.T.); furuike@kansai-u.ac.jp (T.F.)

Received: 22 February 2019; Accepted: 8 March 2019; Published: 11 March 2019



The authors wish to make a change to the published paper [1]. In the original manuscript, Figure 6B was inadvertently the same as Figure 6E. The corrected Figure 6 is presented below.




Figure 6. Live–dead assay of HDFs on (A,D) Chitin, (B,E) Chitin/PBS, (C,F) Chitin/PBS/CSnps after 24 h (A–C), and 48 h (D–F). Scale bar denotes 50 μ m.

The authors apologize for any inconvenience caused. The change does not affect the scientific results. The manuscript will be updated, and the original will remain online on the article webpage <https://www.mdpi.com/2073-4360/6/12/2974>.

Reference

1. Deepthi, S.; Viha, C.V.S.; Thitirat, C.; Furuike, T.; Tamura, H.; Jayakumar, R. Fabrication of Chitin/Poly(butylene succinate)/Chondroitin Sulfate Nanoparticles Ternary Composite Hydrogel Scaffold for Skin Tissue Engineering. *Polymers* **2014**, *6*, 2974–2984. [[CrossRef](#)]



© 2019 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<http://creativecommons.org/licenses/by/4.0/>).