

Supporting Information

Biodegradable Nanofiber/Metal Organic Framework/Cotton Air Filtration Membranes Enabling Simultaneous Removal of Toxic Gases and Particulate Matter

Sujin Ryu ^{1,†}, Doyeon Kim ^{1,2,†}, Hyewon Lee ¹, Yoonjin Kim ¹, Youngbok Lee ^{2,3,4}, Myungwoong Kim ^{5,*}, Heedong Lee ^{1,*} and Hoik Lee ^{1,2,*}

- ¹ Advanced Textile R&D Department, Research Institute of Convergence Technology, Korea Institute of Industrial Technology (KITECH), 143 Hanggauro, Sangnok-gu, Ansan 15588, Republic of Korea; sjryu@kitech.re.kr (S.R.); dobbie@kitech.re.kr (D.K.)
² HYU-KITECH Joint Department, Hanyang University, Ansan 15588, Republic of Korea; yblee@hanyang.ac.kr
³ Department of Applied Chemistry, Hanyang University, Ansan 15588, Republic of Korea
⁴ Department of Chemical and Molecular Engineering, Center for Bionano Intelligence Education and Research, Hanyang University, Ansan 15588, Republic of Korea
⁵ Department of Chemistry and Chemical Engineering, Inha University, Incheon 22212, Republic of Korea
* Correspondence: mkim233@inha.ac.kr (M.K.); lhd0121@kitech.re.kr (H.L.); hoik@kitech.re.kr (H.L.)
† These authors contributed equally to this work.




Figure S1. SEM images showing the morphology of the prepared ZIF-8 particles with different [ligand]/[Zn²⁺] of (a) 2.0, (b) 4.0, (c) 6.0, and (d) 8.0.