





negative regulation of transcription from RNA polymerase II promoter




chromatin silencing




- Gene
- FKH2
 - HST1
 - NPT1
 - BDF1
 - BRE1
 - SUM1
 - MRC1
 - MRC1
 - MEC3
 - REG1
 - POL2
 - ESS1
 - SPT23
 - WTM2
 - MAF1
 - POL30
 - DOT6
 - WTM1
 - HHF1
 - ISW2
 - FOB1
 - SAS2
 - NUP170
 - SPT6
 - TBF1
 - ESA1
 - ESC1
 - IRS4
 - ORC5
 - ORC1
 - YRB2
 - HHO1
 - DPB4
 - CTI6
 - HAT1
 - DPB3
 - GIC1
 - ZDS1
 - MGA2
 - NUP60
 - HTA1
 - DIA2
 - TOP1
 - DLS1
 - CDC6
 - CDC45
 - YTA7
 - UME1
 - YCS4
 - ESC2
 - MCM3
 - ADR1
 - GTR1
 - RAP1
 - MSH2
 - TOF2
 - RXT2
 - DEP1
 - MCM7
 - PAF1
 - SIR2
 - SIR4
 - DOT1
 - ADA2
 - RAD6
 - SDS3
 - MCM10
 - SCP160
 - ABF1
 - SIR3
 - RNA1
 - SAP30
 - PHO23
 - SIN3
 - HST2
 - ORC2
 - RPD3
 - NAT4
 - SIR1
 - RTF1
 - ESC8
 - ASF2
 - LRSA
 - CDC7
 - NUP2
 - ZDS2
 - NET1
 - ISW1
 - RTT106
 - SCS22
 - MOD5
 - RIF1
 - YJR119C
 - HAT2
 - ITC1
 - HOS1
 - SAS5
 - YMR247C
 - SAS4
 - HTA2
 - YDR026C
 - PNC1
 - YPL216W
 - RCO1
 - SAS3
 - NNT1
 - YAP5
 - SCS22
 - OAF1
 - MCM5
 - DPB2
 - ORC6
 - ORC3
 - GLC7
 - NUP145
 - SIF2
 - NUP84
 - HST3
 - HST4
 - HIR2
 - ADA2
 - YKU70
 - HIR1
 - YKU80
 - FUN30
 - SWD1
 - SPP1
 - SCS2
 - UTH1
 - FKH1
 - SGF29
 - HDA1
 - YAF9
 - SWD3
 - BRE2
 - HTZ1
 - SDC1
 - SPT21
 - EAF3
 - SPT4
 - PUF4
 - RTT109
 - GAS1
 - ASF1
 - NUP120
 - CTR9
 - IES3
 - NUP133
 - SPT10
 - STH1
 - NAM7



Color Key





negative regulation of transcription from RNA polymerase I promoter





negative regulation of chromatin silencing





negative regulation of DNA-templated transcription, elongation





carbon catabolite repression of transcription





negative regulation of transcription by pheromones




negative regulation of transcription involved in meiotic cell cycle




negative regulation of antisense RNA transcription



Color Key




Negative regulation of transcription involved in G1/S transition of mitotic cell cycle



Gene


nitrogen catabolite repression of transcription



Color Key




The regulation of transcription from RNA polymerase II promoter during mitotic cell cycle




Color Key




egulation of transcription from RNA polymerase II promoter involved in meiotic cell cycle



Color Key




e regulation of ribosomal protein gene transcription from RNA polymerase II promoter




Gene


Color Key




of oligopeptide transport by negative regulation of transcription from RNA polymerase II p





Gene




Active regulation of transcription from RNA polymerase II promoter by pheromones




transfer RNA gene-mediated silencing







of lipid transport by negative regulation of transcription from RNA polymerase II promoter





Gene



rowth in response to glucose limitation by negative regulation of transcription from RNA p





chromatin silencing at rDNA





Gene

chromatin silencing at telomere





Gene


chromatin silencing at silent mating-type cassette




Gene

negative regulation of chromatin silencing at telomere









negative regulation of chromatin silencing at silent mating-type cassette




negative regulation of chromatin silencing at rDNA




negative regulation of transcription by glucose




Color Key




egative regulation of transcription from RNA polymerase II promoter by glucose






n of dipeptide transport by negative regulation of transcription from RNA polymerase II promoter



Gene

Color Key
 -10 5
 Value
 ation of sterol import by negative regulation of transcription from RNA polymerase II promoter



Gene