

1 Supplementary Information for
2 **Hydrological early warning system based on deep**
3 **learning runoff model coupled with a meteorological**
4 **forecast**

5 **Alberto de la Fuente ^{1,*}, Viviana Meruane ² and Carolina Meruane ^{1,3}**

6 ¹ Departamento de Ingeniería Civil, Universidad de Chile; aldelafu@ing.uchile.cl

7 ² Departamento de Ingeniería Mecánica, Universidad de Chile; vmeruane@uchile.cl

8 ³ Modelación Ambiental SpA; cmeruane@modelacion.cl

9

10 **1. Introduction**


11 In this document we provide the following information:

- 12 • Figures S1 to S8 are to Figures 11 of the manuscript, but for stations 2 to 9.
- 13 • Figures S9 to S16 are equivalent to Figure 12 of the manuscript, for stations 2 to 9.

14

15


16



17

18
19
20

Figure S1. Station 2. (a) Comparison between observed and predicted Q_{max} for flow station 1 and the DL model. (b) Same as (a) for the average flow Q_{avg} . (c) and (d) same as (a) and (b) for the ANN model. Red open circles define examples plotted in Figure S9.




21

22

23

24

Figure S2. Station 3. (a) Comparison between observed and predicted Q_{max} for flow station 1 and the DL model. (b) Same as (a) for the average flow Q_{avg} . (c) and (d) same as (a) and (b) for the ANN model. Red open circles define examples plotted in Figure S10




25

26

27

28


Figure S3. Station 4. (a) Comparison between observed and predicted Q_{max} for flow station 1 and the DL model. (b) Same as (a) for the average flow Q_{avg} . (c) and (d) same as (a) and (b) for the ANN model. Red open circles define examples plotted in Figure S11.



29

30
31
32

Figure S4. Station 5. (a) Comparison between observed and predicted Q_{max} for flow station 1 and the DL model. (b) Same as (a) for the average flow Q_{avg} . (c) and (d) same as (a) and (b) for the ANN model. Red open circles define examples plotted in Figure S12




33

34

35

36


Figure S5. Station 6. (a) Comparison between observed and predicted Q_{max} for flow station 1 and the DL model. (b) Same as (a) for the average flow Q_{avg} . (c) and (d) same as (a) and (b) for the ANN model. Red open circles define examples plotted in Figure S13.



37

38
39
40

Figure S6. Station 7. (a) Comparison between observed and predicted Q_{max} for flow station 1 and the DL model. (b) Same as (a) for the average flow Q_{avg} . (c) and (d) same as (a) and (b) for the ANN model. Red open circles define examples plotted in Figure S14.




41

42

43

44

Figure S7. Station 8. (a) Comparison between observed and predicted Q_{max} for flow station 1 and the DL model. (b) Same as (a) for the average flow Q_{avg} . (c) and (d) same as (a) and (b) for the ANN model. Red open circles define examples plotted in Figure S15.



45

46


Figure S8. Station 9. (a) Comparison between observed and predicted Q_{max} for flow station 1 and the DL model. (b) Same as (a) for the average flow Q_{avg} . (c) and (d) same as (a) and (b) for the ANN model. Red open circles define examples plotted in Figure S16.

47

48

49


50



51

52
53
54


Figure S9. Station 2. Comparison between predicted and observed flow for different cases identified with red open circles in Figure S1. (m) plots predicted and observed time-series for the event with maximum flow.



55

56

57 **Figure S10.** Station 3. Comparison between predicted and observed flow for different cases
 58 identified with red open circles in Figure S2. (m) plots predicted and observed time-series for the




59

60

61

62

Figure S11. Station 4. Comparison between predicted and observed flow for different cases identified with red open circles in Figure S3. (m) plots predicted and observed time-series for the event with maximum flow.




63

64

65

66

Figure S12. Station 5. Comparison between predicted and observed flow for different cases identified with red open circles in Figure S4. (m) plots predicted and observed time-series for the event with maximum flow.




67

68

69

70

Figure S13. Station 6. Comparison between predicted and observed flow for different cases identified with red open circles in Figure S5. (m) plots predicted and observed time-series for the event with maximum flow.




71

72

73

74

Figure S14. Station 7. Comparison between predicted and observed flow for different cases identified with red open circles in Figure S6. (m) plots predicted and observed time-series for the event with maximum flow.




75

76

77

78

Figure S15. Station 8. Comparison between predicted and observed flow for different cases identified with red open circles in Figure S7. (m) plots predicted and observed time-series for the event with maximum flow.



79

80

Figure S16. Station 9. Comparison between predicted and observed flow for different cases identified with red open circles in Figure S8. (m) plots predicted and observed time-series for the event with maximum flow.

81

82

83

84

85

86



© 2019 by the authors. Submitted for possible open access publication under the terms and conditions of the Creative Commons Attribution (CC BY) license (<http://creativecommons.org/licenses/by/4.0/>).

87