

Table S3 Surface Water Exceedances of Groundwater Threshold Values

Parameter (Portuguese)	Parameter (English)	CAS Number	Threshold Values (Limiares)	Quality standards (Norma de qualidade)	29E/01			30E/04			30F/50		
					No. of samples	No. <LOD	No. exceeding threshold values / Quality standards	No. of samples	No. <LOD	No. exceeding threshold values / Quality standards	No. of samples	No. <LOD	No. exceeding threshold values / Quality standards
Azoto Amoniacal (mg/L)	Ammoniacal Nitrogen (mg/L)	CAS_7664-41-7	0.5	-	223	121	0	141	105	0	19	16	0
Condutividade (µS/cm)	Electrical conductivity (µS/cm)	EEA_3142-01-6	2500		222	0	0	141	0	0	19	0	0
pH	pH	EEA_3152-01-0	5. 5-9		223	0	0	142	0	0	19	0	0
Arsénio (mg/L)	Arsenic (mg/L)	CAS_7440-38-2	0.01	-	14	11	0	8	7	0	2	1	0
Cádmio (mg/L)	Cadmium (mg/L)	CAS_7440-43-9	0.005	-	40	37	0	9	7	0	3	2	0
Chumbo (mg/L)	Lead (mg/L)	CAS_7439-92-1	0.01	-	46	40	0	12	9	0	3	3	0
Mercúrio (mg/L)	Mercury (mg/L)	CAS_7439-97-6	0.001	-	31	30	0	12	12	0	0	0	0
Cloreto (mg/L)	Chloride (mg/L)	CAS_16887-00-6	250	-	199	0	0	129	0	0	8	0	0
Sulfato (mg/L)	Sulphate (mg/L)	CAS_151-21-3	250	-	11	0	0	8	0	0	0	0	0
Tricloroetileno (µg/L)	Trichloroethene (µg/L)	CAS_79-01-6	Σ =10	-	2	2	0	1	1	0	2	2	0
Tetracloroetileno (µg/L)	Tetrachloroethene (µg/L)	CAS_127-18-4		-	2	2		1	1		2	2	
Nitrato (mg/L)	Nitrate (mg/L)	CAS_14797-55-8	-	50	223	105	0	141	50	0	19	3	0
Pesticidas (substância individual) (µg/L)	Pesticides (individual substances) (µg/L)	EEA_34-01-5	-	0.1	148	147	1	112	0	0	48	47	1
Pesticidas (total) ^[1] (µg/L)	Pesticides (total) (µg/L)	EEA_32-02-0	-	0.5	9	8	0	7	7	0	2	1	0
Naftaleno (µg/L)	Napthalene ((µg/L)	CAS_91-20-3	2.4	-	2	2	0	1	0	0	0	0	0
Acenafteno (µg/L)	Acenaphthene (µg/L)	CAS_83-32-9	0.0065	-	0	0	0	0	0	0	1	1	0
Acenaftileno (µg/L)	Acenaphthylene (µg/L)	CAS_208-96-8	0.013	-	0	0	0	0	0	0	1	1	0
Antraceno (µg/L)	Anthracene (µg/L)	CAS_120-12-7	0.1	-	2	2	0	1	1	0	1	1	0
Fenantreno (µg/L)	Phenanthrene (µg/L)	CAS_85-01-8	0.0065	-	0	0	0	0	0	0	1	1	0
Fluoreno (µg/L)	Fluorene (µg/L)	CAS_86-73-7	0.0065	-	0	0	0	0	0	0	1	1	0
Pireno (µg/L)	Pyrene (µg/L)	CAS_129-00-0	0.0065	-	0	0	0	0	0	0	1	1	0
Fluoranteno (µg/L)	Flouranthene (µg/L)	CAS_206-44-0	0.1	-	2	2	0	1	0	0	3	2	0
Benzo[a]antraceno (µg/L)	Benzo[a]anthracene (µg/L)	CAS_56-55-3	0.0065	-	0	0	0	0	0	0	1	1	0
Criseno (µg/L)	Crysene (µg/L)	CAS_218-01-9	0.0065	-	0	0	0	0	0	0	1	1	0
Benzo[a]pireno (µg/L)	Benzo[a]pyrene (µg/L)	CAS_50-32-8	0.01	-	2	2	0	1	1	0	3	3	0
Benzo[b]fluoranteno (µg/L)	Benzo[b]flouranthene (µg/L)	CAS_205-99-2	Σ=0.1	-	0	0	0	0	0	0	1	1	0
Benzo[k]fluoranteno (µg/L)	Benzo[k]flouranthene (µg/L)	CAS_207-08-9		-	0	0		0	0		1	1	
Benzo[g,h,i]perileno (µg/L)	Benzo[g,hi]perylene (µg/L)	CAS_191-24-2		-	0	0		0	0		1	1	
Indeno[1,2,3-cd]pireno (µg/L)	Indeno[1,2,3-cd]pyrene (µg/L)	CAS_193-39-5		-	0	0		0	0		1	1	
Dibenzo[a,h]antraceno (µg/L)	Dibenzo[a,h]anthracene (µg/L)	CAS_53-70-3	0.0065	-	0	0	0	0	0	0	1	1	0
Benzeno (µg/L)	Benzene (µg/L)	CAS_71-43-2	1	-	2	2	0	1	1	0	3	3	0
Etilbenzeno (µg/L)	Ethylebenzene (µg/L)	CAS_100-41-4	1.3	-	2	2	0	1	1	0	3	3	0
Tolueno (µg/L)	Toluene (µg/L)	CAS_108-88-3	1.3	-	2	2	0	1	1	0	3	3	0
Xileno (µg/L)	Xylen (µg/L)	CAS_1330-20-7	1.3	-	2	2	0	1	1	0	3	3	0
MTBE (µg/L)	MTBE (µg/L)	CAS_1634-04-4	0.65	-	8	7	0	7	6	0	0	0	0

Table S3 Surface Water Exceedances of Groundwater Threshold Values

Parameter (Portuguese)	Parameter (English)	CAS Number	Threshold Values (Limiares)	Quality standards (Norma de qualidade)	30F/51			30F/52			30G/08		
					No. of samples	No. <LOD	No. exceeding threshold values / Quality standards	No. of samples	No. <LOD	No. exceeding threshold values / Quality standards	No. of samples	No. <LOD	No. exceeding threshold values / Quality standards
Azoto Amoniacal (mg/L)	Ammoniacal Nitrogen (mg/L)	CAS_7664-41-7	0.5	-	20	19	0	26	22	0	37	11	3
Condutividade (µS/cm)	Electrical conductivity (µS/cm)	EEA_3142-01-6	2500		20	0	0	26	0	0	38	0	0
pH	pH	EEA_3152-01-0	5. 5-9		20	0	0	26	0	0	38	0	0
Arsénio (mg/L)	Arsenic (mg/L)	CAS_7440-38-2	0.01	-	0	0	0	12	11	0	3	2	0
Cádmio (mg/L)	Cadmium (mg/L)	CAS_7440-43-9	0.005	-	0	0	0	11	11	0	8	8	0
Chumbo (mg/L)	Lead (mg/L)	CAS_7439-92-1	0.01	-	0	0	0	12	12	0	9	6	0
Mercúrio (mg/L)	Mercury (mg/L)	CAS_7439-97-6	0.001	-	0	0	0	0	0	0	9	9	0
Cloreto (mg/L)	Chloride (mg/L)	CAS_16887-00-6	250	-	5	0	0	8	0	0	37	0	0
Sulfato (mg/L)	Sulphate (mg/L)	CAS_151-21-3	250	-	0	0	0	0	0	0	5	0	0
Tricloroetileno (µg/L)	Trichloroethene (µg/L)	CAS_79-01-6	Σ =10	-	0	0	0	11	11	0	0	0	0
Tetracloroetileno (µg/L)	Tetrachloroethene (µg/L)	CAS_127-18-4		-	0	0		11	11		0	0	
Nitrato (mg/L)	Nitrate (mg/L)	CAS_14797-55-8	-	50	20	18	0	26	6	0	37	0	0
Pesticidas (substância individual) (µg/L)	Pesticides (individual substances) (µg/L)	EEA_34-01-5	-	0.1	0	0	0	197	196	1	49	49	0
Pesticidas (total) ^[1] (µg/L)	Pesticides (total) (µg/L)	EEA_32-02-0	-	0.5	0	0	0	11	10	0	3	3	0
Naftaleno (µg/L)	Napthalene ((µg/L)	CAS_91-20-3	2.4	-	0	0	0	11	4	0	0	0	0
Acenafteno (µg/L)	Acenaphthene (µg/L)	CAS_83-32-9	0.0065	-	0	0	0	0	0	0	0	0	0
Acenaftileno (µg/L)	Acenaphthylene (µg/L)	CAS_208-96-8	0.013	-	0	0	0	0	0	0	0	0	0
Antraceno (µg/L)	Anthracene (µg/L)	CAS_120-12-7	0.1	-	0	0	0	11	11	0	0	0	0
Fenantreno (µg/L)	Phenanthrene (µg/L)	CAS_85-01-8	0.0065	-	0	0	0	0	0	0	0	0	0
Fluoreno (µg/L)	Fluorene (µg/L)	CAS_86-73-7	0.0065	-	0	0	0	0	0	0	0	0	0
Pireno (µg/L)	Pyrene (µg/L)	CAS_129-00-0	0.0065	-	0	0	0	0	0	0	0	0	0
Fluoranteno (µg/L)	Flouranthene (µg/L)	CAS_206-44-0	0.1	-	0	0	0	11	10	0	0	0	0
Benzo[a]antraceno (µg/L)	Benzo[a]anthracene (µg/L)	CAS_56-55-3	0.0065	-	0	0	0	0	0	0	0	0	0
Criseno (µg/L)	Crysene (µg/L)	CAS_218-01-9	0.0065	-	0	0	0	0	0	0	0	0	0
Benzo[a]pireno (µg/L)	Benzo[a]pyrene (µg/L)	CAS_50-32-8	0.01	-	0	0	0	6	6	0	0	0	0
Benzo[b]fluoranteno (µg/L)	Benzo[b]flouranthene (µg/L)	CAS_205-99-2	Σ=0.1	-	0	0	0	0	0	0	0	0	0
Benzo[k]fluoranteno (µg/L)	Benzo[k]flouranthene (µg/L)	CAS_207-08-9		-	0	0		0	0		0	0	
Benzo[g,h,i]perileno (µg/L)	Benzo[g,hi]perylene (µg/L)	CAS_191-24-2		-	0	0		0	0		0	0	
Indeno[1,2,3-cd]pireno (µg/L)	Indeno[1,2,3-cd]pyrene (µg/L)	CAS_193-39-5		-	0	0		0	0		0	0	
Dibenzo[a,h]antraceno (µg/L)	Dibenzo[a,h]anthracene (µg/L)	CAS_53-70-3	0.0065	-	0	0	0	0	0	0	0	0	0
Benzeno (µg/L)	Benzene (µg/L)	CAS_71-43-2	1	-	0	0	0	11	11	0	0	0	0
Etilbenzeno (µg/L)	Ethylebenzene (µg/L)	CAS_100-41-4	1.3	-	0	0	0	11	11	0	0	0	0
Tolueno (µg/L)	Toluene (µg/L)	CAS_108-88-3	1.3	-	0	0	0	10	10	0	0	0	0
Xileno (µg/L)	Xylen (µg/L)	CAS_1330-20-7	1.3	-	0	0	0	11	10	1	0	0	0
MTBE (µg/L)	MTBE (µg/L)	CAS_1634-04-4	0.65	-	0	0	0	0	0	0	3	0	0

Table S3 Surface Water Exceedances of Groundwater Threshold Values

Parameter (Portuguese)	Parameter (English)	CAS Number	Threshold Values (Limiares)	Quality standards (Norma de qualidade)	30K/51			31E/01			31H/02		
					No. of samples	No. <LOD	No. exceeding threshold values / Quality standards	No. of samples	No. <LOD	No. exceeding threshold values / Quality standards	No. of samples	No. <LOD	No. exceeding threshold values / Quality standards
Azoto Amoniacal (mg/L)	Ammoniacal Nitrogen (mg/L)	CAS_7664-41-7	0.5	-	17	17	0	110	61	21	188	126	0
Condutividade (µS/cm)	Electrical conductivity (µS/cm)	EEA_3142-01-6	2500		17	0	0	111	0	0	190	0	0
pH	pH	EEA_3152-01-0	5. 5-9		17	0	0	111	0	0	190	0	1
Arsénio (mg/L)	Arsenic (mg/L)	CAS_7440-38-2	0.01	-	1	1	0	27	21	0	17	17	0
Cádmio (mg/L)	Cadmium (mg/L)	CAS_7440-43-9	0.005	-	7	7	0	42	38	0	39	38	0
Chumbo (mg/L)	Lead (mg/L)	CAS_7439-92-1	0.01	-	8	8	0	44	39	0	44	36	1
Mercúrio (mg/L)	Mercury (mg/L)	CAS_7439-97-6	0.001	-	2	1	0	37	37	0	31	29	0
Cloreto (mg/L)	Chloride (mg/L)	CAS_16887-00-6	250	-	5	0	0	96	0	6	168	0	0
Sulfato (mg/L)	Sulphate (mg/L)	CAS_151-21-3	250	-	0	0	0	9	0	0	9	0	0
Tricloroetileno (µg/L)	Trichloroethene (µg/L)	CAS_79-01-6	Σ =10	-	1	1	0	14	14	0	13	13	0
Tetracloroetileno (µg/L)	Tetrachloroethene (µg/L)	CAS_127-18-4		-	1	1		10	10		13	13	
Nitrato (mg/L)	Nitrate (mg/L)	CAS_14797-55-8	-	50	17	15	0	111	9	0	189	1	0
Pesticidas (substância individual) (µg/L)	Pesticides (individual substances) (µg/L)	EEA_34-01-5	-	0.1	102	100	1	842	805	28	299	299	0
Pesticidas (total) ^[1] (µg/L)	Pesticides (total) (µg/L)	EEA_32-02-0	-	0.5	5	3	0	26	7	12	18	18	0
Naftaleno (µg/L)	Napthalene ((µg/L)	CAS_91-20-3	2.4	-	1	1	0	22	13	0	16	4	0
Acenafteno (µg/L)	Acenaphthene (µg/L)	CAS_83-32-9	0.0065	-	0	0	0	0	0	0	2	2	0
Acenaftileno (µg/L)	Acenaphthylene (µg/L)	CAS_208-96-8	0.013	-	0	0	0	0	0	0	2	2	0
Antraceno (µg/L)	Anthracene (µg/L)	CAS_120-12-7	0.1	-	1	1	0	23	22	0	16	16	0
Fenantreno (µg/L)	Phenanthrene (µg/L)	CAS_85-01-8	0.0065	-	0	0	0	0	0	0	2	0	1
Fluoreno (µg/L)	Fluorene (µg/L)	CAS_86-73-7	0.0065	-	0	0	0	0	0	0	2	2	0
Pireno (µg/L)	Pyrene (µg/L)	CAS_129-00-0	0.0065	-	0	0	0	1	1	0	2	1	0
Fluoranteno (µg/L)	Flouranthene (µg/L)	CAS_206-44-0	0.1	-	1	1	0	23	18	0	17	17	0
Benzo[a]antraceno (µg/L)	Benzo[a]anthracene (µg/L)	CAS_56-55-3	0.0065	-	0	0	0	1	1	0	2	2	0
Criseno (µg/L)	Crysene (µg/L)	CAS_218-01-9	0.0065	-	0	0	0	1	1	0	2	2	0
Benzo[a]pireno (µg/L)	Benzo[a]pyrene (µg/L)	CAS_50-32-8	0.01	-	1	1	0	23	23	0	9	9	0
Benzo[b]fluoranteno (µg/L)	Benzo[b]flouranthene (µg/L)	CAS_205-99-2	Σ=0.1	-	0	0	0	21	21	0	4	4	0
Benzo[k]fluoranteno (µg/L)	Benzo[k]flouranthene (µg/L)	CAS_207-08-9		-	0	0		21	21		4	4	
Benzo[g,h,i]perileno (µg/L)	Benzo[g,hi]perylene (µg/L)	CAS_191-24-2		-	0	0		20	20		4	4	
Indeno[1,2,3-cd]pireno (µg/L)	Indeno[1,2,3-cd]pyrene (µg/L)	CAS_193-39-5		-	0	0		21	21		4	4	
Dibenzo[a,h]antraceno (µg/L)	Dibenzo[a,h]anthracene (µg/L)	CAS_53-70-3	0.0065	-	0	0	0	1	1	0	2	2	0
Benzeno (µg/L)	Benzene (µg/L)	CAS_71-43-2	1	-	1	1	0	19	19	0	13	13	0
Etilbenzeno (µg/L)	Ethylebenzene (µg/L)	CAS_100-41-4	1.3	-	1	1	0	11	11	0	13	13	0
Tolueno (µg/L)	Toluene (µg/L)	CAS_108-88-3	1.3	-	1	1	0	19	19	0	11	11	0
Xileno (µg/L)	Xylen (µg/L)	CAS_1330-20-7	1.3	-	1	1	0	2	2	0	13	13	0
MTBE (µg/L)	MTBE (µg/L)	CAS_1634-04-4	0.65	-	0	0	0	5	3	0	7	4	0

Table S3 Surface Water Exceedances of Groundwater Threshold Values

Parameter (Portuguese)	Parameter (English)	CAS Number	Threshold Values (Limiares)	Quality standards (Norma de qualidade)	31I/01			31J/01			31K/03		
					No. of samples	No. <LOD	No. exceeding threshold values / Quality standards	No. of samples	No. <LOD	No. exceeding threshold values / Quality standards	No. of samples	No. <LOD	No. exceeding threshold values / Quality standards
Azoto Amoniacal (mg/L)	Ammoniacal Nitrogen (mg/L)	CAS_7664-41-7	0.5	-	1	1	0	60	44	5	116	88	0
Condutividade (µS/cm)	Electrical conductivity (µS/cm)	EEA_3142-01-6	2500		1	0	0	60	0	0	116	0	0
pH	pH	EEA_3152-01-0	5. 5-9		1	0	0	60	0	0	117	0	0
Arsénio (mg/L)	Arsenic (mg/L)	CAS_7440-38-2	0.01	-	1	1	0	5	4	0	6	6	0
Cádmio (mg/L)	Cadmium (mg/L)	CAS_7440-43-9	0.005	-	1	0	0	15	15	0	20	17	0
Chumbo (mg/L)	Lead (mg/L)	CAS_7439-92-1	0.01	-	1	1	0	16	15	0	23	19	0
Mercúrio (mg/L)	Mercury (mg/L)	CAS_7439-97-6	0.001	-	0	0	0	13	13	0	19	18	0
Cloreto (mg/L)	Chloride (mg/L)	CAS_16887-00-6	250	-	0	0	0	55	0	0	107	0	0
Sulfato (mg/L)	Sulphate (mg/L)	CAS_151-21-3	250	-	0	0	0	7	0	0	5	0	0
Tricloroetileno (µg/L)	Trichloroethene (µg/L)	CAS_79-01-6	Σ =10	-	1	1	0	0	0	0	0	0	0
Tetracloroetileno (µg/L)	Tetrachloroethene (µg/L)	CAS_127-18-4		-	1	1		0	0		0	0	
Nitrato (mg/L)	Nitrate (mg/L)	CAS_14797-55-8	-	50	1	0	0	60	5	0	116	72	0
Pesticidas (substância individual) (µg/L)	Pesticides (individual substances) (µg/L)	EEA_34-01-5	-	0.1	8	8	0	61	61	0	74	74	0
Pesticidas (total) ^[1] (µg/L)	Pesticides (total) (µg/L)	EEA_32-02-0	-	0.5	1	1	0	4	4	0	5	5	0
Naftaleno (µg/L)	Napthalene ((µg/L)	CAS_91-20-3	2.4	-	1	0	0	0	0	0	0	0	0
Acenafteno (µg/L)	Acenaphthene (µg/L)	CAS_83-32-9	0.0065	-	0	0	0	0	0	0	0	0	0
Acenaftileno (µg/L)	Acenaphthylene (µg/L)	CAS_208-96-8	0.013	-	0	0	0	0	0	0	0	0	0
Antraceno (µg/L)	Anthracene (µg/L)	CAS_120-12-7	0.1	-	1	1	0	0	0	0	0	0	0
Fenantreno (µg/L)	Phenanthrene (µg/L)	CAS_85-01-8	0.0065	-	0	0	0	0	0	0	0	0	0
Fluoreno (µg/L)	Fluorene (µg/L)	CAS_86-73-7	0.0065	-	0	0	0	0	0	0	0	0	0
Pireno (µg/L)	Pyrene (µg/L)	CAS_129-00-0	0.0065	-	0	0	0	0	0	0	0	0	0
Fluoranteno (µg/L)	Flouranthene (µg/L)	CAS_206-44-0	0.1	-	1	1	0	0	0	0	0	0	0
Benzo[a]antraceno (µg/L)	Benzo[a]anthracene (µg/L)	CAS_56-55-3	0.0065	-	0	0	0	0	0	0	0	0	0
Criseno (µg/L)	Crysene (µg/L)	CAS_218-01-9	0.0065	-	0	0	0	0	0	0	0	0	0
Benzo[a]pireno (µg/L)	Benzo[a]pyrene (µg/L)	CAS_50-32-8	0.01	-	0	0	0	0	0	0	0	0	0
Benzo[b]fluoranteno (µg/L)	Benzo[b]flouranthene (µg/L)	CAS_205-99-2	Σ=0.1	-	0	0	0	0	0	0	0	0	0
Benzo[k]fluoranteno (µg/L)	Benzo[k]flouranthene (µg/L)	CAS_207-08-9		-	0	0		0	0		0	0	
Benzo[g,h,i]perileno (µg/L)	Benzo[g,hi]perylene (µg/L)	CAS_191-24-2		-	0	0		0	0		0	0	
Indeno[1,2,3-cd]pireno (µg/L)	Indeno[1,2,3-cd]pyrene (µg/L)	CAS_193-39-5		-	0	0		0	0		0	0	
Dibenzo[a,h]antraceno (µg/L)	Dibenzo[a,h]anthracene (µg/L)	CAS_53-70-3	0.0065	-	0	0	0	0	0	0	0	0	0
Benzeno (µg/L)	Benzene (µg/L)	CAS_71-43-2	1	-	1	1	0	0	0	0	0	0	0
Etilbenzeno (µg/L)	Ethylebenzene (µg/L)	CAS_100-41-4	1.3	-	1	1	0	0	0	0	0	0	0
Tolueno (µg/L)	Toluene (µg/L)	CAS_108-88-3	1.3	-	0	0	0	0	0	0	0	0	0
Xileno (µg/L)	Xyelen (µg/L)	CAS_1330-20-7	1.3	-	1	1	0	0	0	0	0	0	0
MTBE (µg/L)	MTBE (µg/L)	CAS_1634-04-4	0.65	-	0	0	0	3	1	0	6	6	0

Table S3 Surface Water Exceedances of Groundwater Threshold Values

Parameter (Portuguese)	Parameter (English)	CAS Number	Threshold Values (Limiares)	Quality standards (Norma de qualidade)	31K/50			31L/50		
					No. of samples	No. <LOD	No. exceeding threshold values / Quality standards	No. of samples	No. <LOD	No. exceeding threshold values / Quality standards
Azoto Amoniacal (mg/L)	Ammoniacal Nitrogen (mg/L)	CAS_7664-41-7	0.5	-	9	9	0	15	15	0
Condutividade (µS/cm)	Electrical conductivity (µS/cm)	EEA_3142-01-6	2500		9	0	0	15	0	0
pH	pH	EEA_3152-01-0	5. 5-9		9	0	0	15	0	0
Arsénio (mg/L)	Arsenic (mg/L)	CAS_7440-38-2	0.01	-	1	0	0	0	0	0
Cádmio (mg/L)	Cadmium (mg/L)	CAS_7440-43-9	0.005	-	3	2	0	2	2	0
Chumbo (mg/L)	Lead (mg/L)	CAS_7439-92-1	0.01	-	3	3	0	3	3	0
Mercúrio (mg/L)	Mercury (mg/L)	CAS_7439-97-6	0.001	-	0	0	0	0	0	0
Cloreto (mg/L)	Chloride (mg/L)	CAS_16887-00-6	250	-	5	0	0	3	0	0
Sulfato (mg/L)	Sulphate (mg/L)	CAS_151-21-3	250	-	0	0	0	0	0	0
Tricloroetileno (µg/L)	Trichloroethene (µg/L)	CAS_79-01-6	Σ =10	-	2	2	0	0	0	0
Tetracloroetileno (µg/L)	Tetrachloroethene (µg/L)	CAS_127-18-4		-	2	2		0	0	
Nitrato (mg/L)	Nitrate (mg/L)	CAS_14797-55-8	-	50	9	0	0	15	14	0
Pesticidas (substância individual) (µg/L)	Pesticides (individual substances) (µg/L)	EEA_34-01-5	-	0.1	53	0	0	0	0	0
Pesticidas (total) ^[1] (µg/L)	Pesticides (total) (µg/L)	EEA_32-02-0	-	0.5	3	3	0	0	0	0
Naftaleno (µg/L)	Napthalene ((µg/L)	CAS_91-20-3	2.4	-	0	0	0	0	0	0
Acenafteno (µg/L)	Acenaphthene (µg/L)	CAS_83-32-9	0.0065	-	0	0	0	0	0	0
Acenaftileno (µg/L)	Acenaphthylene (µg/L)	CAS_208-96-8	0.013	-	0	0	0	0	0	0
Antraceno (µg/L)	Anthracene (µg/L)	CAS_120-12-7	0.1	-	0	0	0	0	0	0
Fenantreno (µg/L)	Phenanthrene (µg/L)	CAS_85-01-8	0.0065	-	0	0	0	0	0	0
Fluoreno (µg/L)	Fluorene (µg/L)	CAS_86-73-7	0.0065	-	0	0	0	0	0	0
Pireno (µg/L)	Pyrene (µg/L)	CAS_129-00-0	0.0065	-	0	0	0	0	0	0
Fluoranteno (µg/L)	Flouranthene (µg/L)	CAS_206-44-0	0.1	-	0	0	0	0	0	0
Benzo[a]antraceno (µg/L)	Benzo[a]anthracene (µg/L)	CAS_56-55-3	0.0065	-	0	0	0	0	0	0
Criseno (µg/L)	Crysene (µg/L)	CAS_218-01-9	0.0065	-	0	0	0	0	0	0
Benzo[a]pireno (µg/L)	Benzo[a]pyrene (µg/L)	CAS_50-32-8	0.01	-	0	0	0	0	0	0
Benzo[b]fluoranteno (µg/L)	Benzo[b]flouranthene (µg/L)	CAS_205-99-2	Σ=0.1	-	0	0	0	0	0	0
Benzo[k]fluoranteno (µg/L)	Benzo[k]flouranthene (µg/L)	CAS_207-08-9		-	0	0		0	0	
Benzo[g,h,i]perileno (µg/L)	Benzo[g,hi]perylene (µg/L)	CAS_191-24-2		-	0	0		0	0	
Indeno[1,2,3-cd]pireno (µg/L)	Indeno[1,2,3-cd]pyrene (µg/L)	CAS_193-39-5		-	0	0		0	0	
Dibenzo[a,h]antraceno (µg/L)	Dibenzo[a,h]anthracene (µg/L)	CAS_53-70-3	0.0065	-	0	0	0	0	0	0
Benzeno (µg/L)	Benzene (µg/L)	CAS_71-43-2	1	-	2	2	0	0	0	0
Etilbenzeno (µg/L)	Ethylebenzene (µg/L)	CAS_100-41-4	1.3	-	2	2	0	0	0	0
Tolueno (µg/L)	Toluene (µg/L)	CAS_108-88-3	1.3	-	2	2	0	0	0	0
Xileno (µg/L)	Xyelen (µg/L)	CAS_1330-20-7	1.3	-	2	2	0	0	0	0
MTBE (µg/L)	MTBE (µg/L)	CAS_1634-04-4	0.65	-	0	0	0	0	0	0