

Table S6 – Summary of pesticide analyses

Ref.	Name	Catchment Reference	Number of analytes	Number of samples (analytes*count)	Number of values > LOD	Analytes exceeding LOD	Concentration (µg/l)
29E/01	Furadoiro-Odeceixe	13	41	148	1	Tributyl phosphate (µg/l)	0.19
30E/04	Ponte Pereiro	12	41	112	0	-	-
31E/01	Bensafrim	1	70	842	37	2,4,5-T (µg/l)	0.16-0.25
						2,4-D (µg/l)	0.15-1.35
						Atrazine (µg/l)	0.03
						Bentazone (µg/l)	0.12
						Dicloroprop (µg/l)	0.12
						Tributyl phosphate (µg/l)	0.022- 2.45
						DEHP (µg/l)	3
						MCPA (µg/l)	0.21-0.73
						Mecoprop (µg/l)	0.15-0.22
						Simazine (µg/l)	0.03-0.56
30F/51	Canafechal	3	0	0	-	-	-
30F/52	Porto Lagos	4	28	197	1	Tributyl phosphate (µg/l)	0.15
30F/50	Rasmalho	4	24	48	1	Tributyl phosphate (µg/l)	0.11
30G/08	Ponte Mesquita	5	24	49	0	-	-
31H/02	Ponte Rodoviária	6	43	299	0	-	-
31I/01	S.Lourenço / Areeiro	7	8	8	0	-	-
31J/01	Coiro Burra	8	24	61	0	-	-
31K/50	Ponte Asseca	9	24	53	0	-	-
31K/03	Bodega	10	24	74	0	-	-
30K/51	Carcavaia	10	25	102	2	Tributyl phosphate (µg/l)	0.21
						Imidacloprid (µg/l)	0.093
31L/50	Cerro Almargem	11	0	0	-	-	-