

Erratum

# Erratum: Rodrigues, L.; Amezcua, R.; Cassar, G.; O'Sullivan, T.; Friendship, R. Comparison of Single, Fixed-Time Artificial Insemination in Gilts Using Two Different Protocols to Synchronize Ovulation. *Animals* 2020, 10, 306

Lima Rodrigues, Rocio Amezcua, Glen Cassar \*, Terri L O'Sullivan and Robert Friendship

Department of Population Medicine, University of Guelph, Guelph, ON N1G2W1, Canada;  
lrodrigu@uoguelph.ca (L.R.); mamezcua@uoguelph.ca (R.A.); tosulliv@uoguelph.ca (T.L.O.);  
rfriends@ovc.uoguelph.ca (R.F.)

\* Correspondence: gcassar@uoguelph.ca

Received: 20 March 2020; Accepted: 5 April 2020; Published: 8 April 2020



The authors wish to make the following corrections to their paper [1]:

The heading “Conclusions” should be inserted before the final paragraph of the Discussion.

The following citations in the ‘Discussion’ should be changed:

[5] replaced by [7].

[7] replaced by [13].

[8] replaced by [14].

[9] replaced by [5].

[10] replaced by [15].

In the Discussion, in the paragraph which begins with ‘Ultrasound assessment’, a new citation, [10], should be inserted after the following sentence: The ovulation results of the present study are similar to those of other studies.

## References

1. Rodrigues, L.; Amezcua, R.; Cassar, G.; O'Sullivan, T.; Friendship, R. Comparison of single, fixed-time artificial insemination in gilts using two different protocols to synchronize ovulation. *Animals* 2020, 10, 306. [[CrossRef](#)] [[PubMed](#)]



© 2020 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<http://creativecommons.org/licenses/by/4.0/>).