

**Table S1 – Ecosystem biodiversity and socioeconomic and well-being benefits report**

The biodiversity of plants surveyed in the collaborative monitoring pathways - Terre dell’Aquilegia

Plant	Habitat	Genetic diversity	Ecosystem use, benefits and knowledge
<i>Acer monspessulanum</i> L. Aceraceae			landscape
<i>Acinos sardous</i> (Asch. et Levier) Arrigoni Lamiaceae		endemic	animal feed
<i>Achillea millefolium</i> L. Asteraceae			
<i>Aegilops caudata</i> L. Poaceae			animal feed
<i>Aegilops geniculata</i> Roth Poaceae			animal feed
<i>Aethorhiza bulbosa</i> (L.) Coss. Poaceae			
<i>Agropyron repens</i> (L.) Beauv. Poaceae			animal feed
<i>Agrostis pallida</i> Dc. Poaceae			
<i>Aira caryophyllea</i> L. Poaceae			animal feed
<i>Aira cupaniana</i> Guss. Poaceae			
<i>Aira elegans</i> Willd. ex Gaudin Poaceae			
<i>Ajuga iva</i> L. Lamiaceae			
<i>Alchemilla arvensis</i> Scop. Rosaceae			officinal animal feed

<i>Alisma plantago-aquatica</i> L. Alismataceae	3170 Mediterranean temporary ponds Source river		officinal pigs
<i>Alnus glutinosa</i> (L.) Gaertn. Betulaceae	91E0 Alluvial forests with <i>Alnus Glutinosa</i> and <i>Fraxinus excelsior</i>		
<i>Alopecurus bulbosus</i> Gouan Poaceae			animal feed
<i>Alopecurus bulbosus</i> L. Poaceae			
<i>Althaea cannabina</i> L. Malvaceae			animal feed
<i>Althaea officinalis</i> L. Malvaceae			officinal animal feed
<i>Althaea trilobata</i> L. Malvaceae			animal feed
<i>Alyssum robertianum</i> Bernard ex Gren. & Godr. Brassicaceae			animal feed
<i>Allium cepa</i> L. Liliaceae			human nutrition animal feed
<i>Allium parviflorum</i> Viv. Liliaceae		endemic	animal feed
<i>Allium roseum</i> L. Liliaceae			
<i>Allium sativum</i> L. Liliaceae	I2.2 Small-scale ornamental and domestic garden areas		human nutrition animal feed
<i>Allium subhirsutum</i> L. Liliaceae			
<i>Allium triquetrum</i> L. Liliaceae	I2.2 Small-scale ornamental and domestic garden areas		officinal human nutrition animal feed
<i>Amaranthus deflexus</i> L. Amaranthaceae			animal feed

<i>Ambrosinia bassi</i> L. Araceae			
<i>Amelanchier ovalis</i> Medik. Rosaceae			animal feed
<i>Ammi majus</i> L. Apiaceae			animal feed only hay when very hungry
<i>Ammoides pusilla</i> (Brot.) Breistr. Apiaceae			
<i>Anagallis arvensis</i> L. Primulaceae			
<i>Anagyris foetida</i> L. Fabaceae			
<i>Anchusa officinalis</i> L. Boraginaceae			officinal animal feed
<i>Andryala integrifolia</i> L. Asteraceae			
<i>Anemone hortensis</i> L. Ranunculaceae			toxic landscape garden
<i>Anemone palmata</i> L. Ranunculaceae			toxic landscape garden animal feed when dry
<i>Anisantha diandra</i> (Roth) Tutin ex Tzvelev Poaceae			animal feed
<i>Anthemis arvensis</i> L. Asteraceae			
<i>Anthoxanthum odoratum</i> L. Poaceae			animal feed
<i>Anthyllis vulneraria</i> L. Papilionaceae			officinal animal feed
<i>Antinoria agrostidea</i> (DC.) Parl. Poaceae			animal feed

<i>Anthriscus caucalis</i> M. Bieb. Poaceae			animal feed
<i>Apera spica-venti</i> (L.) P. Beauv. Poaceae			animal feed
<i>Aphanes arvensis</i> L. Rosaceae			
<i>Apium graveolens</i> L. Apiaceae			human nutrition animal feed
<i>Apium nodiflorum</i> (L.) Lag. Apiaceae	I2.2 Small-scale ornamental and domestic garden areas		toxic animal feed
<i>Aquilegia nugorensis</i> Arrigoni & Nardi Ranunculaceae		endemic	toxic landscape garden
<i>Aquilegia barbaricina</i> Arrigoni & Nardi Ranunculaceae		endemic	toxic garden
<i>Aquilegia nuragica</i> Arrigoni & Nardi Ranunculaceae	8210 Calcareous rocky slopes with chasmophytic vegetation	endemic	toxic landscape garden
<i>Arabis auriculata</i> Lam. Brassicaceae			animal feed
<i>Arbutus unedo</i> L. Ericaceae	9340 <i>Quercus ilex</i> and <i>Quercus rotundifolia</i> forests		human nutrition animal feed garden
<i>Arctium lappa</i> L. Asteraceae			
<i>Arenaria balearica</i> L. Caryophyllaceae		endemic	
<i>Arisarum vulgare</i> Targ. Tozz. Araceae			

<i>Armeria morisii</i> Boiss. Plumbaginaceae	8210 Calcareous rocky slopes with chasmophytic vegetation	endemic	landscape animal feed
<i>Armeria sardoa</i> Spr. subsp. <i>genargentea</i> Arrigoni Plumbaginaceae		endemic	garden animal feed
<i>Artemisia arborescens</i> L. Asteraceae			officinal goats
<i>Arum pictum</i> L. fil. Araceae		endemic	toxic
<i>Arundo donax</i> L. Poaceae			
<i>Asparagus acutifolius</i> L. Asparagaceae			human nutrition animal feed
<i>Asperula pumila</i> Moris Boraginaceae			animal feed
<i>Asphodelus microcarpus</i> Salzm. et Viv. Asphodelaceae			officinal, garden
<i>Asterolinon linum-stellatum</i> (L.) Duby Lysimachiaceae			
<i>Astragalus genargenteus</i> Moris Papilionaceae		endemic	animal feed
<i>Astragalus glycyphyllos</i> L. Papilionaceae			animal feed
<i>Astragalus pelecinus</i> Barneby Papilionaceae			animal feed
<i>Astragalus tuberosus</i> DC. Papilionaceae			animal feed
<i>Astrocarpus sesamoides</i> DC. Papilionaceae			animal feed
<i>Atractylis cancellata</i> L. Asteraceae			edible, officinal

<i>Atriplex litorale</i> L. Chenopodiaceae			animal feed
<i>Atropa belladonna</i> L. Solanaceae			toxic, officinal
<i>Avena fatua</i> L. Poaceae			
<i>Avena barbata</i> Potter Poaceae			animal feed
<i>Ballota nigra</i> L. Lamiaceae			
<i>Barbarea rupicola</i> Moris Brassicaceae		endemic	
<i>Bellardia trixago</i> (L.) All. Scrophulariaceae			
<i>Bellis annua</i> L. Asteraceae			
<i>Bellis perennis</i> L. Asteraceae			
<i>Bellis sylvestris</i> Cyr. Asteraceae			animal feed
<i>Bellium bellidioides</i> L. Asteraceae		endemic	animal feed
<i>Berberis aetnensis</i> C. Presl Berberidaceae			officinal, animal feed, land- scape, garden
<i>Beta vulgaris</i> L. Chenopodiaceae			human nutrition animal feed
<i>Bifora testiculata</i> (L.) Roth. Apiaceae			
<i>Biscutella auriculata</i> L. Brassicaceae			animal feed
<i>Biscutella morisiana</i> Raffaelli Brassicaceae		endemic	animal feed

<i>Bituminaria bituminosa</i> (L.) C.H. Stirt. Fabaceae			officinal animal feed
<i>Borago morisiana</i> Bigazzi & Ricceri Boraginaceae		endemic	animal feed
<i>Borago officinalis</i> L. Boraginaceae			officinal human nutrition animal feed
<i>Brachypodium distachyrum</i> (L.) Beauv. Poaceae	6220 Pseudo-steppe with grasses and annuals of the Thero-Brachy- podietea  Natural and semi-natural grassland formations		animal feed
<i>Brachypodium retusum</i> (Pers.) Beauv. Poaceae			animal feed
<i>Brassica</i> sp. Brassicaceae			officinal human nutrition animal feed
<i>Brimeura fastigiata</i> (Viv.) Chouard Hyacinthaceae		endemic	
<i>Briza media</i> L. Poaceae			animal feed
<i>Briza minor</i> L. Poaceae			
<i>Bromus erectus</i> Huds. Poaceae			animal feed
<i>Bromus hordeaceus</i> L. Poaceae			animal feed
<i>Bromus madritensis</i> L. Poaceae			animal feed
<i>Bromus sterilis</i> L. Poaceae			animal feed
<i>Bryonia marmorata</i> E. Petit Cucurbitaceae			

<i>Bunias erucago</i> L. Brassicaceae			
<i>Bunium bulbocastanum</i> L. Apiaceae			animal feed when hay
<i>Bupleurum fruticosum</i> L. Brassicaceae			animal feed when hay officinal landscape, garden
<i>Calamagrostis arundinacea</i> Roth Poaceae			animal feed
<i>Calamintha nepeta</i> (L.) Savi Lamiaceae			
<i>Calendula arvensis</i> L. Asteraceae			landscape, garden
<i>Calepina irregularis</i> (Asso) Thell. Brassicaceae			
<i>Calicotome villosa</i> (Poiret.) Link Fabaceae			landscape, garden
<i>Campanula erinus</i> L. Campanulaceae	8210 Calcareous rocky slopes with chasmophytic vegetation		
<i>Capparis spinosa</i> L. Capparaceae			human nutrition animal feed landscape, garden
<i>Capsella bursa-pastoris</i> (L.) Medik. Brassicaceae			animal feed
<i>Capsicum annuum</i> L. Solanaceae			pigs feed
<i>Cardamine flexuosa</i> With. Brassicaceae			animal feed
<i>Carduus pycnocephalus</i> L.			animal feed

Asteraceae			
<i>Carex divisa</i> Hudson			
Cyperaceae			
<i>Carex divulsa</i> Stokes			
Cyperaceae			
<i>Carex microcarpa</i> Bertol. ex Moris		endemic	
Cyperaceae			
<i>Carlina lanata</i> L.			
Asteraceae			
<i>Carlina racemosa</i> L.			
Asteraceae			
<i>Catabrosa aquatica</i> (L.) P. Beauv.			animal feed
Poaceae			
<i>Catapodium rigidum</i> (L.) Hubbard			
Poaceae			
<i>Celtis australis</i> L.			
Ulmaceae			
<i>Centaurea calcitrapa</i> L.			
Asteraceae			
<i>Centaurea filiformis</i> Viv. subsp. <i>filiformis</i>			animal feed landscape, garden
Asteraceae			
<i>Centaurea napifolia</i> L.			
Asteraceae			
<i>Centaurium erythraea</i> Rafn.			animal feed
Gentianaceae			
<i>Cephalaria squamiflora</i> subsp. <i>mediterranea</i> (Viv.)			animal feed
Pignatti			
Dipsacaceae			
<i>Cerastium brachypetalum</i>			animal feed
Desp. ex Pers.			

<i>Cerastium glomeratum</i> Thuill. Caryophyllaceae			
<i>Cerastium supramontanum</i> Arrigoni Caryophyllaceae		endemic	animal feed
<i>Ceratonia siliqua</i> L. Fabaceae	9320 <i>Olea</i> and <i>Ceratonia</i> forests		animal feed
<i>Cerinthe major</i> L. Boraginaceae			
<i>Chenopodium album</i> L. subsp. <i>album</i> Amaranthaceae			human nutrition animal feed
<i>Chondrilla juncea</i> L. Asteraceae			human nutrition animal feed
<i>Cicer arietinum</i> L. Fabaceae			human nutrition animal feed
<i>Cichorium intybus</i> L. Asteraceae			officinal animal feed
<i>Cirsium vulgare</i> (Savi) Ten. Asteraceae			
<i>Cistus corsicus</i> L. Cistaceae			goats landscape, garden
<i>Cistus incanus</i> L. Cistaceae			goats landscape, garden
<i>Cistus monspeliensis</i> L. Cistaceae			goats landscape, garden
<i>Citrus aurantium</i> L. Rutaceae			human nutrition pigs
<i>Clematis cirrhosa</i> L. Ranunculaceae			toxic

<i>Clematis vitalba</i> L. Ranunculaceae			toxic
<i>Clinopodium sardoum</i> (Asch. & Levier) Peruzzi & F. Conti Lamiaceae		endemic	
<i>Colchicum cupani</i> Guss. Colchicaceae			landscape, garden
<i>Colutea arborescens</i> L. Fabaceae			animal feed
<i>Convolvulus arvensis</i> L. Convolvulaceae			officinal animal feed
<i>Coronilla valentina</i> L. Fabaceae			
<i>Corydalis solida</i> Sw. Papaveraceae			animal feed
<i>Corynephorus canescens</i> (L.) P. Beauv. Poaceae			animal feed
<i>Crambe hispanica</i> L. Brassicaceae			animal feed
<i>Crepis bellidifolia</i> Loisel. Asteraceae	8130 Western Mediterranean and thermophilous scree Rocky habitats and caves		
<i>Crepis versicolor</i> L. Asteracea			animal feed
<i>Crocus minimus</i> DC. Iridaceae		endemic	toxic landscape, garden
<i>Cruciata glabra</i> (L.) Ehrend Rubiaceae			
<i>Cutandia divaricata</i> (Desf.) Bentham Poaceae			animal feed

<i>Cyclamen repandum</i> Sm. Primulaceae			officinal landscape, garden
<i>Cymbalaria muelleri</i> (Moris) Chevall. Plantaginaceae		endemic	animal feed
<i>Cymbopogon hirsutus</i> (L.) Janchen Poaceae			
<i>Cynara cardunculus</i> L. Asteraceae			human nutrition animal feed
<i>Cynodon dactylon</i> (L.) Pers. Poaceae			animal feed
<i>Cynoglossum barbaricum</i> Arrigoni & Selvi Boraginaceae		endemic	animal feed
<i>Cynoglossum creticum</i> Miller Boraginaceae			
<i>Cynosurus echinatus</i> L. Poaceae			animal feed
<i>Cynosurus elegans</i> Desf. Poaceae			animal feed
<i>Cytisus argenteus</i> L. Fabaceae			animal feed
<i>Cytisus scoparius</i> (L.) Link Fabaceae			officinal
<i>Cytisus spinosus</i> (L.) Lam. Fabaceae			toxic landscape, garden
<i>Cytisus villosus</i> Pourr. Fabaceae			animal feed landscape, garden
<i>Chamaemelum mixtum</i> (L.) All. Asteraceae			

<i>Chelidonium majus</i> L. Papaveraceae			
<i>Chenopodium album</i> L. Chenopodiaceae	I2.2 Small-scale ornamental and domestic garden areas		officinal animal feed
<i>Chenopodium murale</i> L. Chenopodiaceae			
<i>Chenopodium polyspermum</i> L. Chenopodiaceae			animal feed
<i>Chondrilla juncea</i> L. Asteraceae			animal feed
<i>Chrysopogon gryllus</i> (L.) Trin. Poaceae			animal feed
<i>Dactylis glomerata</i> L. Poaceae			animal feed
<i>Danthonia decumbens</i> (L.) DC. Poaceae			animal feed
<i>Daphne gnidium</i> L. Thymelaeaceae			toxic
<i>Dasypyrum villosum</i> (L.) Borbas Poaceae			
<i>Daucus carota</i> L. Apiaceae			officinal human nutrition animal feed
<i>Daucus muricatus</i> L. Apiaceae			animal feed
<i>Delphinium pictum</i> Willd. Ranunculaceae		endemic	landscape, garden
<i>Desmazeria rigida</i> (L.) Tutin Poaceae			
<i>Dianthus cyathophorus</i> Moris Caryophyllaceae	8210 Calcareous rocky slopes with chasmophytic vegetation		

<i>Digitalis purpurea</i> L. Plantaginaceae			toxic, officinal, landscape, garden
<i>Dioscorea communis</i> (L.) Caddick & Wilkin Dioscoreaceae			
<i>Diplotaxis</i> sp. Brassicaceae			animal feed
<i>Dittrichia viscosa</i> (L.) Rchb. Asteraceae			
<i>Dorychinum pentaphyllum</i> Scop. Fabaceae			animal feed
<i>Draba verna</i> L. Brassicaceae			
<i>Drymocallis corsica</i> (Soleiroli ex Lehm.) Kurtto Rosaceae			animal feed
<i>Eballium elaterium</i> (L.) A. Rich. Cucurbitaceae			
<i>Echium anchusoides</i> Bacch., Brullo & Selvi Boraginaceae			animal feed
<i>Echium italicum</i> L. Rubiaceae			
<i>Echium vulgare</i> L. subsp. <i>grandiflorum</i> Desf. Boraginaceae			animal feed
<i>Ephedra nebrodensis</i> Tineo Ephedraceae		endemic	toxic, officinal, landscape, garden
<i>Epilobium hirsutum</i> L. Onagraceae			animal feed
<i>Eragrostis pilosa</i> (L.) P. Beauv. Poaceae			animal feed

<i>Erica arborea</i> L. Ericaceae			goats landscape, garden
<i>Erica scoparia</i> L. Ericaceae			goats
<i>Erodium cicutarium</i> (L.) L'Hér. Geraniaceae			animal feed
<i>Erodium purpureum</i> Vill. Geraniaceae			
<i>Eryngium campestre</i> L. Apiaceae			
<i>Eryngium corniculatum</i> Lam. Apiaceae			animal feed
<i>Eryngium maritimum</i> L. Apiaceae	1210 Annual vegetation of drift lines		goats
<i>Euphorbia characias</i> L. Euphorbiaceae	5430 Endemic phryganas of the Euphorbio-Verbas- cion Sclerophyllous scrub (matorral)		toxic
<i>Euphorbia dendroides</i> L. Euphorbiaceae	5330 Thermo-Mediterra- nean and pre-desert scrub Sclerophyllous scrub (matorral)		toxic landscape, garden
<i>Euphorbia peplus</i> L. Euphorbiaceae			toxic
<i>Euphorbia semiperfoliata</i> Viv. Euphorbiaceae		endemic	toxic
<i>Euphorbia pithyusa</i> subsp. <i>c</i> <i>upanii</i> (Guss. ex Bertol.) Radcl.-Sm. Euphorbiaceae	5320 Low formations of Euphorbia close to cliffs Sclerophyllous scrub (matorral)	endemic	toxic
<i>Euphrasia nana</i> (Rouy) Prain Orobanchaceae		endemic	animal feed

<i>Eanax pygmaea</i> (L.) Brot. Asteraceae			
<i>Ferula communis</i> L. Apiaceae		toxic animal feed when hungry shaking the plant to let fall the seeds	
<i>Festuca geniculata</i> (L.) Lag. & Rodr. Poaceae			animal feed
<i>Festuca rubra</i> L. Poaceae			
<i>Festuca ovina</i> L. Poaceae			animal feed
<i>Festuca valesiaca</i> Schleich. ex Gaudin Poaceae			animal feed
<i>Ficus carica</i> L. Moraceae		human nutrition, officinal goats (new leaves) pigs (fruits)	
<i>Filago pyramidata</i> L. Asteraceae			
<i>Foeniculum vulgare</i> Mill. Apiaceae	I2.2 Small-scale ornamental and domestic garden areas		human nutrition, officinal animal feed
<i>Fumaria officinalis</i> L. Papaveraceae			animal feed
<i>Gagea granatelli</i> Parl. Liliaceae			landscape, garden
<i>Galactites tomentosa</i> Moench Asteraceae			
<i>Galium corsicum</i> Sprengel Rubiaceae		endemic	animal feed

<i>Galium glaucophyllum</i> Schmid Rubiaceae		endemic	
<i>Galium parisiense</i> L. Rubiaceae			
<i>Galium scabrum</i> L. Rubiaceae			
<i>Gastridium ventricosum</i> (Go uan) Schinz & Thell. Poaceae			animal feed
<i>Genista corsica</i> (Loisel.) DC. in Lam. & DC. Fabaceae	5330 Thermo-Mediterra nean and pre-desert scrub Sclerophyllous scrub (matorral)	endemic	goats landscape, garden
<i>Gentiana lutea</i> L. Gentianaceae	I2.2 Small-scale ornamen tal and domestic garden areas		officinal pigs
<i>Geranium pusillum</i> L. Geraniaceae			animal feed when dried
<i>Geranium robertianum</i> L. Geraniaceae			animal feed
<i>Geranium rotundifolium</i> L. Geraniaceae			
<i>Geranium tuberosum</i> Lem. Geraniaceae			animal feed when dried
<i>Gladiolus italicus</i> Miller Iridaceae			landscape, garden
<i>Glaucium flavum</i> Crantz Papaveraceae			toxic, officinal, or namental, garden
<i>Glebionis segetum</i> (L.) Fourr. Asteraceae			animal feed
<i>Halopeplis amplexicaulis</i> (Vahl) Ces., Pass. & Gibelli Amaranthaceae			pigs

<i>Haynaldia villosa</i> (L.) Schur. Poaceae			
<i>Hedera helix</i> L. Araliaceae			toxic
<i>Hedysarium coronarium</i> L. Fabaceae			animal feed
<i>Helleborus argutifolius</i> Viv. Ranuncolaceae			landscape
<i>Helianthemum morisianum</i> Bertol. Cistaceae		endemic	landscape, garden
<i>Helosciadium nodiflorum</i> L. Apiaceae			animal feed
<i>Hippocrepis comosa</i> L. Fabaceae			animal feed
<i>Hipocrepis emerus</i> (L.) Las- sen Fabaceae			animal feed
<i>Holcus lanatus</i> L. Poaceae			
<i>Hordeum bulbosum</i> L. Poaceae			
<i>Hordeum leporinum</i> Link Poaceae			animal feed
<i>Hordeum murinum</i> L. Poaceae			animal feed
<i>Hordeum vulgare</i> L. Poaceae			animal feed
<i>Hymenocarpus circinnatus</i> (L.) Savi Fabaceae			
<i>Hyoseris radiata</i> L. Asteraceae			animal feed
<i>Hyparrhenia hirta</i> (L.) Stapf in Oliver Poaceae			

<i>Hypericum hircinum</i> L. Hypericaceae			animal feed when hungry (sprouts and when dried)
<i>Hypericum perforatum</i> L. Hypericaceae			officinal
<i>Hypochaeris radicata</i> L. Asteraceae			animal feed
<i>Iberis integerrima</i> Moris Brassicaceae		endemic	animal feed
<i>Ilex aquifolium</i> L Aquifoliaceae			
<i>Inula viscosa</i> (L.) Aiton Asteraceae			officinal
<i>Juglans regia</i> L. Juglandaceae			human nutrition animal feed
<i>Juncus acutus</i> L. Juncaceae			
<i>Juncus articulatus</i> L. Juncaceae			
<i>Juniperus nana</i> Willd. Cupressaceae	5210 Arborescent ma-torral with <i>Juniperus</i> spp		toxic, officinal
<i>Juniperus oxycedrus</i> L. subsp. <i>oxycedrus</i> Cupressaceae			animal feed
<i>Koeleria cristata</i> (L.) Hyl. Poaceae			animal feed
<i>Lactuca sativa</i> L. subsp. <i>serriola</i> (L.) Galasso, Banfi, Bartolucci & Ardenghi Asteraceae			human nutrition animal feed
<i>Lagurus ovatus</i> L. Poaceae			animal feed
<i>Lamarckia aurea</i> (L.) Moench. Poaceae			animal feed
<i>Laserpitium gallicum</i> L.			animal feed

<i>Laserpitium siler</i> L. Apiaceae			animal feed
<i>Lathyrus clymenum</i> L. Fabaceae			animal feed
<i>Lathyrus sphaericus</i> Retz. Fabaceae			
<i>Latyrus gorgoni</i> Parl. Fabaceae			animal feed
<i>Latyrus latifolius</i> L. Fabaceae			animal feed
<i>Latyrus pratensis</i> L. Fabaceae			animal feed
<i>Laurus nobilis</i> L. Lauraceae			human nutrition, officinal animal feed
<i>Lavandula stoechas</i> L. Lamiaceae			officinal, land- scape, garden
<i>Lavatera olbia</i> L. Malvaceae			landscape, garden
<i>Leontodon tuberosus</i> L. Asteraceae			
<i>Leopoldia comosa</i> (L.) Parl. Asparagaceae			animal feed
<i>Lepidium ruderale</i> L. Brassicaceae			animal feed
<i>Leucojum aestivum</i> L. Amaryllidaceae			animal feed
<i>Ligustrum lucidum</i> Ait. Oleaceae			animal feed landscape, garden
<i>Lilium maritimum</i> L. Linaceae			officinal animal feed
<i>Lilium tenuifolium</i> L. Linaceae			animal feed
<i>Limonium morisianum</i> Arrigoni		endemic	animal feed

Plumbaginaceae			
<i>Linaria muelleri</i> Moris Plantaginaceae	8130 Western Mediterranean and thermophilous scree Rocky habitats and caves	endemic	animal feed
<i>Linaria triphylla</i> (L.) Mill. Plantaginaceae			animal feed
<i>Linum usitatissimum</i> L. Linaceae			officinal, landscape, garden animal feed
<i>Lobularia maritima</i> (L.) Desv. Brassicaceae			
<i>Logfia gallica</i> (L.) Cosson et Germ. Asteraceae			
<i>Lolium multiflorum</i> Lam. Poaceae			animal feed
<i>Lolium perenne</i> L. Poaceae			animal feed
<i>Lolium rigidum</i> L. Poaceae			
<i>Lonicera implexa</i> Aiton. Caprifoliaceae	9340 <i>Quercus ilex</i> and <i>Quercus rotundifolia</i> forests		officinal goats
<i>Lophochloa cristata</i> (L.) Hyl. Poaceae			
<i>Lotus corniculatus</i> L. Fabaceae			animal feed
<i>Lotus maritimus</i> L. Fabaceae			animal feed
<i>Lotus ornithopodioides</i> L. Fabaceae			
<i>Lupinus angustifolius</i> L. Fabaceae			animal feed

<i>Luzula forsteri</i> (Sm.) DC. Juncaceae			
<i>Lysimachia minima</i> (L.) U. Manns & Anderb. Lysimachiaceae			animal feed
<i>Lythrum salicaria</i> L. Lythraceae			animal feed
<i>Malope malacoides</i> L. Malvaceae			animal feed
<i>Malva cretica</i> Cav. Malvaceae			animal feed
<i>Malva sylvestris</i> L. Malvaceae	I2.2 Small-scale ornamental and domestic garden areas		human nutrition officinal animal feed
<i>Marrubium vulgare</i> L. Lamiaceae			officinal animal feed
<i>Matthiola incana</i> (L.) R. Br. Brassicaceae	I210 Annual vegetation of drift lines		landscape, garden
<i>Matthiola sinuata</i> R. Br. Brassicaceae			animal feed
<i>Medicago arabica</i> Huds. Fabaceae			animal feed
<i>Medicago ciliaris</i> Knock. Fabaceae			animal feed
<i>Medicago intertexta</i> (L.) Mill. Fabaceae			animal feed
<i>Medicago minima</i> (L.) Bartal. Fabaceae			
<i>Medicago murex</i> Willd. Fabaceae			
<i>Melica ciliata</i> L. Poaceae			animal feed
<i>Melica minuta</i> L. Poaceae			animal feed

<i>Melilotus officinalis</i> Lam. Papilionaceae			animal feed
<i>Mentha aquatica</i> L. Lamiaceae			officinal human nutrition animal feed
<i>Mentha insularis</i> Req. ex Gren. et Godr. Lamiaceae		endemic	officinal human nutrition animal feed
<i>Mentha pulegium</i> L. Lamiaceae			officinal animal feed
<i>Mercurialis corsica</i> Coss. & Kralik Euphorbiaceae			animal feed
<i>Mespilus germanica</i> L. Rosaceae			human nutrition pigs
<i>Micromeria cordata</i> (Moris ex Bertol.) Moris Lamiaceae		endemic	animal feed
<i>Micromeria graeca</i> (L.) Benth. ex Rchb. Lamiaceae			goats
<i>Minuartia hybrida</i> (Vill.) Schischkein Caryophyllaceae			
<i>Misopates orontium</i> (L.) Raf. Plantaginaceae			
<i>Montia fontana</i> L. subsp. <i>variabilis</i> Walters Portulacaceae			
<i>Myrtus communis</i> L. Myrtaceae	9320 <i>Olea</i> and <i>Ceratonia</i> forests		officinal, human nutrition animal feed landscape, garden
<i>Narcissus tazetta</i> L. Amaryllidaceae			landscape, garden

<i>Nasturtium officinale</i> R. Br. Brassicaceae	I2.2 Small-scale ornamental and domestic garden areas		officinal human nutrition animal feed
<i>Nerium oleander</i> L. Apocynaceae	92D0 Southern riparian galleries and thickets (Nerio – Tamaricetea and Securinegion tinctoriae)		landscape, garden
<i>Nigella damascena</i> L. Ranunculaceae			animal feed when dried
<i>Notobasis syriaca</i> (L.) Cass. Asteraceae			
<i>Oenanthe lisae</i> Moris Apiaceae		endemic	toxic
<i>Olea europaea</i> L. Oleaceae	9320 <i>Olea</i> and <i>Ceratonia</i> forests		officinal human nutrition animal feed
<i>Ononis reclinata</i> L. Papilionaceae		endemic	
<i>Ononis spinosa</i> L. Papilionaceae			pigs
<i>Onopordum illyricum</i> L. Asteraceae			
<i>Ophrys morisii</i> (Martelli) Soò in Keller et al. Orchidaceae			
<i>Opopanax chironium</i> Koch Apiaceae			animal feed
<i>Opuntia ficus-indica</i> Mill. Cactaceae			officinal human nutrition pigs, smooth soft parts thornless
<i>Ornithogalum sandalioticum</i> (Tor. ex Garb.) Zahariadi Asparagaceae		endemic	

<i>Ornithopus compressus</i> L. Fabaceae			
<i>Ornithopus perpusillus</i> L. Fabaceae			animal feed
<i>Ornithopus pinnatus</i> (Miller) Druce Fabaceae			
<i>Oryzopsis miliacea</i> (L.) Asch. et schweinf. Poaceae			
<i>Osyris alba</i> L. Santalaceae			animal feed
<i>Oxalis annua</i> L. Oxalidaceae			animal feed
<i>Paeonia morisii</i> Cesca, Bernardo & N. G. Passal. Paeoniaceae			toxic, landscape, garden
<i>Pancratium illyricum</i> L. Amaryllidaceae		endemic	toxic, landscape, garden
<i>Panicum repens</i> L. Poaceae			animal feed
<i>Papaver rhoeas</i> L. Papaveraceae			toxic
<i>Parentucellia viscosa</i> (L.) Caruel Asteraceae			
<i>Parietaria judaica</i> L. Urticaceae			animal feed
<i>Paronychia echinulata</i> Chater Caryophyllaceae			
<i>Pastinaca divaricata</i> Desf. Apiaceae			animal feed
<i>Petrorhagia prolifera</i> (L.) P.W. Ball. Caryophyllaceae			

<i>Petroselimum hortense</i> Hoffm. Apiaceae			officinal human nutrition
<i>Phagnalon rupestre</i> (L.) Dc. Asteraceae			
<i>Phagnalon saxatile</i> (L.) Coss. Asteraceae			
<i>Phalaris arundinacea</i> L. Poaceae			animal feed
<i>Phalaris canariensis</i> L. Poaceae			animal feed
<i>Phaseolus vulgaris</i> L. Fabaceae			human nutrition animal feed
<i>Phillyrea angustifolia</i> L. Oleaceae	9340 <i>Quercus ilex</i> and <i>Quercus rotundifolia</i> for- ests		goats landscape, garden
<i>Phleum paniculatum</i> Huds. Poaceae			animal feed
<i>Phleum pratense</i> L. Poaceae			animal feed
<i>Picris echioides</i> L. Asteraceae			
<i>Pilosella ziziana</i> (Tausch) F.W. Schultz & Sch. Bip. Asteraceae			
<i>Piptatherum miliaceum</i> (L.) Cosson Poaceae			
<i>Pistacia lentiscus</i> L. Anacardiaceae	9320 <i>Olea</i> and <i>Ceratonia</i> forests 5320 Low formations of Euphorbia close to cliffs Sclerophyllous scrub (matorral)		officinal human nutrition animal feed landscape, garden
<i>Pistacia terebinthus</i> L. Anacardiaceae	9340 <i>Quercus ilex</i> and <i>Quercus rotundifolia</i> for- ests		landscape, garden

<i>Pisum sativum</i> L. Fabaceae			human nutrition animal feed
<i>Plantago bellardi</i> All. Plantaginaceae			
<i>Plantago coronopus</i> L. Plantaginaceae			
<i>Plantago lanceolata</i> L. Plantaginaceae			animal feed
<i>Plantago subulata</i> L. subsp. <i>insularis</i> (Gren. & Godr.) Nyman Plantaginaceae	8130 Western Mediterranean and thermophilous scree Rocky habitats and caves	endemic	animal feed
<i>Plumbago europaea</i> L. Plumbaginaceae			animal feed
<i>Poa annua</i> L. Poaceae			
<i>Polygala monspeliaca</i> L. Polygalaceae			animal feed
<i>Polygala sardoa</i> Chodat Polygalaceae		endemic	animal feed
<i>Polygonum aviculare</i> L. Polygonaceae			
<i>Polygonum scorpiarium</i> Req. Ex Loisel. Polygonaceae		endemic	
<i>Polypogon monspeliensis</i> (L.) Desf. Poaceae			animal feed
<i>Portulaca oleracea</i> L. Portulacaceae			pigs
<i>Potentilla crassinervia</i> Viv. Rosaceae			animal feed
<i>Potentilla rupestris</i> L. Rosaceae			animal feed
<i>Poterium sanguisorba</i> L. Rosaceae			officinal animal feed

<i>Primula vulgaris</i> Huds Primulaceae			animal feed
<i>Prospero autumnale</i> (L.) Speta Asparagaceae			toxic
<i>Prunus armeniaca</i> L. Rosaceae			human nutrition pigs
<i>Prunus avium</i> L. Rosaceae			human nutrition animal feed
<i>Prunus communis</i> Arc. Rosaceae			human nutrition pigs
<i>Prunus domestica</i> L. Rosaceae			human nutrition pigs
<i>Prunus persica</i> Stock Rosaceae			human nutrition pigs
<i>Prunus prostrata</i> Labill. Rosaceae			animal feed
<i>Psirulus incurvus</i> (Gouan) Sch. et Th. Poaceae			
<i>Ptilostemon casabonae</i> (L.) Greuter Asteraceae		endemic	
<i>Ptychotis sardoa</i> Pign. et Metlesics Apiaceae		endemic	
<i>Pulicaria odora</i> (L.) Reichenb. Asteraceae			
<i>Punica granatum</i> L. Lythraceae			human nutrition animal feed landscape, garden

<i>Quercus ilex</i> L. Fagaceae	9340 <i>Quercus ilex</i> and <i>Quercus rotundifolia</i> 6310 Dehesas with ever- green <i>Quercus</i> spp.	Edible	human nutrition (acorns) animal feed landscape, garden
<i>Quercus pubescens</i> Willd. Fagaceae			animal feed landscape, garden
<i>Quercus suber</i> L. Fagaceae	6310 Dehesas with ever- green <i>Quercus</i> spp.		animal feed landscape, garden
<i>Raphanus raphanistrum</i> L. Brassicaceae			human nutrition animal feed
<i>Ranunculus aquatilis</i> L. Ranunculaceae	3290 Intermittently flow- ing Mediterranean rivers of the Paspalo-Agrostid- ion Freshwater habitats		pigs
<i>Ranunculus gramineus</i> L. Ranunculaceae			animal feed
<i>Ranunculus macrophyllus</i> Desf. Ranunculaceae			animal feed
<i>Ranunculus sardous</i> Crantz. Ranunculaceae			animal feed
<i>Raphanus raphanistrum</i> L. Brassicaceae	I2.2 Small-scale ornamen- tal and domestic garden areas		human nutrition animal feed
<i>Reichardia picroides</i> (L.) Roth Asteraceae	I2.2 Small-scale ornamen- tal and domestic garden areas		human nutrition animal feed
<i>Reseda lutea</i> L. Resedaceae			animal feed
<i>Rhagadiolus stellatus</i> (L.) Willd. Asteracea			
<i>Rhamnus alaternus</i> L. Rhamnaceae	9340 <i>Quercus ilex</i> and <i>Quercus rotundifolia</i> for- ests		animal feed

<i>Ridolfia segetum</i> Moris Apiaceae			animal feed
<i>Romulea columnae</i> Seb. et Mauri Iridaceae			
<i>Romulea ligustica</i> Parl. Iridaceae			animal feed
<i>Romulea requienii</i> Parl. Iridaceae		endemic	toxic animal feed when dried
<i>Rosa canina</i> L. Rosaceae			officinal, animal feed when hungry (seeds and fruits) landscape, garden
<i>Rosa seraphini</i> Viv. Rosaceae			officinal, animal feed when hungry (seeds and fruits) landscape, garden
<i>Rosmarinus officinalis</i> L. Lamiaceae			officinal human nutrition animal feed landscape, garden
<i>Rubia peregrina</i> L. Rubiaceae	9340 <i>Quercus ilex</i> and <i>Quercus rotundifolia</i> for- ests		
<i>Rubus fruticosus</i> L. Rosaceae			animal feed
<i>Rubus ulmifolius</i> Schott. Rosaceae			officinal animal feed
<i>Rumex acetosa</i> L. Polygonaceae	I2.2 Small-scale ornamen- tal and domestic garden areas		human nutrition animal feed
<i>Rumex pulcher</i> L. Polygonaceae	I2.2 Small-scale ornamen- tal and domestic garden areas		human nutrition animal feed

<i>Rumex sanguineus</i> L. Polygonaceae			animal feed
<i>Rumex scutatus</i> L. Polygonaceae	8130 Western Mediterranean and thermophilous scree  Rocky habitats and caves		
<i>Rumex suffocatus</i> Moris ex Bertol. Polygonaceae			animal feed
<i>Ruscus aculeatus</i> L. Asparagaceae			officinal
<i>Ruta corsica</i> DC Rutaceae		endemic	toxic animal feed when dried
<i>Salix pedicellata</i> Desf. Salicaceae			
<i>Salvia verbenaca</i> L. Lamiaceae			
<i>Sambucus nigra</i> L. Caprifoliaceae			officinal animal feed landscape, garden
<i>Samolus valerandi</i> L. Primulaceae			
<i>Sanguisorba minor</i> L. Rosaceae			goats
<i>Santolina insularis</i> (Genn. ex Fiori) Arrigoni Asteracea		endemic	officinal goats when hungry and the plant dried
<i>Saponaria ocymoides</i> L. Caryophyllaceae			animal feed when dried toxic
<i>Saponaria officinalis</i> L. Caryophyllaceae			
<i>Saxifraga pedemontana</i> All. subsp. <i>cervicornis</i> (Viv.) Engl. Saxifragaceae	8210 Calcareous rocky slopes with chasmophytic vegetation	endemic	animal feed officinal, landscape, garden

<i>Scandix pecten veneris</i> L. Apiaceae			
<i>Scilla obtusifolia</i> Poir. Asparagaceae			animal feed when dried toxic
<i>Scolymus hispanicus</i> L. Asteraceae			
<i>Scorpiurus muricatus</i> L. subsp. <i>sulcatus</i> L. Fabaceae			animal feed
<i>Scorzonera callosa</i> Moris Asteracea		endemic	animal feed
<i>Scrofularia peregrina</i> L. Scrophulariaceae			animal feed
<i>Scrophularia trifoliata</i> L. Scrophulariaceae		endemic	animal feed landscape, garden
<i>Sedum sediforme</i> (Jacq.) Pau Crassulaceae			animal feed
<i>Senecio erraticus</i> Bertol. Asteraceae			
<i>Senecio vulgaris</i> L. Asteraceae			
<i>Seseli bocconei</i> Guss. subsp. <i>praecox</i> Gamisans Apiaceae		endemic	animal feed
<i>Sesleria insularis</i> Sommier subsp. <i>barbaricina</i> Arrigoni Poaceae		endemic	animal feed landscape, garden
<i>Setaria glauca</i> (L.) Beauv. Poaceae			
<i>Sherardia arvensis</i> L. Boraginaceae			
<i>Sideritis romana</i> L. Lamiaceae			
<i>Silene alba</i> (Miller) Krause Caryophyllaceae			animal feed

<i>Silene gallica</i> L. Caryophyllaceae			animal feed
<i>Silene vulgaris</i> (Moench) Garcke Caryophyllaceae			animal feed
<i>Silybum marianum</i> (L.) Gaertn. Asteraceae			officinal human nutrition, animal feed when tender shoots
<i>Sinapsis arvensis</i> L. Brassicaceae			
<i>Sisymbrium erysimoides</i> Desf. Apiaceae			animal feed
<i>Sisymbrium officinal</i> (L.) Scop. Apiaceae			officinal animal feed
<i>Smilax aspera</i> L Apiaceae Smilacaceae	9340 <i>Quercus ilex</i> and <i>Quercus rotundifolia</i> for- ests		officinal animal feed
<i>Smyrnium olusatrum</i> L. Apiaceae			animal feed
<i>Solanum lycopersicum</i> L. Solanaceae			human nutrition pigs
<i>Solanum melongena</i> L Solanaceae			human nutrition pigs
<i>Solanum nigrum</i> L. Solanaceae			
<i>Solanum tuberosum</i> L. Solanaceae			human nutrition pigs
<i>Soleirolia soleirolii</i> (Req.) Dandy Urticaceae		endemic	
<i>Sonchus oleraceus</i> L. Asteraceae			human nutrition animal feed

<i>Sonchus tenerrimus</i> L. Asteraceae			
<i>Spergula arvensis</i> L. Caryophyllaceae			
<i>Sphenopus divaricatus</i> (Gouan) Rchb. Poaceae			animal feed
<i>Spinacia oleracea</i> L. Chenopodiaceae			human nutrition animal feed
<i>Stachys corsica</i> Pers. Lamiaceae		endemic	animal feed
<i>Stachys glutinosa</i> L. Lamiaceae		endemic	animal feed
<i>Staphisagria requienii</i> (DC.) subsp. <i>picta</i> (Willd.) Pe- ruzzi Ranunculaceae		endemic	
<i>Stellaria media</i> (L.) Vill. Caryophyllaceae			
<i>Sternbergia lutea</i> Ker-Gawl. Amaryllidaceae			animal feed
<i>Stipa bromoides</i> (L.) Dörfl. Poaceae			animal feed
<i>Stipa capensis</i> Thumb. Poaceae			animal feed
<i>Stipa juncea</i> L. Poaceae			animal feed
<i>Taeniatherum caput-medu- sae</i> (L.) Nevski Poaceae			animal feed
<i>Taraxacum officinal</i> Weber Asteraceae			goats
<i>Taxus baccata</i> L. Taxaceae			officinal

<i>Teline monspessulana</i> (L.) C. Koch Fabaceae			
<i>Teucrium chamaedrys</i> L. Lamiaceae			officinal animal feed
<i>Teucrium marum</i> L. Lamiaceae		endemic	
<i>Thalictrum minus</i> L. Ranunculaceae			
<i>Thapsia garganica</i> L. Apiaceae			toxic
<i>Thlaspi brevistylum</i> Mutel Brassicaceae		endemic	animal feed
<i>Thymelaea hirsuta</i> (L.) Endl. Thymelaeaceae	5320 Low formations of Euphorbia close to cliffs Sclerophyllous scrub (matorral)		animal feed
<i>Thymus catharine</i> Camarda Lamiaceae		endemic	officinal human nutrition, animal feed landscape, garden
<i>Thypha latifolia</i> L. Typhaceae			
<i>Tolpis virgata</i> (Desf.) Bertol. Asteracea			
<i>Tordylium apulum</i> L. Apiaceae			
<i>Torilis nodosa</i> (L.) Gaertner Apiaceae			
<i>Tribulus terrestris</i> L. Zygophyllaceae			
<i>Trifolium arvense</i> L Fabaceae			
<i>Trifolium campestre</i> Schreb. Fabaceae			animal feed

<i>Trifolium cherleri</i> L. Fabaceae			
<i>Trifolium fragiferum</i> L. Fabaceae			
<i>Trifolium glomeratum</i> L. Fabaceae			
<i>Trifolium hirtum</i> All. Fabaceae			animal feed
<i>Trifolium lappaceum</i> L. Fabaceae			animal feed
<i>Trifolium ligusticum</i> Balbis ex Loisel. Fabaceae			
<i>Trifolium nigrescens</i> Viv.			
<i>Trifolium purpureum</i> Loisel. Fabaceae			animal feed
<i>Trifolium repens</i> L. Fabaceae			animal feed
<i>Trifolium stellatum</i> L. Fabaceae			
<i>Trifolium subterraneum</i> L. Fabaceae			animal feed
<i>Trigonella foenum-</i> <i>graecum</i> L. Fabaceae			animal feed
<i>Trisetaria pubescens</i> (Lam.) Kerguélen Poaceae			animal feed
<i>Trisetum gracile</i> Boiss. Poaceae			animal feed
<i>Tuberaria guttata</i> (L.) Fourr. Cistaceae			
<i>Urospermum dalechampi</i> (L.) Schmidt Asteraceae			

<i>Urospermum picroides</i> (L.) Desf. Asteraceae			
<i>Urtica atrovirens</i> Req. ex Loisel. Urticaceae		endemic	animal feed when dried
<i>Urtica dioica</i> L. Urticaceae			
<i>Valerianella microcarpa</i> Loisel. Valerianaceae			
<i>Ventenata dubia</i> (Leers) Coss. Poaceae			animal feed
<i>Verbascum thapsus</i> L. Scrophulariaceae			officinal animal feed
<i>Verbena officinalis</i> L. Verbenaceae			
<i>Veronica arvensis</i> L. Verbenaceae			
<i>Viburnum tinus</i> L. Caprifoliaceae			
<i>Vicia cracca</i> L. Fabaceae			animal feed
<i>Vicia disperma</i> DC. Fabaceae			
<i>Vicia faba</i> L. Fabaceae			human nutrition animal feed
<i>Vicia hirsuta</i> (L.) S. F. Gray Fabaceae			
<i>Vicia lutea</i> L. subsp. <i>vestita</i> (Boiss.) Rouy Fabaceae			
<i>Vicia monantha</i> Retz. Fabaceae			animal feed
<i>Vicia pubescens</i> (Dc.) Link Fabaceae			

<i>Vicia sepium</i> L. Fabaceae			animal feed
<i>Vicia villosa</i> Roth Fabaceae			
<i>Vigna unguiculata</i> (L.) Fabaceae			officinal human nutrition animal feed
<i>Vinca sardoa</i> (Stearn) Pignatti Apocynaceae		endemic	landscape, garden
<i>Vitex agnus-castus</i> L. Verbenaceae			officinal, landscape, garden
<i>Vitis vinifera</i> L. Vitaceae			human nutrition animal feed
<i>Vulpia ciliata</i> (Danth.) Link Poaceae			animal feed
<i>Xanthium spinosum</i> L. Asteraceae			