

Correction

Correction: Si, X., et al. Combined Process of Ozone Oxidation and Ultrafiltration as an Effective Treatment Technology for the Removal of Endocrine-Disrupting Chemicals. *Appl. Sci.* 2018, 8, 1240

Xiurong Si ^{1,2}, Zunfang Hu ^{3,*} and Shiyuan Huang ¹

¹ Civil Engineering Department, North China Institute of Aerospace Engineering, No. 133, Aimin East Road, Langfang 065000, China; hbsixiurong@126.com (X.S.); fjhsyuan@163.com (S.H.)

² Hebei Collaborative Innovation Center for Aerospace Remote Sensing Information Processing and Application, Langfang 065000, China

³ Shandong Institute of Geophysical and Geochemical Exploration, Jinan 250013, China

* Correspondence: hbsixiurong@nciae.edu.cn; Tel.: +86-186-3166-2049

Received: 5 September 2018; Accepted: 6 September 2018; Published: 7 September 2018



We, the authors, wish to make the following correction to our published paper [1]. In the Acknowledgement Section, we omitted adding the following information: “Funding: This research was funded by the “National Natural Science Foundation of China” (No. 51808008), “Natural Science Foundation of Hebei Province” (No. E2017409004) and “Langfang Science and Technology Support Program Project” (No. 2018013019)”.

The authors would like to apologize for any inconvenience caused. The change does not affect the scientific conclusions. The manuscript will be updated and the original will remain online on the article webpage with a reference to this Correction.

Reference

1. Si, X.; Hu, Z.; Huang, S. Combined Process of Ozone Oxidation and Ultrafiltration as an Effective Treatment Technology for the Removal of Endocrine-Disrupting Chemicals. *Appl. Sci.* **2018**, *8*, 1240. [[CrossRef](#)]



© 2018 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<http://creativecommons.org/licenses/by/4.0/>).