Supplementary Tables

Table S1. Percent ranked first and weighted rank score by sex and age group for this question: Rank these three areas from one to three to the extent it affects the person's daily life—with one having the greatest impact and three having the least impact. (Primary Concerns).

Q1 Primary Concerns	Sex/Age Group		Percent Ranked "1st"	Weighted Rank Score
		0–5	53.2	2.3
	Male	6–12	60.9	2.5
	Maie	13-21	52.2	2.3
Dala and an		22+	44.8	2.1
Behavior		0–5	80	2.8
	E1-	6–12	36.4	2.3
	Female	13-21	27.6	1.9
		22+	30	1.9
		0–5	31.9	2.2
	3.6.1	6–12	31.5	2.1
	Male	13-21	38.9	2.2
T , 11°		22+	40.8	2.1
Intelligence		0–5	20	2.2
	F 1 .	6–12	63.6	2.5
	Female	13-21	65.5	2.6
		22+	55.6	2.3
	26.1	0–5	14.9	1.5
DI : 1		6–12	6.5	1.3
	Male	13-21	8.0	1.3
		22+	6.4	1.2
Physical		0–5	0	0.8
	F 1	6–12	0	1.2
	Female	13-21	6.9	1.5
		22+	11.1	1.3

Table S2. Percent ranked first and weighted rank score by sex and age group for Question: Check the five characteristics that have the greatest impact on the life of the person with FXS. Prioritize 1, 2, 3, 4, 5. (Problematic Symptoms).

Q2 Problematic Symptoms	Sex/Age Group		Percent Ranked 1st	Mean Weighted Rank Score
		0–5	17.0	1.43
	Male	6-12	35.9	2.97
	Maie	13-21	32.7	2.73
Amainter		22+	43.2	3.04
Anxiety		0-5	36.4	0.4
	Female	6-12	27.6	2.27
		13-21	27.8	2.52
		22+	14.3	2.61
	Male	0-5	10.6	1.53
		6-12	20.6	2.53
		13-21	23.9	2.40
Loomino		22+	13.6	2.22
Learning		0–5	36.4	1.4
	E1-	6-12	24.1	2.82
	Female	13-21	27.8	2.62
		22+	6.3	2.39
		0–5	23.4	2.53
	N f - 1 -	6-12	14.1	1.29
	Male	13-21	6.2	1.48
г . т		22+	6.4	0.96
Expressive Language		0–5	0	1.6
	- 1	6-12	3.4	0.55
	Female	13-21	5.6	0.72
		22+	4.8	0.72
		0–5	6.4	0.32
	3.6.1	6-12	7.6	0.48
	Male	13-21	8.0	0.42
Seizures		22+	4	0.21
Seizures	Female	0–5	9.1	1
		6-12	10.3	0.45
		13-21	5.6	0.55
		22+	1.6	0.44
	Male	0–5	6.4	0.45
		6-12	5.4	0.36
		13-21	6.2	0.59
Ott		22+	5.6	0.46
Other	Female	0–5	0	1
		6-12	13.8	0
		13-21	0	1.14
		22+	4.8	0.28

Table S3. Percent ranked first and weighted rank score by sex and age group for this question: Check the top five areas of daily life the person with FXS is most affected by. Prioritize 1, 2, 3, 4, 5. (Daily Living Skills Most Affected).

Q3 Daily Living Skills Most Affected	Sex/Age Group		Percent Ranked 1st	Mean Weighted Rank Score
		0–5	12.77	1.77
	Male	6-12	32.61	2.74
	Maie	13-21	26.55	2.50
A sa domis		22+	9.60	1.46
Academic		0–5	0.00	3.40
	г 1	6-12	63.64	4.09
	Female	13-21	27.59	2.34
		22+	33.33	2.00
		0–5	48.94	3.36
		6-12	16.30	1.97
	Male	13-21	22.12	1.88
		22+	13.60	1.26
Communication		0–5	40.00	2.60
		6–12	9.09	1.27
	Female	13–21	13.79	1.21
		22+	0.00	0.67
		0–5	19.15	2.49
		6–12	20.65	2.52
	Male	13–21	13.27	1.58
		22+	17.60	1.51
Behavior Outbursts		0–5	20.00	2.40
		6-12	9.09	2.55
	Female	13-21	10.34	1.10
		22+	5.56	0.72
		0–5	6.38	1.47
		6–12	10.87	1.62
	Male	13-21	9.73	1.98
		22+	8.80	1.57
Self Care		0–5	0.00	2.40
		6–12	0.00	1.18
	Female	13–21	3.45	0.66
		22+	5.56	0.94
		0–5	0.00	0.17
	Male	6–12	0.00	0.18
		13–21	6.19	1.08
		22+	16.80	2.15
Independence		0–5	20.00	1.00
		6–12	0.00	0.09
	Female	13–21	3.45	0.86
		22+	0.00	0.67

Table S4. Percent ranked first and weighted rank score by sex and age group for this question: Which five specific aspects of daily living with FXS are the most challenging? Prioritize 1, 2, 3, 4, 5 (Family Impact).

Q4 Family Impact	Sex/Age Group		Percent Ranked 1st	Mean Weighted Rank Score
Dalamian Dualdana		0-5	29.79	2.36
	Male	6-12	27.17	2.33
	Maie	13-21	19.47	1.74
		22+	16.00	1.39
Behavior Problems		0-5	40.00	2.40
	Female	6-12	18.18	2.27
		13-21	10.34	0.79
		22+	11.11	1.06
	Male	0-5	6.38	1.23
		6-12	5.43	0.90
		13-21	19.47	1.88
Manny About Child		22+	18.40	1.95
Worry About Child		0-5	0.00	1.80
	E1 -	6-12	9.09	1.09
	Female	13-21	34.48	2.34
		22+	22.22	1.94
		0–5	4.26	0.98
	M-1-	6-12	10.87	1.45
	Male	13-21	16.81	1.40
Ctaring One Ctare Aleand		22+	11.20	1.30
Staying One Step Ahead		0–5	0.00	0.00
	Female	6-12	9.09	0.82
	remaie	13-21	20.69	2.21
		22+	11.11	1.06
		0-5	23.40	1.66
	M-1-	6-12	5.43	0.88
	Male	13-21	6.19	0.86
C ' ' N 1		22+	8.00	1.09
Communicating Needs		0–5	40.00	2.40
	Eom ala	6-12	0.00	0.64
	Female	13-21	6.90	0.48
		22+	0.00	0.17
Companyiring	Male	0–5	8.51	1.19
		6-12	9.78	1.42
		13-21	6.19	1.29
		22+	8.00	0.93
Supervision		0–5	0.00	1.00
	Eom ala	6-12	0.00	0.82
	Female	13-21	3.45	0.52
		22+	0.00	0.50

Table S5. Percent ranked first and weighted rank score by sex and age group for this question: What are the top three aspects of Fragile X syndrome that you would like to see a drug treatment address, list in order of preference, with the most important one first. (Drug Treatment Priorities).

Q5 Drug Treatment Priorities	Sex/Age Group		Percent Ranked 1st	Mean Weighted Rank Score
		0–5	6.38	0.79
	Male	6-12	25.00	1.32
	Maie	13-21	31.86	1.44
Amaiata		22+	37.60	1.67
Anxiety		0-5	0.00	1.00
	Female	6-12	27.27	1.00
		13-21	41.38	1.59
		22+	38.89	1.67
		0-5	23.40	0.96
	Mala	6-12	22.83	1.13
	Male	13-21	23.89	1.16
Loomino		22+	18.40	0.86
Learning		0-5	40.00	1.20
	Female	6–12	9.09	0.91
		13-21	31.03	1.55
		22+	22.22	0.89
		0-5	12.77	0.60
	Male	6-12	17.39	0.84
	Maie	13-21	16.81	0.79
Behavior		22+	14.40	0.78
benavior		0-5	0.00	0.00
	Female	6–12	18.18	0.91
	геппате	13-21	6.90	0.38
		22+	0.00	0.06
		0-5	23.40	1.36
	Male	6–12	6.52	0.48
	Maie	13-21	7.96	0.53
Communication		22+	7.20	0.45
Communication		0–5	0.00	0.20
	Female	6–12	9.09	0.82
	Temale	13-21	3.45	0.24
		22+	11.11	0.56
	Male	0–5	12.77	0.57
		6–12	8.70	0.66
		13-21	8.85	0.60
ADHD		22+	2.40	0.28
ADIID	Female	0-5	20.00	1.20
		6–12	27.27	0.82
		13-21	0.00	0.45
		22+	16.67	0.72