

Supplementary Materials

SARS-CoV-2 Infection Is Asymptomatic in Nearly Half of Adults with Robust Anti-Spike Protein Receptor-Binding Domain Antibody Response

Ourania E. Tsitsilonis ^{1,*†}, Dimitrios Paraskevis ^{2,*†}, Evi Lianidou ³, Evangelos Terpos ⁴, Athanasios Akalestos ⁵, Vassilios Pierros ⁶, Evangelia Georgia Kostaki ², Efstathios Kastritis ⁴, Paraskevi Moutsatsou ⁷, Marianna Politou ⁸, Andreas Scorilas ¹, Thomas Sphicopoulos ⁶, Nikolaos Thomaidis ³, Ioannis P. Trougakos ¹, Athanassios Tsakris ⁹, Nikolaos Voulgaris ¹⁰, Christina C. Daskalaki ¹, Zoi Evangelakou ¹, Christina Fouki ², Despoina D. Giannouli ¹, Sentiljana Gumeni ¹, Ioannis V. Kostopoulos ¹, Maria S. Manola ¹, Nikolaos Orologas-Stavrou ¹, Chrysanthi Panteli ¹, Eleni-Dimitra Papanagnou ¹, Pantelis Rousakis ¹, Aimilia D. Sklirou ¹, Stavroula Smilkou ³, Dimitra Stergiopoulou ³, Sotirios Tsiodras ¹¹, Meletios-Athanasis Dimopoulos ⁴ and Petros P. Sfikakis ¹²

¹ Department of Biology, National and Kapodistrian University of Athens (NKUA), 15784 Athens, Greece; ascorilas@biol.uoa.gr (A.S.); itrougakos@biol.uoa.gr (I.P.T.); xrustin1.dask@gmail.com (C.C.D.); zoievag@biol.uoa.gr (Z.E.); gndespoina@biol.uoa.gr (D.D.G.); sgumeni@biol.uoa.gr (S.G.); gikostro@gmail.com (I.V.K.); mmanola@biol.uoa.gr (M.S.M.); norologas@biol.uoa.gr (N.O.-S.); chrysanthipanteli23@gmail.com (C.P.); epapanagnou@biol.uoa.gr (E.-D.P.); rousakis@gmail.com (P.R.); asklirou@biol.uoa.gr (A.D.S.)

² Department of Hygiene, Epidemiology and Medical Statistics, School of Medicine, NKUA, 11527 Athens, Greece; ekostakh@med.uoa.gr (E.G.K.); chrifouki@hotmail.com (C.F.)

³ Department of Chemistry, NKUA, 15771 Athens, Greece; lianidou@chem.uoa.gr (E.L.); ntho@chem.uoa.gr (N.T.); ssimilkou@chem.uoa.gr (S.S.); dimitrastergiopoulou@yahoo.com (D.S.)

⁴ Department of Clinical Therapeutics, School of Medicine, Alexandra General Hospital, NKUA, 11528 Athens, Greece; eterpos@med.uoa.gr (E.T.); ekastritis@med.uoa.gr (E.K.); mdimop@med.uoa.gr (M.-A.D.)

⁵ Roche Diagnostics (Hellas) S.A., Marousi, 15125 Athens, Greece; thanasis.akalestos@roche.com

⁶ Department of Informatics and Telecommunications, NKUA, 15784 Athens, Greece; pierrosv@di.uoa.gr (V.P.); thomas@di.uoa.gr (T.S.)

⁷ Department of Clinical Biochemistry, School of Medicine, University General Hospital Attikon, NKUA, 12462 Haidari, Greece; pmoutsatsou@med.uoa.gr

⁸ Hematology Laboratory-Blood Bank, Areteio Hospital, School of Medicine, NKUA, 11528 Athens, Greece; mpolitou@med.uoa.gr (M.P.)

⁹ Department of Microbiology, School of Medicine, NKUA, 11527 Athens, Greece; atsakris@med.uoa.gr

¹⁰ Department of Geology and Geoenvironment, NKUA, 15784 Athens, Greece; voulgaris@geol.uoa.gr

¹¹ Fourth Department of Internal Medicine, School of Medicine, University Hospital Attikon, NKUA, 12462 Haidari, Greece; sotirios.tsiodras@gmail.com

¹² First Department of Propaedeutic Internal Medicine, School of Medicine, Laiko General Hospital, NKUA, 15772 Athens, Greece; psfikakis@med.uoa.gr

* Correspondence: rtsitsil@biol.uoa.gr (O.E.T.); dparask@med.uoa.gr (D.P.); Tel: +30-2107274215 (O.E.T.); +30-2107462119 (D.P.)

† The authors contributed equally.




Figure S1. Weighted seroprevalence for age and test performance of anti-SARS CoV-2 N-protein per gender, age group (in years), School of NKUA (HS: Health Sciences, Non-HS: Non-health sciences), position at the NKUA and per month (June–November 2020).