

Supplementary Table S1. Baseline sociodemographic and clinical characteristics of the population without follow-up after the first SED1 study phase.

	n	%
Number of patients	460	
<i>Age (years)</i>		
mean \pm SD		36.3 \pm 14.0
<i>Age Groups (Years)</i>		
0-13	23	5.0
14-17	21	4.6
18-25	72	15.7
26-49	263	57.2
> 49	81	17.6
<i>Gender, women</i>	250	54.4
<i>Level of education</i>	179	
No studies	1	0.3
Primary education	71	16.3
Secondary education	164	37.8
University studies or similar	163	37.6
Student	35	8.1
<i>Weight (kg)</i>		
mean \pm SD		69.2 \pm 15.1
<i>Height (cm)</i>		
mean \pm SD		166.6 \pm 10.5
<i>BMI (kg/m²)</i>		
mean \pm SD		24.8 \pm 4.5
<i>BMI grades (kg/m²)</i>		
< 18,5	17	3.7
18,5-24,9	259	56.7
25-26,9	67	14.7
27-29,9	60	13.1
\geq 30	54	11.8
<i>Time since diagnosis of T1DM (years)</i>		
mean \pm SD		17.3 \pm 11.7
<i>Method of Insulin Administration</i>		
Basal-bolus	357	77.6
Premixed insulins	5	1.1
Continuous subcutaneous insulin infusion (CSII)	90	19.6