J. Funct. Biomater. 2017, 8, 51 S1 of S3

Sopporting Information: Experimental and Theoretical Studies on the Adsorption and Desorption Mechanisms of Chromate Ions on Cross-Linked Chitosan

Kenji Mishima, Xiaoyu Du, Shunsuke Sekiguchi and Naoki Kano

1. Synthesis of EP and GA

• EP
$$_{\text{HO}}^{\text{OH}}$$
 + $_{\text{PH}4}^{\text{HCI}}$ $_{\text{PH}4}^{\text{HCI}}$ $_{\text{HO}}^{\text{H2N}}$ + $_{\text{HCI}}^{\text{HCI}}$ $_{\text{HO}}^{\text{H2N}}$ $_{\text{HO}}^{\text{OH}}$ $_{\text{HO}}^{\text{O$

Fig.S1 Synthesis of EP and GA

2. Secondary electron images by SEM of chitosan, EP, and GA surface structures

J. Funct. Biomater. **2017**, *8*, 51




Fig.S2 Secondary electron image by SEM of Chitosan surface structure before adsorption.

- Fig.S3 Secondary electron image by SEM of EP surface structure before adsorption.
- Fig.S4 Secondary electron image by SEM of GA surface structure before adsorption.
 - 3. molecular structures of chitosan, EP, and GA

J. Funct. Biomater. **2017**, *8*, 51

Fig.S5 Molecular structures of chitosan, EP, and GA