

Supplementary material

Highly Sensitive Magnetic-SERS Dual-Function Silica Nanoprobes for Effective On-Site Organic Chemical Detection

Cheolhwan Jeong,^{1†} Hyung-Mo Kim,^{2†} So Yeon Park,¹ Myeong Geun Cha,³ Sung-Jun Park,¹ San Kyeong,¹ Xuan-Hung Pham,² Eunil Hahm,² Yuna Ha,² Dae Hong Jeong,³ Bong-Hyun Jun^{2,*} and Yoon-Sik Lee^{1,*}

¹ School of Chemical and Biological Engineering, Seoul National University Seoul 151-742, Republic of Korea; purebeam@naver.com (C.J.); sypark1231@naver.com (S.Y.P.); pitpind@naver.com (S.-J.P.); san.volcano@gmail.com (S.K.);

² Department of Bioscience and Biotechnology, Konkuk University, Seoul 143-701, Republic of Korea; hmkim0109@konkuk.ac.kr (H.-M.K.); phamricky@gmail.com (X.-H.P.); greenice@konkuk.ac.kr (E.H.); wes0510@konkuk.ac.kr (Y.H.);

³ Department of Chemistry Education, Seoul National University, Seoul 151-742, Republic of Korea; cha6614@snu.ac.kr (M. G. C.); jeongdh@snu.ac.kr (D. H. J.)

* Correspondence: bjun@konkuk.ac.kr (B.-H.J.); yslee@snu.ac.kr (Y.-S.L.); Tel.: +82-2-450-0521 (B.-H.J.); Tel.: +82-2-880-7073 (Y.-S.L.)

† These authors contribute equally to this work.




Figure S1. The zeta potential values of silica NPs and amine-functionalized silica NPs.




Figure S2. (a) SERS intensity of M-AgNSs treated with different weight ratio of AgNO_3 to core silica NPs $[\text{AgNO}_3/\text{Silica NP}]$ during Ag^+ ion reduction process. The SERS intensities of NPs were analyzed at 1075 cm^{-1} peak from the spectra, which were obtained using a portable Raman system with a 785 nm laser at a power of 60 mW for 1 s. (b) UV-Vis absorption spectrum of M-AgNSs treated with different weight ratio of $[\text{AgNO}_3/\text{silica NP}]$ i) 5, ii) 2.5, iii) 1.6, iv) 1.25 and v) 1 during Ag^+ ion reduction process.




Figure S3. SERS spectra of i) thiram-treated M AgNSs and ii) non-treated M AgNSs after being accumulated by using a magnet. The concentration of thiram was 10 μM . The spectra were obtained using a portable Raman system (785 nm laser; 60 mW of power for 5 s).